



- NOTES:
 Specifications for Asphalt
1. Temperature for placement of Asphalt shall be above 40 degrees.
 2. Stone base shall be minimum 6" using # 4 aggregate base material.
 3. Stone base shall be compacted and rolled to 95% proctor and rolled.
 4. Finish pavement shall be minimum 3".
 5. Finish pavement shall meet standard pavement standards.
 6. Contractor shall submit asphalt submittal for approval.
 7. Striping shall be per FAA standard three line to match existing.

CITY OF SPARTANBURG	SPARTANBURG AIRPORT T-HANGAR	CONCEPT DRAWING
REVISION DATE: 3-3-17	Asphalt Detail Addendum	DRAWN BY; DC