



## Request for Proposals

### Okeechobee County Civic Center Barrier Fence

- ◆ Furnish all materials, labor, permits and appurtenances necessary to install a barrier fence around the drain field at the Okeechobee County Civic Center, located at 1750 Highway 98 North, Okeechobee.
- ◆ All posts shall be 6"x6" pressure treated lumber and must be 36" above ground level. Posts will be placed 8' on center and have a footers shall meet or exceed current building codes. \*\*
- ◆ All railing shall be 2"x10"x16' pressure treated lumber and will be bolted and cross bolted as required. The top of the railing shall be 32" above grade, and follow the topography of the terrain, while still maintaining a straight topline.\*\*
- ◆ A 6-8' maintenance gate shall be installed using the same material as the top rail, and must be hinged and swing outward from the drain field. The purpose of using the top rail material is to maintain a seamless look without drawing attention to the gate. Please include costs on all required hardware, hinges and latch for security.
- ◆ All costs for completion of this project, including but not limited to concrete, hardware, labor and delivery must be reflected in this proposal. Contractor is responsible for all measurements, permits, line locates, disposal of construction material, and storage of materials during installation.

Site visits are not required but recommended and may be scheduled with Tiffany Gould, Project Coordinator at (863)763-6950 or the email below. Please submit all quotes in writing to the address above or via email @ [tgould@co.okeechobee.fl.us](mailto:tgould@co.okeechobee.fl.us)

\*\*Please note the picture below is for reference.

