1819 Riverbend Rd. Dalton, Ga 3	0721			
Antioch Elementary School	Locat	ion of device_		FS Pit
Watts	007M1		3/4"	50999
Manufacturer	Model		Size	Serial Number
Wilkins Manufacturer			08/16/18	Date Certified
Reduced Pr	ressure Princip	le Assembly		
Check Valve # 2 Backpressure Test	Check Valve #1			Check Valve #2
Closed Tight	Held at ps	olocod right		Held at psid
Leaned	Leaked	Leaked		Leaked
Double Check V	alve Assembly			Backflow Assembly Status
Check Valve #1	No. 2 Shutoff Valve	Check Valve	#2	Passed 🗵
Held at <u>1.8</u> psid Leaked □	Closed Tight ⊠ Leaked □	Held at1.8	psid	Failed 🛘
		ameBradley		AT-03521
	Antioch Elementary School Watts Manufacturer Wilkins Manufacturer Reduced Pi Check Valve # 2 Backpressure Test Closed Tight Leaked Double Check V Check Valve #1 Held at	Watts Manufacturer Wilkins Manufacturer Reduced Pressure Princip Check Valve # 2 Backpressure Test Closed Tight Leaked Double Check Valve Assembly Check Valve #1 No. 2 Shutoff Valve Held at ps Leaked Closed Tight Leaked Check Valve #1 Check Valve #1 Check Valve #1 Check Valve #1 No. 2 Shutoff Valve Closed Tight Leaked Time 7:55am Print N.	Antioch Elementary School Watts 007M1 Manufacturer Wilkins O4151821 Serial Number Reduced Pressure Principle Assembly Check Valve #2 Backpressure Test Closed Tight Leaked Held at psid Leaked Check Valve #1 Leaked Double Check Valve Assembly Check Valve #1 Leaked Closed Tight Leaked Check Valve #1 Leaked Check Valve #1 Leaked Check Valve #1 Check Valve #1 Leaked Check Valve #1 Check Valve #1 Leaked Check Valve #1	Antioch Elementary School Watts 007M1 Manufacturer Wilkins 04151821 Serial Number Reduced Pressure Principle Assembly Check Valve # 2 Backpressure Test Closed Tight Leaked Double Check Valve Assembly Check Valve #1 No. 2 Shutoff Valve Held at psid Leaked Check Valve #2 Held at psid Leaked Check Valve #2 Time 7:55am

1030 Hill Rd. Dalton, Ga 30721						
Maintenance shop	Locat	tion of device_	Landscap	oing box by road		
Vilkins	950XL	2	2"	431622		
Manufacturer	Model		Size	Senal Number		
Wilkins			08/16/18			
Manufacturer	Senal Num	per		Date Certified		
Reduced Pr	essure Princip	le Assembly	,			
Check Valve # 2 Backpressure Test	Check Valve #1			Check Valve #2		
Closed Tight	Held atps	id Closed Tight		Held at psic		
Leaked	Leaked 🗆	Leaked		Leaked 🗆		
Double Check Valve Assembly Backflow Assembly Statu						
Check Valve #1	No. 2 Shutoff Valve	Check Valve	e #2	Passed ⊠		
Held at <u>2.6</u> psid Leaked □	Closed Tight 🛛 Leaked	Held at 2.2 Leaked	psid	Failed □		
Time	6:45am			AT-03521		
hat all information provide			Thomas			
	Vilkins Wanufacturer Wilkins Wanufacturer Reduced Pr Check Valve # 2 Backpressure Test Closed Tight Leaked Double Check V Check Valve #1 Held at	Vilkins Vilkin	No. 2 Shutoff Valve Check	Vilkins Size Print Name Print Name Bradley Thomas Vilkins PSOXL2 2" Model Size		

Service Address1	1954 Riverbend Rd. Dalton, Ga 307	721			
Name of Premises_	South East Whitfield Highschool	Locat	ion of deviceStage	(right)	
Device	Vilkins Manufacturer	950XLT Model	2" Size	1480736 Serial Number	
	Wilkins Manufacturer	04151821 Serial Numb	00,10	/18 Date Certified	
RP □ DC ⊠ DCDA □ RPDA □					
	Reduced Pr	essure Princip	le Assembly		
Relief Valve Opening Point	Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shutoff Valve	Check Valve #2	
Opened at psid	Closed Tight	Held atps	ologod Hight	Held at psid	
Did not open	Leaked	Leaked	Leaked	Leaked	
	Backflow Assembly Status				
Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shutoff Valve	Check Valve #2	Passed 🗵	
Closed Tight ⊠ Leaked □	Held at psid	Closed Tight ☐ Leaked 🗵	Held at psid	Failed 🗆	
Date					
Comments:					

Service Address1	382 Eastbrook Dr. Dalton, Ga 307	21			
Name of Premises_	Eastbrook Middle School	Locat	ion of device_	Riser Roo	om
Device	Vilkins Manufacturer	919QT Model		2" Size	18968 Serial Number
Test Kit RP ☒ DC □ DCDA □ RPDA □	Wilkins	0415182 Serial Num		08/16/18	Date Certified
	Reduced Pr	essure Princip	le Assembly	,	
Relief Valve Opening Point	Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shi Valve		Check Valve #2
Opened at _2 psid Did not open	Closed Tight 🗵 Leaked 🗆	Held atps	id Closed Tight Leaked		Held at <u>1.8</u> psid
Double Check Valve Assembly Backflow Assembly Star					
Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shutoff Valve	Check Valve	e #2	Passed 🗵
Closed Tight Leaked	Held at psid	Closed Tight Leaked	Held at	psid	Failed 🗆
Date Test by (Signature) Your signature certifies the	Time		Certified Tester # ameBradley rrect.		AT-03521
Comments:					

Service Address	1382 Eastbrook Dr. Dalton, Ga 307	'21			
Name of Premises_	Eastbrook Middle School	Locat	tion of device_	Pit by roa	d
Device	Colt Manufacturer	200n Model		2 1/2" Size	2982 Schal Number
RP □	Wilkins Manufacturer	0415182 Serial Numl		08/16/18	Date Certified
DC ⊠ DCDA □ RPDA □					
	Reduced Pr	essure Princip	le Assembly	,	
Relief Valve Opening Point	Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 She Valve		Check Valve #2
Opened at psid	Closed Tight	Held at ps	Ground right		Held atpsic
Did not open □	Leaked	Leaked \square	Leaked		Leaked \square
	Double Check V	alve Assembly			Backflow Assembly Status
Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shutoff Valve	Check Valve	e #2	Passed ⊠
Closed Tight 🗵 Leaked 🗆	Held at <u>3.6</u> psid Leaked □	Closed Tight Leaked □	Held at 1.4	psid	Failed 🗆
Date6/3/19	Time	2:19pm	Certified Tester#		AT-03521
Test by (Signature)	hat all information provide		ame Bradley	Thomas	
Comments:					
				*- *	

Service Address1	382 Eastbrook Dr. Dalton, Ga 307	21				
Name of Premises_	Eastbrook Middle School	Locat	tion of device_	Landscap	ing box	
Device	Vilkins Manufacturer	950XL1 Model		2" Size	1523038 Serial Number	
RP □ DC ⊠ DCDA □	Wilkins Manufacturer	0415182 Serial Numi		08/16/18	3 Date Certified	
RPDA □	Reduced Pr	essure Princip	le Assembly	,		
Relief Valve Opening Point	Check Valve # 2 Backpressure Test	Check Valve #1		utoff	Check Valve #2	
Opened at psid Did not open	Closed Tight Leaked	Held at ps	Closed Tight Leaked		Held at psid	
Double Check Valve Assembly Backflow Assembly Statu						
Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shutoff Valve	Check Valve	e #2	Passed 🗵	
Closed Tight	Held at <u>3.2</u> psid Leaked □	Closed Tight Leaked	Held at 3.0 Leaked	psid	Failed 🗆	
Date	Time		Certified Tester # ame Bradley		AT-03521	
Comments:						

Service Address1	382 Eastbrook Dr. Dalton, Ga 307	721			
Name of Premises_	Eastbrook Middle School	Locat	ion of device_	Landscap	ing box by ball field
Device	Vilkins	950XLT		2"	4T54021
	Manufacturer	Model		Size	Serial Number
Test Kit_	Wilkins	0415182		08/16/18	3
RP □ DC ⊠ DCDA □ RPDA □	Aanufacturer	Serial Numl	per		Date Certified
	Reduced Pr	ressure Princip	le Assembly	1	
Relief Valve Opening Point	Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shi Valve		Check Valve #2
Opened at psid	Closed Tight	Held atps	id Closed Tight		Held atpsid
Did not open	Leaked	Leaked 🗆	Leaked		Leaked 🗆
	5 11 01 11				D lettere
	Double Check V	alve Assembly			Backflow Assembly Status
Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shutoff Valve	Check Valve	e #2	Passed ⊠
Closed Tight ⊠ Leaked □	Held at psid	Closed Tight ⊠ Leaked □	Held at 2.8 Leaked	psid	Failed 🗆
Date	Time		Certified Tester # ame Bradley rect.		AT-03521
Comments:					

Service Address	1382 Eastbrook Dr. Dalton, Ga 307	21			
Name of Premises_	Eastbrook Middle School	Locat	tion of device_	Landscap	oing box by ball field
Device	Vilkins Manufacturer	350XL Model		1 1/2" Size	A488053 Serial Number
	Wilkins Manufacturer	0415182 Serial Numi		08/16/18	3 Date Certified
RP □ DC ⊠ DCDA □ RPDA □					
	Reduced Pr	essure Princip	le Assembly	,	
Relief Valve Opening Point	Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Sh		Check Valve #2
Opened at psid	Closed Tight	Held atps	Globba Hight		Held at psi
Did not open	Leaked	Leaked	Leaked		Leaked
	Double Check V	alve Assembly			Backflow Assembly Statu
Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shutoff Valve	Check Valve	e #2	Passed ⊠
Closed Tight ⊠ Leaked □	Held at <u>2.8</u> psid Leaked □	Closed Tight Leaked □	Held at 2.6	psid	Failed 🗆
Date	Time		Certified Tester # ameBradley rrect.		AT-03521
Comments:					
				1000000	

Service Address	382 Eastbrook Dr. Dalton, Ga 307	721			
Name of Premises_	Eastbrook Middle School	Locat	ion of device_	FS Pit (De	omestic)
Device	Vilkins	350AD	A	3"	29398
	Manufacturer	Model		Size	Serial Number
Test Kit	Wilkins	0415182 ⁻	1	08/16/18	
RP □ DC ⋈ DCDA □ RPDA □	Manufacturer	Serial Numl			Date Certified
	Reduced Pi	ressure Princip	le Assembly		
Relief Valve Opening Point	Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shi Valve		Check Valve #2
Opened at psid	Closed Tight	Held at ps	id Closed Tight	П	Held at psid
Did not open	Leaked	Leaked \square	Leaked		Leaked
	Double Check V	alve Assembly			Backflow Assembly Status
Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shutoff Valve	Check Valve	e #2	Passed ⊠
Closed Tight	Held at <u>2.0</u> psid Leaked □	Closed Tight Leaked	Held at2.4 Leaked □	psid	Failed 🗆
Date	Time		Certified Tester # ame Bradley		AT-03521
Comments:					

Service Address	1382 Eastbrook Dr. Dalton, Ga 307	721				
Name of Premises_	Eastbrook Middle School	Locat	ion of device FS Pit			
Device	Vilkins Manufacturer	350ADA Model	8" Size	V29395 Serial Number		
Test Kit	Wilkins	04151821	00/10/10			
RP □ DC □ DCDA ⊠ RPDA □	Manufacturer	Serial Numb	er	Date Certified		
	Reduced Pr	essure Princip	le Assembly			
Relief Valve Opening Point	Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shutoff Valve	Check Valve #2		
Opened at psid	Closed Tight	Held at psi		Held at psid		
Did not open □	Leaked	Leaked	Leaked	Leaked		
Double Check Valve Assembly Backflow Assembly St						
Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shutoff Valve	Check Valve #2	Passed 🛭		
Closed Tight ⊠ Leaked □	Held at <u>2.2</u> psid Leaked □	Closed Tight 🗵 Leaked	Held at 3.0 psid Leaked □	Failed 🗆		
Date Time						
Comments:						
-						

Service Address	382 Easibrook Dr. Dallon, Ga 307	721			
Name of Premises_	Eastbrook Middle School	Locat	tion of device_	FS Pit DC	DA
Device	Vilkins Manufacturer	350AD.	Α	8" Size	29398 Serial Number
RP □	Wilkins Manufacturer	0415182 Serial Numl		08/16/18	Date Certified
DC □ DCDA ⊠ RPDA □					
	Reduced Pr	ressure Princip	le Assembly	1	
Relief Valve Opening Point	Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Sh Valve		Check Valve #2
Opened at psid	Closed Tight	Held at ps	J Groot Gra		Held at psic
Did not open	Leaked	Leaked	Leaked		Leaked
					D 10
	Double Check V	alve Assembly			Backflow Assembly Status
Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shutoff Valve	Check Valv	e #2	Passed 🗵
Closed Tight ⊠ Leaked □	Held at1.8psid Leaked □	Closed Tight 🗵 Leaked	Held at 3.0 Leaked	psid	Failed
Date			Certified Tester # ameBradley rrect.		T-03521
Comments:					
		44447			

Service Address	819 Riverbend Rd. Dalton, Ga 30	0721				
Name of Premises_	Antioch Elementary School	Locat	tion of device_		Landscaping box	
Device	Vilkins	950XL		2"	1263377	
	Manufacturer	Model		Size	Serial Number	
Test Kit	Wilkins	0415182		08/16/18		
RP □ DC ⊠ DCDA □ RPDA □	Manufacturer	Serial Num	ber		Date Certified	
	Reduced Pr	essure Princip	le Assembly	,		
Relief Valve Opening Point	Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shi Valve		Check Valve #2	
Opened at psid	Closed Tight	Held at ps	id Closed Tight		Held at psid	
Did not open ☐	Leaked	Leaked 🗆	Leaked	0.	Leaked 🗆	
	5 6				5 10	
Double Check Valve Assembly Backflow Assembly Status						
Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shutoff Valve	Check Valve	e #2	Passed ⊠	
Closed Tight ⊠ Leaked □	Held at 3.2 psid Leaked	Closed Tight Leaked	Held at 2.6 Leaked □	psid	Failed 🗆	
Date6/3/19	Time	8:26am	Certified Tester #	BP	AT-03521	
Test by (Signature)	10	Print N	ameBradley	Thomas		
Your signature certifies the	nat all information provide	d on this section is co	rrect.			
Comments:						

Service Address1	819 Riverbend Rd. Dalton, Ga 3	0721				
Name of Premises_	Antioch Elementary School	Locat	tion of device	Kitchen by sink		
Device	Vilkins Manufacturer	950XL Model	T 3/4" Size	1895997 Serial Number		
	Wilkins Manufacturer	0415182 Serial Num	00/10/1	8 Date Certified		
RP □ DC ⊠ DCDA □ RPDA □						
	Reduced Pi	ressure Princip	le Assembly			
Relief Valve Opening Point	Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shutoff Valve	Check Valve #2		
Opened at psid	Closed Tight	Held atps		Held at psid		
Did not open	Leaked	Leaked	Leaked	Leaked		
Double Check Valve Assembly Backflow Assembly Statu						
Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shutoff Valve	Check Valve #2	Passed ⊠		
Closed Tight ⊠ Leaked □	Held at <u>3.2</u> psid Leaked □	Closed Tight 🗵 Leaked 🗆	Held at2.6 psid	Failed 🗆		
Date 6/3/19 Test by (Signature)	Time	7 00	Certified Tester #BF	PAT-03521		
, , ,	nat all information provide					
Comments:						

Service Address1	819 Riverbend Rd. Dalton, Ga 30	0721			
Name of Premises_	Antioch Elementary School	Location of device			Kitchen by dishwasher
Device	Vilkins Manufacturer	950XLT Model		3/4" Size	1993981 Serial Number
Test Kit RP □ DC ☒ DCDA □ RPDA □	Wilkins Manufacturer	0415182 Serial Numi		08/16/18	Date Certified
	Reduced Pr	ressure Princip	le Assembly	7	
Relief Valve Opening Point	Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Sh Valve		Check Valve #2
Opened at psid Did not open	Closed Tight Leaked	Held at ps	Held at psid Closed Tight Leaked		Held at psid
	Double Check V	alve Assembly	,		Backflow Assembly Statu
Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shutoff Valve	Check Valve	e #2	Passed 🗵
Closed Tight	Held at <u>2.6</u> psid Leaked □	Closed Tight Leaked □	Held at2.4 Leaked	psid	Failed 🗆
Date Time8:55am Certified Tester # BPAT-03521 Test by (Signature) Print Name Bradley Thomas Your signature certifies that all information provided on this section is correct.					
Comments:					

				-	

Service Address1	1819 Riverbend Rd. Dalton, Ga 30	0721				
Name of Premises_	Antioch Elementary School	Locat	tion of device		Kitchen by dishwasher	
Device	Vilkins Manufacturer	950XL ⁻		3/4" Size	1993979 Serial Number	
Test Kit	Wilkins Manufacturer	0415182 Serial Numl		08/16/18	Date Certified	
RP □ DC ⊠ DCDA □ RPDA □	wanuracturer	Seriai Numi	per		Date Cenineo	
	Reduced Pr	ressure Princip	le Assembly			
Relief Valve Opening Point	Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shut Valve	toff	Check Valve #2	
Opened at psid	Closed Tight Leaked	Held at ps	Closed Tight Leaked		Held at psid	
Double Check Valve Assembly Backflow Assembly State						
Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shutoff Valve	Check Valve	#2	Passed 🗵	
Closed Tight	Held at <u>2.2</u> psid Leaked □	Closed Tight ☐ Leaked ☐	Held at2.6p Leaked □	osid	Failed	
Date Time8:50am Certified Tester #BPAT-03521 Test by (Signature) Print Name Bradley Thomas Your signature certifies that all information provided on this section is correct.						
Comments:						
					delasti manusi andi andi andi anti anti anti anti anti anti anti ant	

Service Address_1	954 Riverbend Rd. Dalton, Ga 307	721			
Name of Premises_	South East Whitfield Highschool	Location of device_		Stage (mi	ddle)
Device	Vilkins Manufacturer	975XL1 Model	· .	2" Size	1522985 Serial Number
Test Kit RP □ DC ☒ DCDA □ RPDA □	Wilkins Manufacturer	0415182 Serial Numi		08/16/18	Date Certified
	Reduced Pr	essure Princip	le Assembly	,	
Relief Valve Opening Point	Check Valve # 2 Backpressure Test	Check Valve #1		utoff	Check Valve #2
Opened at psid	Closed Tight Leaked	Held atps	id Closed Tight Leaked		Held at psid
Double Check Valve Assembly Backflow Assembly Stat					
Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shutoff Valve	Check Valve	e #2	Passed 🗵
Closed Tight	Held at <u>3.0</u> psid Leaked □	Closed Tight Leaked	Held at3.0	psid	Failed 🗆
Date Time12:00pm					
Comments:					

Service Address1	954 Riverbend Rd. Dalton, Ga 30	721			
Name of Premises_	South East Whitfield Highschoo	Locat	tion of device_	Irrigation	building
Device	Vilkins Manufacturer	975XL Model	-	1" Size	3066176 Serial Number
1001111	Wilkins Manufacturer	0415182 Serial Numi		08/16/18	3 Date Certified
	Reduced Pr	ressure Princip	le Assembly	/	
Relief Valve Opening Point	Check Valve # 2 Backpressure Test	Check Valve #1		utoff	Check Valve #2
Opened at4.0 psid Did not open	Closed Tight 🗵 Leaked 🗆	Held at <u>7.8</u> ps	id Closed Tight Leaked		Held at 1.8 psid
Double Check Valve Assembly Backflow Assembly State					
Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shutoff Valve	Check Valv	e #2	Passed 🗵
Closed Tight Leaked	Held at psid Leaked	Closed Tight Leaked	Held at	psid	Failed 🗆
Date Time Certified Tester #BPAT-03521 Test by (Signature) Print Name Bradley Thomas Your signature certifies that all information provided on this section is correct.					
Comments:					

Service Address	1954 Riverbend Rd. Dalton, Ga 30	721				
Name of Premises_	South East Whitfield Highschoo	Locat	ion of device_	Irrigation	building	
Device	Vilkins Manufacturer	975XL Model		1" Size	3423224 Serial Number	
Test Kit RP ⊠ DC □ DCDA □ RPDA □	Wilkins Manufacturer	0415182 Serial Numl		08/16/18	B Date Certified	
	Reduced Pr	essure Princip	le Assembly	,		
Relief Valve Opening Point	Check Valve # 2 Backpressure Test	Check Valve #1		utoff	Check Valve #2	
Opened at3.2 psid Did not open	Closed Tight Leaked	Held atps	id Closed Tight Leaked		Held at <u>2.4</u> psid	
Double Check Valve Assembly Backflow Assembly State						
Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shutoff Valve	Check Valve	e #2	Passed 🗵	
Closed Tight Leaked	Held at psid Leaked	Closed Tight Leaked	Held at	psid	Failed 🛘	
Date Time Certified Tester # BPAT-03521 Test by (Signature) Print Name Bradley Thomas Your signature certifies that all information provided on this section is correct.						
Comments:						
		·······				

Service Address1	954 Riverbend Rd. Dalton, Ga 30	/21				
Name of Premises_	South East Whitfield Highschool	Locat	ion of device_	Football F	Field House	
Device	Conbraco Manufacturer	401079 Model	997	1 1/2" Size	EJ709 Serial Number	
RP □ DC ☒ DCDA □	Wilkins Manufacturer	0415182 Serial Numb		08/16/18	3 Date Certified	
RPDA □	Reduced Pr	essure Princip	le Assembly	,		
Relief Valve Opening Point	Check Valve # 2 Backpressure Test	Check Valve #1		utoff	Check Valve #2	
Opened at psid Did not open	Closed Tight Leaked	Held atps	Leaked		Held at psid	
Double Check Valve Assembly Backflow Assembly State						
Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shutoff Valve	Check Valve	e #2	Passed 🗵	
Closed Tight ⊠ Leaked □	Held at psid Leaked	Closed Tight 🛛 Leaked 🗆	Held at1.8	psid	Failed 🗆	
Date Time Certified Tester #BPAT-03521 Test by (Signature) Print Name Bradley Thomas Your signature certifies that all information provided on this section is correct.						
Comments:						

Service Address1	954 Riverbend Rd. Dalton, Ga 30	721				
Name of Premises_	South East Whitfield Highschool	Locat	tion of device_	Concessi	ion stand by softball field	
Device	Vilkins Manufacturer	950XL Model		1" Size	W008430 Serial Number	
RP □ DC ⊠ DCDA □ RPDA □	Wilkins Manufacturer	0415182 Serial Numi		08/16/18	Date Certified	
N. D. C.	Reduced Pr	ressure Princip	le Assembly	,		
Relief Valve Opening Point	Check Valve # 2 Backpressure Test	Check Valve #1		utoff	Check Valve #2	
Opened at psid Did not open	Closed Tight Leaked	Held atps	id Closed Tight Leaked		Held atpsid	
Double Check Valve Assembly Backflow Assembly Statu						
Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shutoff Valve	Check Valve	e #2	Passed ⊠	
Closed Tight 🗵 Leaked 🗆	Held at psid Leaked	Closed Tight 🛮 Leaked	Held at2.4 Leaked	psid	Failed 🗆	
Date						
Comments:						

Service Address	954 Riverbend Rd. Dalton, Ga 30	721			
Name of Premises_	South East Whitfield Highschoo	Locat	Location of device		
Device	Vatts Manufacturer	007m1 Model		3/4" Size	400071 Senal Number
Test Kit	Wilkins Manufacturer	0415182 Serial Num		08/16/18	Date Certified
DC ⊠ DCDA □ RPDA □					
	Reduced Pr	ressure Princip	le Assembly		
Relief Valve Opening Point	Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shu Valve		Check Valve #2
Opened at psid	Closed Tight	Held atps	olooda (ig.it		Held at psid
Did not open	Leaked	Leaked	Leaked		Leaked
	Daubla Chaale)/	Zalaca Alabasas lalac			Backflow
	Double Check V	aive Assembly			Assembly Status
Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shutoff Valve	Check Valve	#2	Passed ⊠
Closed Tight ⊠ Leaked □	Held at <u>1.4</u> psid Leaked □	Closed Tight Leaked □	Held at 1.8	psid	Failed 🗆
Date	Time	9:35am	Certified Tester #	BP/	AT-03521
Test by (Signature)Your signature certifies the	nat all information provide		ame Bradley	Thomas	
Comments:					

Service Address	954 Riverbend Rd. Dalton, Ga 30	/21			
Name of Premises_	South East Whitfield Highschoo	Locat	ion of device_	105b clos	et (right)
Device	Vilkins Manufacturer	975XL Model		2" Size	1825057 Serial Number
RP ⊠ DC □	Wilkins Manufacturer	0415182 Serial Numb		08/16/18	Date Certified
DCDA □ RPDA □					
	Reduced Pr	essure Princip	le Assembly		
Relief Valve Opening Point	Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shu Valve		Check Valve #2
Opened at 3.4 psid Did not open	Closed Tight ⊠ Leaked □	Held at <u>8.4</u> ps	Leaked D		Held at 3.2 psid
Double Check Valve Assembly Backflow Assembly State					
Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shutoff Valve	Check Valve	e #2	Passed 🗵
Closed Tight Leaked	Held at psid Leaked	Closed Tight Leaked	Held at	psid	Failed □
Date					
Comments:					
				_	

Service Address	954 Riverbend Rd. Dallon, Ga 30	/21			
Name of Premises_	South East Whitfield Highschoo	Locat	tion of device_	105b clos	et (left)
Device	Vilkins Manufacturer	975XL Model		2" Size	1975064 Serial Number
	Wilkins	0415182 Serial Num		08/16/18	Date Certified
RP ⊠ DC □ DCDA □ RPDA □					
	Reduced Pr	essure Princip	le Assembly	,	
Relief Valve Opening Point	Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shi Valve		Check Valve #2
Opened at 3.0 psid	Closed Tight 🗵 Leaked	Held atps Leaked □	Leaked [Held at <u>2.6</u> psid
Double Check Valve Assembly Back Assemble					
Check Valve # 2 Backpressure Test	Check Valve #1	No. 2 Shutoff Valve	Check Valve	e #2	Passed ⊠
Closed Tight Leaked	Held at psid Leaked	Closed Tight Leaked	Held at	psid	Failed 🗆
Date Time Certified Tester # BPAT-03521 Test by (Signature) Print Name Bradley Thomas Your signature certifies that all information provided on this section is correct.					
Comments:					