

**ADDENDUM NO: 1**

**REQ NO: 177009**

**FINAL SUBMITTAL: February 20, 2019 at 2:00 PM EST**

**FINAL QUESTIONS: February 14, 2019 at 2:00 PM EST**

**Department: City Wide Services, Public Works**

**Questions & Answers to Bid# 305380:**

**Question 1: Are we quoting one annual HHW event scheduled on a Saturday? If so, what day were you thinking?**

**Answer: No**

**Question 2: Why does the RFP state that the facility is open Tues. to Sat. from 8-3?**

**Answer: We are open Tuesday – Saturday 8:00 AM to 3:00 PM**

**Question 3: Does this mean that we will also be responsible for taking the material collected during the open hours before the scheduled event?**

**Answer: No, vendor will be responsible for the packaging and disposal of the material once the collection is scheduled.**

**Question 4: When was the last time the collected material was packaged and shipped from the facility?**

**Answer: August 2018**

**Question 5: Please include an invoice and manifests from the most current collection event.**

**Answer: Ms. Sharon Smith will include. Vendors should have this information from the bid that was sent out on Bid# 305248**

**Question 6: What was the previous contractor's list of container shipping standards by waste stream?**

**Answer: Contractor sent a technician and they came and packaged material to get it ready for collection**

**Changes to Bid# 305380:**

**The Bid Open date will change to February 20, 2019 at 2:00 REST due to vendors have to be given forty-eight (48) hours before the original bid opening for addendums to be included. The original bid opening was February 19, 2019**

**Req No: 177009 Collection & Disposal of Household Hazardous Waste**

**PLEASE SIGN ONE (1) COPY OF ADDENDUM AND RETURN TO THE PURCHASING DEPARTMENT. RETAIN THE OTHER COPY FOR YOUR FILES.**

**Name:** \_\_\_\_\_

**Company:** \_\_\_\_\_

\_\_\_\_\_

**CITY OF CHATTANOOGA  
PURCHASING DEPARTMENT  
Mark McKeel  
City Hall Suite G13  
CHATTANOOGA, TN 37402  
TELE: (423) 643-7236  
FAX: (423) 643-7244**