



1 REFLECTED CEILING PLAN - WING A
 1/8" = 1'-0"

1B - 1 HOUR FIRE RATED BARRIER (CMU)
 1 HOUR FIRE-RATED CONCRETE BLOCK WALL UP TO UNDERSIDE OF FLOOR OR ROOF DECK. WALL THICKNESS AS INDICATED ON FLOOR PLAN. FIRESTOP TOP OR WALL TIGHT TO UNDERSIDE OF DECK. FIRESTOP TIGHT AROUND ALL WALL PENETRATIONS ON BOTH SIDES OF WALL.
 (U.L. DESIGN NO. U419 AND U866.)

SA&E PROJECT NUMBER	01-920-016
BID PACKAGE	BP-1
ISSUED FOR CONSTRUCTION	08-24-2022
REVISIONS	
R #	Doc #
1	AD3
Date	10-06-2022

Southern A&E
 architects & engineers
 7951 Troon Circle
 Austell, Ga 30168
 (770) 819-7777
 L.L.C.
 © COPYRIGHT 2022 BY SOUTHERN A&E, L.L.C. ALL RIGHTS RESERVED.
 THIS DOCUMENT IS THE PROPERTY OF SOUTHERN A&E, L.L.C. AND SHALL NOT BE COPIED OR REPRODUCED IN WHOLE OR IN PART WITHOUT EXPRESSED WRITTEN CONSENT FROM SOUTHERN A&E, L.L.C.

School Code: 746-5052
 HVAC & Lighting Replacement to:
STONE CREEK ELEMENTARY
 1600 HAPPY VALLEY RD, ROSSVILLE, GA 30741
WALKER COUNTY SCHOOL DISTRICT
 201 S DUKE ST, LAFAYETTE, GA 30728

RCP PLAN - WING A

DRAWING NUMBER
A102

STATE OF GEORGIA
 CRESCENT SCHUMAKER
 REGISTERED ARCHITECT