



City of Tallmadge
Department of Public Service

ADDENDUM NUMBER 1 TO THE BID DOCUMENTS

Amendment Date: February 11, 2022

BID DOCUMENT: 2022 Concrete Maintenance & Repair

A. This Addendum shall be considered part of the bid documents for the above-mentioned project as though it had been issued at the same time and shall be incorporated integrally therewith. Where provisions of the following supplementary data differ from those of the original bid documents, this Addendum shall govern and take precedence. BIDDERS MUST SIGN THE ADDENDUM AND SUBMIT IT WITH THEIR BIDS.

B. Bidders are hereby notified that they shall make any necessary adjustments in their estimates as a result of this Addendum. It will be construed that each bidder's proposal is submitted with full knowledge of all modifications and supplemental data specified herein.

Except as described below, the original bid document remains unchanged. The bid documents are modified and/or clarified, as follows:

This addendum is for Item K2, in Bid Specifications (page 28).

Item K2, For Clarification Purposes the excavation and the installation of the stone base will be performed by Tallmadge personnel. Bidder only needs to fine grade the stone base.

K2. ITEM 451- 6" REINFORCED CONCRETE DECORATIVE WALKWAY

1. DESCRIPTION:

This work includes the furnishing of all labor, material, tools, and equipment necessary to **fine grade stone base**, form for 6" stamped colored concrete. Construct 6" Hampshire Red integrally colored concrete reinforced with 6X6 10 gauge welded wire fabric. Stamp London Cobblestone pattern from Kulman Corp over clear release. Sawcut and wash off concrete. Apply deep charcoal EZ Tique antiquing agent on stamped colored concrete. Cure concrete with decorative sealer.

BIDDER MUST ACKNOWLEDGE THIS ADDENDUM BY SIGNING BELOW AND ATTACHING THE SIGNED ADDENDUM TO THE BID FORM:

Company Name: _____

Contact Person: _____

Signature: _____

Date: _____

Michael T. Roar

City of Tallmadge, Director of Public Service