

ADDENDUM #1 COUNTY ROAD 12 DRAINAGE PIPE REPLACEMENT


Requisition No. PW-051623 May 10, 2023

Addendum #1 is being issued in regards to this project to reflect the following changes in the scope of work and the price sheet.

- 1. Revised C.R. 12 Storm Drain Replacement Plan Sheet No. C1.0 addresses the removal of retaining wall on top end of headwall and retaining wall debris on front slope. (File name: Bid Plans 3.pdf)
- 2. Revised C.R. 12 Storm Drain Replacement Plan Sheet No. C2.0 addresses the installation of concrete slope paving on three sides to stabilize the front slope and existing block retaining wall. Slope to match headwall and transition to flat bottom ditch on upstream end. (File name: Bid Plans 4.pdf)
- 3. The price sheets for Phase 1 and Phase 2 have been combined and revised. Pay item #22 has been added for slope paving. Addendum #1 Price Sheet must be utilized when submitting bid.

Please include a copy of this Addendum with your bid and acknowledge receipt of Addendum #1 on page 3 of the original bid packet.

Rachel Keith Project Manager City of Foley, Alabama





BASIS OF BID

The following prices shall include all labor, materials, equipment removal, overhead, profit, insurance, etc., to cover the finished work as established in the drawings and specifications. Bidder will complete the Work in accordance with Alabama Department of Transportation Standard Specifications for Highway Construction, Latest Edition and the Contract Documents for the following prices:

BASE BID									
Item	Description	Qty.	Unit	Unit Price	Total				
1	Removal of Existing Concrete slope paved	1	LS						
	headwall								
2	Removal of Existing CMP 40"x56"	530	LF						
3	58.5"X36" RCAP (48" Round Equivalent)	539	LF						
4	Mobilization	1	LS						
5	Survey Controls	1	LS						
6	Removal of Existing Concrete Slope	1	LS						
	Paved Headwall & Existing Retaining Wall								
7	Removal of Existing CMP 40"x56"	525	LF						
8	Removal of Existing Yard Inlet	4	EA						
9	Borrow Excavation Select Fill_A-2-4 or	1125	CY						
	better_minimum 95% standard proctor								
	compaction								
10	51.1"X31.3" RCAP (42" Round Equivalent)	545	LF						
11	Cast-In-Place Concrete Headwall	6	CY						
12	Open Throat Yard Inlet	4	EA						
13	Minor Structural Concrete	10	CY						
14	Concrete Sloped Paved Headwall, 4H:1V slope	1	EA						
15	Solid Sod	240	SY						
16	Hydroseeding	2521	SY						
17	Topsoil from existing site material	305	CY						
	(excavate and respread) 4" compacted								
	thickness								
18	Rip Rap Check Dam	2	LS						
19	Straw Wattle Check Dam	8	EA						
20	Wattle Inlet Protection	4	EA						
21	Traffic Control	1	LS						
22	Slope Paving	10	CY						

Company Name:		
COMBANY NAME.		