

OFFICE OF THE SULLIVAN COUNTY PURCHASING AGENT
3411 HIGHWAY 126 – SUITE 201
BLOUNTVILLE, TN 37617-0569

KRISTINIA DAVIS, CPPB
PURCHASING AGENT

PHONE 423/323-6400

FAX 423/323-7249

Kris.davis@sullivancountyttn.gov

ADDENDUM-1

ITB: WRHS2020(KD)

Re: Access Control System for West Ridge High School

Date: November 18, 2020

This Addendum is part of the ITB Documents for the above referenced project and modifies the original documents.

1. **Bid Opening date is moved from 12/2/20 to 12/10/20 @ 2:00 p.m.**
2. **Acceptable Equipment for West Ridge Access Control**
 - Lenel LNL-2200 Master
 - Lenel LNL-1320 Card
 - Lenel LNL AL4000ULX Power Supply
 - MT-11 Card Readers
 - Aiphone IX-MV Console
 - Aiphone IX-DVF-P Door Station
 - Aiphone IXW-MA Relay Component
 - Aiphone SBX-IDVFRA Mounting Box
 - Assa Abloy 9600 Series Electric Door Strikes

- Swipe Cards-AWID Part # C5-AWID-0-0 26 Bit Format Clamshell
Starting with # 21100
-
3. There will be 3 door stations and 7 doors with readers only.
One of these will be at Field House
 4. Power supply will be located in main data closet.
 5. Console to be located in front office.
 6. Door station cameras to be added to Avigilon system.
 7. Conduit and boxes are in the wall.
 8. 100 swipe cards will be needed.

END OF ADDENDUM #1