PURCHASING AND MATERIALS MANAGEMENT



(843) 918-2170 FAX: (843) 918-2182 www.cityofmyrtlebeach.com

Addendum #01 August 7, 2018 IFB 19-B0013 Myrtle's Market Concrete

The purpose of this Addendum #01 to IFB 19-B0013 for Myrtle's Market Concrete, dated July 31, 2018, is to clarify specifications:

- Concrete is to be poured around light poles and trees. Only sign posts will be moved.
- City will be responsible to mark the irrigation line.
- City recognizes that there will be a valley in the concrete driveway, with a run-off for water.
- The edges of the driveway must be flush with existing concrete pads. At no point can there be any trip hazards due to elevation differences between existing and new concrete.
- The front sidewalk must be poured to meet the asphalt, which means the front sidewalk may be more than five (5) feet wide.

In addition, the attached revised price schedule reflects the changes in sidewalk width.

Sealed bids will be received until 3:00PM on Tuesday, August 14, 2018.

Please send in your sealed bid to the address below: City of Myrtle Beach 3231 Mr. Joe White Avenue Myrtle Beach, SC 29577 Attn: Purchasing Division/Ann Sowers

If you have any questions, please don't hesitate to call to the undersigned below.

Thank-you, City of Myrtle Beach Ann Sowers/Procurement Office/Buyer Email: asowers@cityofmyrtlebeach.com

Revised Price Schedule

In accordance with the project scope and specifications, the Contractor shall provide all plant, supervision, labor, materials, equipment, supplies, and transportation necessary to complete this scope of work. Prices to include all taxes and costs, including (but not limited to): supplies, tools, equipment, labor, supervision, delivery, loading/unloading, truck charges, mileage, travel time, per diem, fuel, fuel surcharges, energy surcharges, hazardous material handling fees, environmental impact fees, and waste disposal fees.

All work shall comply with all federal, state, and local laws and regulations, industry and construction codes and standards, manufacturer's specifications and recommendations, all special provisions, and terms and conditions. <u>FOB: Destination</u>

Item	Description	Qty.	Unit	Unit Bid Price	Total Bid Price
#			of		
			Issue		
	Sidewalk Installation:				
1	• 5-feet wide (front	300	LF	\$	\$
	sidewalk may be wider)				
	• 6-inches thick				
	• 2-inch stone base				
	Driveway Installation:				
2	• 14-feet wide	130	LF	\$	\$
	• 8-inches thick				
	• 4-inch stone base				
Grand Total (Lines 1 and 2)					\$
Company Name:					
Authorized Signature:					
Email Address:					