



ADDENDA NUMBER (3) **November 24, 2021**

**ITB #2021-10-016
RECONSTRUCTION ARREY BALL FIELD**

**Please, note the following correction: Header Error in Addenda (2)-
RFP#2021-09-013 ANNUAL LEGAL SERVICES FOR SIERRA COUNTY- Should state for
ITB #2021-10-016 Arrey Ball Field.**

Clarification 1: The County attended a conference call, to attend the board meeting, with Garfield water association. On November 9, 2021, to provide clarification on the possible connection hook up, approval and cost.

- **The Board approved the County to use set up connectivity for hook up should the well not be able to provide a sufficient water source for the watering of the field.**
- **We are not able to tie into the existing line at the community center. They require a separate line and hook up.**
- **The line would require a 2-inch meter**
- **Estimated cost for new setup and services \$6,200.00**
- **The awarded contractor will work with the Counties, Accounts payable to set these services up when project ready.**
- **Point of Contact: Kell Took, Accounts Payable,
ktook@sierraco.org, 575-894-9856**

Clarification 2: As for the alternate bid cost for the well testing by awarded contractor for the following:

- **All work, performance, and warranty are assigned to one party.**
- **Save time and money as contacting this service separately will require additional procurement process.**



- **Performance specifications have been provided via Addendum 2, requiring the Prime Contractor to procure a qualified sub-contractor. A performance specification is information that specifies the operational requirements of a component or installation. Simply put, a performance specification tells the contractor what the final installed product must be capable of doing. The contractor is not instructed as to how to accomplish the task of meeting the performance specification requirements - only as to how the component must function after installation.**
- **Attachment 1- HISTORICAL DOCUMENTS RELATED TO ARREY WELL**

Question 1: Will compost be required for the sod areas?

Answer 1: Please refer to Sheet LG-002, Sodding Note 9.

Question 2: What is the sod bed prep requirement?

Answer 2: Please refer to Sheet LG-002, Sodding Notes.

Question 3: What is the source for the Rustic Red infield mix? Will the "Rustic Red Baseball Turf" mix that GCC sells be accepted?

Answer 3: Sheet LP-101, Key Note 1 identifies the warning track. The Material Legend defines the warning track as 3" depth or approved equal. You may submit an approved equal for consideration and approval. Please note that the warning track is not turf.

Note: Due to the delay on Amendment #3, please, resend any questions that I may have not addressed. Thank you for you cooperation.

END





New Mexico Office of the State Engineer Transaction Summary



72121 All Applications Under Statute 72-12-1

Transaction Number: 167026 **Transaction Desc:** LRG 06340 **File Date:** 10/10/1986


Primary Status: PMT Permit
Secondary Status: LOG Well Log Received
Person Assigned: *****

Applicant: SIERRA COUNTY BOARD OF COMMISSIONERS
Contact: NOEL B. MAULDIN

Events

Date	Type	Description	Comment	Processed By
 10/10/1986	APP	Application Received	*	*****
10/10/1986	FIN	Final Action on application		*****
10/10/1986	WAP	General Approval Letter		*****
 11/04/1986	LOG	Well Log Received	*	*****
11/10/2005	QAT	Quality Assurance Completed		*****

Change To:

WR File Nbr	Acres	Diversion	Consumptive	Purpose of Use
LRG 06340			3	
**Point of Diversion				
LRG 06340		283604	3640487*	

An () after northing value indicates UTM location was derived from PLSS - see Help

Remarks

WELL IS USED AT ARREY PARK FOR DRINKING AND SANITARY USE.

Conditions

5B A totalizing meter shall be installed before the first branch of the discharge line from the well and the installation shall be acceptable to the State Engineer; the Engineer shall be advised of the make, model, serial number, date of installation, and initial reading of the meter prior to appropriation of water; pumping records shall be submitted to the District Supervisor on or before the 10th of Jan., April, July and Oct. of each year for the 3 preceeding calendar months.

Action of the State Engineer

**** See Image For Any Additional Conditions of Approval ****

Approval Code: A - Approved
Action Date: 10/10/1986
Log Due Date: 09/30/1987
State Engineer:

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

Attachment 1-
HISTORICAL DOCUMENTS
RELATED TO ARREY WELL

7/22/21 3:06 PM

**TRANSACTION
SUMMARY**



New Mexico Office of the State Engineer

Transaction Summary



72121 All Applications Under Statute 72-12-1

Transaction Number: 167036 Transaction Desc: LRG 06340-REPAIR File Date: 08/05/1996

Primary Status: PMT Permit
 Secondary Status: LOG Well Log Received
 Person Assigned: *****

Applicant: COUNTY OF SIERRA


Events

Date	Type	Description	Comment	Processed By
 08/05/1996	APP	Application Received	*	*****
08/09/1996	FIN	Final Action on application		*****
08/09/1996	WAP	General Approval Letter		*****
 09/13/1996	LOG	Well Log Received	*	*****
11/10/2005	QAT	Quality Assurance Completed		*****

Change To:

WR File Nbr	Acres	Diverslon	Consumptive	Purpose of Use
LRG 06340		3		

**Point of Diversion

LRG 06340	283604	3640487*	
-----------	--------	----------	---

An () after northing value indicates UTM location was derived from PLSS - see Help

Remarks

CLEANED SAND FROM 252 TO 255. THIS WAS THE ORIGINAL DEPTH.

Conditions

- 5B A totalizing meter shall be installed before the first branch of the discharge line from the well and the installation shall be acceptable to the State Engineer; the Engineer shall be advised of the make, model, serial number, date of installation, and initial reading of the meter prior to appropriation of water; pumping records shall be submitted to the District Supervisor on or before the 10th of Jan., April, July and Oct. of each year for the 3 preceeding calendar months.

Action of the State Engineer

**** See Image For Any Additional Conditions of Approval ****

Approval Code: A - Approved

Action Date: 08/09/1996

Log Due Date: 07/31/1997

State Engineer:

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

SUMMARY



New Mexico Office of the State Engineer Transaction Summary

ORDER Order of District Court

Transaction Number: 348668

Transaction Desc: LRG 06340

File Date: 07/17/2003

Primary Status: ADJ Adjudicated


Secondary Status: PRC Processed

Status:

Person Assigned: *****

Applicant: COUNTY OF SIERRA

Events

Date	Type	Description	Comment	Processed By
 07/17/2003	APP	Application Received	*	*****
07/17/2003	FTN	Finalize non-published Trans.	null	*****

Water Right Information

WR File Nbr	Acres	Diversion	Consumptive	Purpose of Use
LRG 06340	0	3		SAN 72-12-1 SANITARY IN CONJUNCTION WITH A COMMERCIAL USE

****Point of Diversion**

LRG 06340 283683 3640403 

****Place of Use**

Q	Q	Q	Q	Sec	Tws	Rng	Acres	Diversion	Consumptive	Use	Priority	Status	Other	Loc	Desc
256	64	16	4				0	3			SAN 09/30/1986	ADJ			WITHIN THE PROPERTY OWNED BY THE DEFENDANT(S)

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

7/22/21 3:07 PM

TRANSACTION
SUMMARY





New Mexico Office of the State Engineer Water Right Summary



WR File Number: LRG 06340 **Subbasin:** LRR **Cross Reference:** -
Primary Purpose: SAN 72-12-1 SANITARY IN CONJUNCTION WITH A COMMERCIAL USE
Primary Status: ADJ ADJUDICATED
Total Acres: 0 **Subfile:** LRR-28-001-1004 **Header:** A
Total Diversion: 3 **Cause/Case:** -
Owner: COUNTY OF SIERRA

Documents on File

Trn #	Doc	File/Act	Status		Transaction Desc.	From/	Acres	Diversion	Consumptive
			1	2		To			
get images 348668 ORDER 2003-07-17			ADJ	PRC	LRG 06340	T	0	3	
get images 167036 72121 1996-08-09			PMT	LOG	LRG 06340-REPAIR	T		3	
get images 167026 72121 1986-10-10			PMT	LOG	LRG 06340	T		3	

Current Points of Diversion

(NAD83 UTM in meters)

POD Number	Well Tag	Source	Q	64Q16Q4SecTwsRng	X	Y	Other Location Desc
LRG 06340		Shallow			283683	3640403	

Priority Summary

Priority	Status	Acres	Diversion	Pod Number	Other Location Desc
09/30/1986	ADJ	0	3	LRG 06340	Shallow

Place of Use

Q	Q	256 64 Q16 Q4SecTwsRng	Acres	Diversion	CU Use	Priority	Status	Other Location Desc
				3	SAN	09/30/1986	ADJ	SANITARY USE - NO PLACE OF USE

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

7/22/21 3:00 PM

WATER RIGHT
SUMMARY



ENFORCED COPY

FILED

348668

THIRD JUDICIAL DISTRICT COURT
COUNTY OF DOÑA ANA
STATE OF NEW MEXICO

STATE OF NEW MEXICO *ex rel.*
Office of the State Engineer,

Plaintiff,

vs.

ELEPHANT BUTTE IRRIGATION DISTRICT,

et al.,

Defendants.

2003 JUL 17 AM 11:50

DISTRICT COURT
DONA ANA COUNTY, NM
NADINE SANCHEZ

No. CV 96-888
Hon. Jerald A. Valentine

Lower Rio Grande
Rincon Valley Section

Subfile No.: LRR-28-001-1004

Case No(s). 307-RN-9700696

SUBFILE ORDER

The Court, having considered plaintiff State of New Mexico's Offer of Judgment which has been accepted by the Defendant(s):

COUNTY OF SIERRA

finds:

1. The Court has jurisdiction over the parties and the subject matter.
2. The right of the Defendant(s) to divert and use the public waters from the Lower Rio Grande stream system and the Lower Rio Grande Underground Water Basin is as set forth below:

UNDERGROUND WATER ONLY

A. Office of the State Engineer File No(s): LRG-06340

- (1) Priority: September 30, 1986 Groundwater
- (2) Source of Water: Underground waters of the Lower Rio Grande Underground Water Basin.

Event Code: 3597

- (3) Purpose of Use: 72-12-1 Sanitary In Conjunction With A Commercial Use
- (4) Point(s) of Diversion for this right:
Well No.: LRG-06340 Location: X= 1,314,309 Y= 685,674 Map: LRR-1D
Well Map Label: LRR-11004 A
on the New Mexico State Plane Coordinate System, Central Zone, 1983 N.A.D.
- (5) Place of Use: Within the property owned by the Defendant(s).
- (6) Amount of Water Not to exceed 3.0 acre-feet per annum or historical beneficial use, whichever is less.

3. By signing the State of New Mexico's Offer of Judgment, the Defendant(s) accepted all of the terms and conditions set forth or incorporated in the Offer of Judgment.
4. All terms or conditions set forth or incorporated in the State of New Mexico's Offer of Judgment are incorporated into this Order.
5. The Court enters this Order as a final judgment based on the acceptance by the Defendant(s) of the State of New Mexico's Offer of Judgment, and therefore, pursuant to the Court's procedural orders addressing finality, this Order is final and not subject to appeal.
6. There is no just reason for delay of the entry of a final judgment as to the elements of the claims of the Defendant(s) adjudicated by this Order.

IT IS THEREFORE ORDERED that the rights of the Defendant(s) are as set forth above.

IT IS FURTHER ORDERED that the Defendant(s) and all those in privity with the Defendant(s) are enjoined from any diversion or use of the public surface and underground

waters of the Lower Rio Grande stream system and the Lower Rio Grande Underground Water Basin, except in strict accordance with the rights set forth hereinabove or in other Orders of the Court.

Jerald A. Valentine

Jerald A. Valentine
DISTRICT JUDGE



(EXECUTE IN TRIPLICATE ACCOMPANIED BY ~~\$100~~^{\$50} FILING FEE)

APPLICATION FOR PERMIT TO REPAIR OR DEEPEN WELL

1. Name of Water Right Owner County of Sierra File No. LRG 6340
 Mailing address 311 Date Street
 City and State Truth or Consequences, N.M. 87901
2. Describe well location under one of the following subheadings:
 a. SE $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 25 Twp. 16 S Rge. 5 W N. M. P. M. in _____ County.
 b. Tract No. _____ of Map No. _____ of the _____ District.
 c. Lot No. _____ of Block No. _____ of the _____ Subdivision, of record in _____ County.
3. Source of supply Non-Artesian
(State whether artesian or non-artesian)
4. Right was acquired for Drinking and Sanitary purposes.
5. Type of repair contemplated:
 from _____ to _____ feet
 a. Clean out well to original depth
 b. Deepen well
 c. Other _____
6. Name of driller, if known: Johnson Drilling Co.
7. Additional statements or explanations: _____

RECEIVED
1986 AUG 5 AM 11 26
STATE ENGINEERING OFFICE
LAS CRUCES, NEW MEXICO

RECEIVED
AUG 5 AM 11 28
STATE ENGINEERING OFFICE
LAS CRUCES, NEW MEXICO

I, Richard R. Ramsey affirm that the foregoing statements are true to the best of my knowledge and belief and that development shall not commence until approval of the permit has been obtained.

County of Sierra, Applicant

By: Richard R. Ramsey

Date: 8-1-96

GENERAL CONDITIONS OF APPROVAL

- A. This application is approved provided it is not exercised to the detriment of any others having existing rights; further provided the use of water from the well is limited to that permitted, licensed, vested or adjudicated.
- B. Work shall be done only by a licensed driller in the State of New Mexico in accordance with Section 75-11-13 New Mexico Statutes.
- C. Driller's log must be filed in the office of the State Engineer within 10 days after well is repaired or deepened. Failure to file log within that time shall result in automatic cancellation of the permit. Log forms will be provided by the State Engineer upon request.

SPECIFIC CONDITIONS OF APPROVAL

(Applicable only when so indicated on the other side of this form.)

1. Depth of well in no event to exceed the thickness of the valley fill or Ogallala formation.
2. Well to be constructed to artesian well specifications and State Engineer Office to be notified before casing is landed or cemented.
3. Final approval for the use of said well dependent upon the results of a leakage test to be made by the State Engineer Office before and after repairs are made.

GENERAL INSTRUCTIONS

Application shall be executed in triplicate and forwarded with a ~~4.50~~^{5.00} filing fee to the appropriate office of the State Engineer.

A separate application must be filed for each well to be repaired or deepened.

Requests for application or well log forms or for information in the following basins should be addressed to the State Engineer at the Office indicated:

Rio Grande, Bluewater, Estancia and Sandia Basins--

DISTRICT NO. 1

Room 1023
505 Marquette Avenue, N.W.
Albuquerque, New Mexico 87106

Roswell, Lea, Portales, Carlsbad, Capitan, Hondo,
Penasco, Jal and Fort Sumner Basins--

DISTRICT NO. 2

Box 1717
Roswell, New Mexico 88201

Mimbres, H XXXXXXXXXX yirden Valley, Animas, Playas, Gila-San Francisco,
San Simon, Lordsburg, Nutt-Hockett a XXXXXXXXXX basins--

DISTRICT NO. 3

Box 844
Deming, New Mexico 88030

Hot Springs, Huaco, Las Animas Creek, Lower Rio Grande and
Tularosa Basins -



**STATE OF NEW MEXICO
STATE ENGINEER OFFICE
LAS CRUCES**

THOMAS C. TURNEY
STATE ENGINEER

133 WYATT DR. SUITE 3
LAS CRUCES, NEW MEXICO 88005

August 8, 1996

FILE: LRG-6340

Attn: Richard R. Ramsey
County of Sierra
311 Date St.
Truth or Consequences, NM 87901

Dear Mr. Ramsey:

Enclosed is your copy of Permit to Repair or Deepen Well No. LRG-6340, which has been approved subject to the conditions as noted on your permit.

Your attention is called to the reverse side of your permit to all General Conditions of Approval.

Your rights under this permit will be subject to cancellation on July 31, 1997, unless the work is performed and the well record is filed in this office on or before that date. Please see that the well driller files the well record within 10 days of completion of drilling.

Please advise this office of any change in mailing address that may occur in the future. If the property is ever sold, a change of ownership for the well must be filed first at the State Engineer Office and recorded with the county clerk's office, in the county in which the well was drilled, in accordance with state law.

Sincerely,

A handwritten signature in cursive script, appearing to read "J. B. Nixon".

J. B. Nixon
Supervisor, District 4

JBN:raj

Encl: Permit to Repair or Deepen Well

cc: State Engineer

STATE ENGINEER OFFICE
SANTA FE, NEW MEXICO
'96 AUG 12 AM 9 50



**STATE ENGINEER OFFICE
WELL RECORD**

Revised June 1972

Section 1. GENERAL INFORMATION

(A) Owner of well County of Sierra Owner's Well No. _____
 Street or Post Office Address 311 Date st.
 City and State T or C NM 87901

Well was drilled under Permit No. LRG-6340 and is located in the:

- a. BE $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$ _____ of Section 25 Township 16S Range 5W N.M.P.M.
- b. Tract No. _____ of Map No. _____ of the _____
- c. Lot No. _____ of Block No. _____ of the _____
 Subdivision, recorded in _____ County.
- d. X= _____ feet, Y= _____ feet, N.M. Coordinate System _____ Zone in
 the _____ Grant.

(B) Drilling Contractor Johnson Drilling Co License No. WD 23

Address Box 89 t or C NM 87901

Repair Drilling Began 9/1/96 Completed 9/5/96 Type tools Bailer Size of hole _____ in.

Elevation of land surface or _____ at well is _____ ft. Total depth of well _____ ft.

Completed well is shallow artesian. Depth to water upon completion of well _____ ft.

Section 2. PRINCIPAL WATER-BEARING STRATA

Depth in Feet		Thickness in Feet	Description of Water-Bearing Formation	Estimated Yield (gallons per minute)
From	To			

Section 3. RECORD OF CASING

Diameter (inches)	Pounds per foot	Threads per in.	Depth in Feet		Length (feet)	Type of Shoe	Perforations	
			Top	Bottom			From	To

Section 4. RECORD OF MUDDING AND CEMENTING

Depth in Feet		Hole Diameter	Sacks of Mud	Cubic Feet of Cement	Method of Placement
From	To				

RECEIVED
 SEP 13 PM 10 38
 STATE ENGINEER OFFICE
 LAS CRUCES, NEW MEXICO

Section 6. LOG OF HOLE

Depth in Feet		Thickness in Feet	Color and Type of Material Encountered
From	To		

Section 7. REMARKS AND ADDITIONAL INFORMATION

Cleaned sand from 2⁵² to 255. This was original depth

Phone: (505) 524-6161



**STATE OF NEW MEXICO
STATE ENGINEER OFFICE**

LAS CRUCES

September 19, 1996

THOMAS C. TURNEY
STATE ENGINEER

133 WYATT DR., SUITE 3
LAS CRUCES, NEW MEXICO 88005

FILE: LRG-6340

Attn: Richard Ramsey
Sierra County
311 Date St.
Truth or Consequences, NM 87901

Dear Mr. Ramsey:

Enclosed is your copy of Well Record under Repair or Deepen Well Permit No. LRG-6340, which has been accepted for filing subject to the conditions as noted on your permit.

Your attention is called to the reverse side of your permit to all General Conditions of Approval.

Please advise this office of any change in mailing address that may occur in the future. If the property is ever sold, a change of ownership for the well must be filed first at the State Engineer Office and recorded at the county clerk's office, in the county in which the well was drilled, in accordance with state law.

This is the final filing under Repair or Deepen Well Permit No. LRG-6340.

Sincerely,

A handwritten signature in black ink, appearing to read "J. B. Nixon".

J. B. Nixon,
Supervisor District

JBN:raj

Enc: Well Record

'96 SEP 20 AM
STATE ENGINEER
SANTA FE NEW



OCT 10 PM 1 05

READ INSTRUCTIONS ON BACK

Revised March 1979

STATE APPLICATION TO APPROPRIATE UNDERGROUND WATERS
IN ACCORDANCE WITH SECTION 72-12-1 NEW MEXICO STATUTES

1. Name and Address of Applicant:

File No. LRG-6340

SIERRA COUNTY BOARD OF COMMISSIONERS

300 DATE STREET

TRUTH OR CONSEQUENCES, NEW MEXICO 87901

2. Describe well location under one of the following subheadings:

a. SE $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 25 Twp. 16S. Rgc. 5W. N.M.P.M., in
SIERRA County.

b. Tract No. _____ of Map No. _____ of the _____

c. Lot No. _____ of Block No. _____ of the _____
Subdivision, recorded in _____ County.

d. X = _____ feet, Y = _____ feet, N.M. Coordinate System _____ Zone
in the _____ Grant.

e. Give street address or route and box No. of property upon which well is to be located, or location by direction and
distance from known landmarks _____

3. Approximate depth (if known) 150 feet; outside diameter of casing 6.0 inches.

Name of driller (if known) TIPTONS WELL DRILLING CO.

4. Use of water (check appropriate box or boxes):

- One household, non-commercial trees, lawn and garden not to exceed 1 acre.
- Livestock watering.
- More than one household, non-commercial trees, lawns and gardens not to exceed a total of 1 acre.
- Drinking and sanitary purposes and the irrigation of non-commercial trees, shrubs and lawns in conjunction with
a commercial operation. recreational park.
- Prospecting, mining or drilling operations to discover or develop natural resources.
- Construction of public works, highways and roads.

If any of the last four were marked, give name and nature of business under Remarks. (Item 7)

5. Remarks: WELL IS TO BE USED AT ARREY PARK

I, Noel B. Mauldin, affirm that the foregoing statements are true to the best of my knowledge
and belief and that development shall not commence until approval of the permit has been obtained.

SIERRA COUNTY BOARD OF COMMISSIONERS.

OCT 14 A10:06

GENERAL CONDITIONS OF APPROVAL

- A. The maximum amount of water that may be appropriated under this permit is 3 acre feet in any year.
- B. The well shall be drilled only by a driller licensed in the State of New Mexico in accordance with Section 72-12-12 New Mexico Statutes Annotated. A licensed driller shall not be required for the construction of a driven well; provided, that the casing shall not exceed two and three-eighths (2 3/8) inches outside diameter (Section 72-12-12).
- C. Driller's log must be filed with the State Engineer within 10 days after the well is drilled or driven. Failure to file the log within that time shall result in automatic cancellation of the permit. Log forms will be provided by the State Engineer upon request.
- D. The casing shall not exceed 7 inches outside diameter except under specific conditions in which reasons satisfactory to the State Engineer are shown.
- E. If the well under this permit is used at any time to serve more than one household, livestock in a commercial feed lot operation, the permittee shall comply with Specific Condition of Approval number 5(b).
- F. In the event this well is combined with other wells permitted under Section 72-12-1 New Mexico Statutes Annotated, the total outdoor use shall not exceed the irrigation of one acre of non-commercial trees, lawn, and garden, or the equivalent outside consumptive use, and the total appropriation for household and outdoor use from the entire water distribution system shall not exceed 3 acre feet per annum.

SPECIFIC CONDITIONS OF APPROVAL

(Applicable only when so indicated on the other side of this form.)

1. Depth of the well shall not exceed the thickness of the (a) the valley fill or (b) Ogallala formation.
2. The well shall be constructed to artesian well specifications and the State Engineer shall be notified before casing is landed or cemented.
3. Appropriation and use of water under this permit shall not exceed a period of one year from the date of approval.
4. Use shall be limited to household, non-commercial trees, lawn and garden not to exceed one acre and/or stock use.
5. A totalizing meter shall be installed before the first branch of the discharge line from the well and the installation shall be acceptable to the State Engineer; the Engineer shall be advised of the make, model, serial number, date of installation, and initial reading of the meter prior to appropriation of water and pumping records shall be submitted to the District Supervisor; (a) for each calendar month, on or before the 30th day of the following month (b) on or before the 10th of January, April, July and October of each year for the three preceding calendar months (c) for each calendar year on or before the 30th day of January of the following year.
6. The well shall be plugged upon completion of the permitted use and a plugging report shall be filed with the State Engineer within 10 days.
7. Final approval for the use of the well shall be dependent upon a leakage test made by the State Engineer.
8. Use shall be limited strictly to household and/or drinking and sanitary purposes; water shall be conveyed from the well to the place of use in closed conduit and the effluent returned to the underground so that it will not appear on the surface. No irrigation of lawns, gardens, trees or use in any type of pool or pond is authorized under this permit.

INSTRUCTIONS

The application shall be made in the name of the actual user of the well for the purpose specified in the application.

The application shall be executed in triplicate and forwarded with a \$1.00 filing fee to the State Engineer.

A separate application must be filed for each well to be drilled or used.

If well to be used is an existing well, an explanation (and file number, if possible) should be given under Remarks. (Item 5.)

BEFORE THE NEW MEXICO
STATE ENGINEER

IN THE MATTER OF THE PERMIT)
IN THE NAME OF THE SIERRA)
COUNTY BOARD OF COMMISSIONERS)
TO APPROPRIATE UNDERGROUND)
WATERS IN ACCORDANCE WITH)
SECTION 72-12-1 NEW MEXICO)
STATUTES)

No. LRG-6340

ORDER CORRECTING STATE ENGINEER ACTION

WHEREAS, on the 10th day of October, 1986, the State Engineer approved Application No. LRG-6340 for permit to appropriate underground waters in accordance with Section 72-12-1, New Mexico Statutes subject to certain conditions.

WHEREAS, the State Engineer has reviewed the permit and concludes that the State Engineer action on said application should be corrected to show that no more than one acre of non-commercial trees, shrubs and lawns may be watered from the well authorized to be drilled under Permit No. LRG-6340.

NOW, THEREFORE, the State Engineer does hereby ORDER that Permit No. LRG-6340 is approved for the use indicated, subject to all general conditions and to specific conditions numbered 4 and 5b on the reverse side of the permit.

WITNESS my hand and official seal this 30th day of October,
1986.

S. E. Reynolds
State Engineer /



Phone: (505) 524-6161

**STATE OF NEW MEXICO
STATE ENGINEER OFFICE
LAS CRUCES**

S. E. REYNOLDS
STATE ENGINEER

October 10, 1986

530 SO. MELENORES ST.
LAS CRUCES, NEW MEXICO 88005

FILE: LRG-6340

Noel B. Mauldin, Administrative Assistant
Sierra County Board of Commissioners
300 Date Street
Truth or Consequences, NM 87901

Dear Mr. Mauldin:

Enclosed is your copy of drinking and sanitary well permit No. LRG-6340, which has been approved subject to the conditions as noted on your permit.

Your attention is called to the reverse side of your permit to all General Conditions, but special attention is directed to Specific Condition No. 5b, which states:

- 5b. A totalizing meter shall be installed before the first branch of the discharge line from the well and the installation shall be acceptable to the State Engineer; the Engineer shall be advised of the make, model, serial number, date of installation, and initial reading of the meter prior to appropriation of water and pumping records shall be submitted to the District Supervisor on or before the 10th of January, April, July and October of each year for the three preceding calendar months.

This permit will automatically expire unless this well is drilled and the Well Record filed in this office on or before September 30, 1987.

Sincerely,

Sed R. Reynolds

36 OCT 14 A10:06

County of Sierra



311 DATE ST., TRUTH OR CONSEQUENCES, NM 87901

YR
418-1
ZPN
4/19/95

April 13, 1995

ATTN: Margie
State Engineer Office
133 Wyatt Drive, Suite 3
Las Cruces, New Mexico 88005

FILE NO: LRG 6340

Dear Margie,

Pursuant to our telephone conversation regarding the above referenced well at Arrey Ball Park, Arrey, NM, and the Arrey Senior Citizens Meal Site which is soon to be completed.

The well is not connected to the Senior Center at this time due to the incomplete condition of the building. At this time we are arranging for completion of this facility.

At the time the water is needed, we will need to have the well tested and brought into compliance. However, the Garfield Water Association has our deposit for the meter and we understand that within the next four to five months we will have city water to the site. At that time the well will only serve as it has in the past and used for the watering of trees and ball park area.

If you have any further questions please contact me at 894-6881.

Sincerely,

C. J. Ellis
C. J. Ellis

STATE ENGINEER
LAS CRUCES
4/19/95



'86 NOV 4 PM 1 06

Revised June 1972

STATE ENGINEER
LAS ALAMOS, N.M.

STATE ENGINEER OFFICE
WELL RECORD

Section 1. GENERAL INFORMATION

(A) Owner of well County of Sierra Owner's Well No. one
Street or Post Office Address 300 Date Street
City and State Truth or Consequences, N.M. 87901

Well was drilled under Permit No. LRG 6340 and is located in the:

- a. SE SW SW SW $\frac{1}{4}$ of Section 25 Township 16S Range West N.M.P.M.
- b. Tract No. _____ of Map No. _____ of the _____
- c. Lot No. _____ of Block No. _____ of the _____
Subdivision, recorded in Sierra County.
- d. X= _____ feet, Y= _____ feet, N.M. Coordinate System _____ Zone in
the _____ Grant.

(B) Drilling Contractor John A. Tipton License No. WJ74

Address Box 8, Derry, New Mexico 87933

Drilling Began 9/30/86 Completed 10/24/86 Type tools Cable Tools casing & gra
Size of hole 10 in.

Elevation of land surface or _____ at well is 0 ft. Total depth of well 258 ft.

Completed well is shallow artesian. Depth to water upon completion of well 40 ft.

Section 2. PRINCIPAL WATER-BEARING STRATA

Depth in Feet		Thickness in Feet	Description of Water-Bearing Formation	Estimated Yield (gallons per minute)
From	To			
43	50	7	Small gravel & clay water at 43'	4
218	240	22	Sand and gravel	35
240	255	15	clay layers Water bearing sandstone	5
				44 Gal. per Minute

Section 3. RECORD OF CASING

Diameter (inches)	Pounds per foot	Threads per in.	Depth in Feet		Length (feet)	Type of Shoe	Perforations	
			Top	Bottom			From	To
6"	18	welded	0	258	258	welded	238	253

Section 4. RECORD OF MUDDING AND CEMENTING

Depth in Feet		Hole Diameter	Sacks of Mud	Cubic Feet of Cement	Method of Placement
From	To				

Section 6. LOG OF HOLE

Depth in Feet		Thickness in Feet	Color and Type of Material Encountered
From	To		
0	19	19	Top soil, Brown Clay
19	34	15	Gray gravel and clay
34	43	9	Small gravel, gray sand, water at 43'
43	50	7	Small gravel, gray clay layers
50	60	10	Clay & rock, brown
60	202	142	Sand & Sandstone conglomerate, gray clay layers
202	218	16	clay, off-white conglomerate
218	240	22	Sand, gravel, gray or rock color
240	255	15	Sandstone conglomerate, water bearing
255	258	3	White clay

Section 7. REMARKS AND ADDITIONAL INFORMATION

Phone: (505) 524-6161



STATE OF NEW MEXICO
STATE ENGINEER OFFICE
LAS CRUCES

S. E. REYNOLDS
STATE ENGINEER

November 6, 1986

530 SO. MELINDRES ST.
LAS CRUCES, NEW MEXICO 88005

FILE: LRG-6340

Sierra County
300 Date Street
Truth or Consequences, NM 87901

Gentlemen

Enclosed is your copy of the well record for your drinking and sanitary well used in conjunction within a recreational park No. LRG-6340, which has been accepted for filing subject to the conditions as noted on your permit.

Your attention is directed to the Order issued by the State Engineer on October 30, 1986.

Your attention is also called to the reverse side of your permit to all General Conditions, but special attention is directed to Specific Conditions of Approval Nos. 4 and 5b, which state:

4. Use shall be limited to household, non-commercial trees, lawn and garden not to exceed one acre and/or stock use.

5b. A totalizing meter shall be installed before the first branch of the discharge line from the well and the installation shall be acceptable to the State Engineer; the Engineer shall be advised of the make, model, serial number, date of installation, and initial reading of the meter prior to appropriation of water and pumping records shall be submitted to the District Supervisor on or before the 10th of January, April, July and October of each year for the three preceding calendar months.

NOV 7 11:01
STATE ENGINEER
LAS CRUCES, NEW MEXICO





New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

Well Tag **POD Number**
LRG 06340

Q64 Q16 Q4 Sec Tws Rng**X Y**283683 3640403 **Driller License:** 611**Driller Company:** JOHNSON DRILLING COMPANY**Driller Name:****Drill Start Date:** 09/01/1996**Drill Finish Date:** 09/05/1996**Plug Date:****Log File Date:** 09/13/1996**PCW Rcv Date:****Source:** Shallow**Pump Type:****Pipe Discharge Size:****Estimated Yield:****Casing Size:****Depth Well:****Depth Water:****Meter Number:** 180**Meter Make:** HAYS**Meter Serial Number:** 18900975**Meter Multiplier:** 10.0000**Number of Dials:** 6**Meter Type:** Diversion**Unit of Measure:** Gallons**Return Flow****Percent:****Usage Multiplier:****Reading Frequency:** Quarterly

Meter Readings (In Acre-Feet)

Read Date	Year	Mtr Reading	Flag	Rdr	Comment	Mtr Amount Online
01/05/2000	2000	30394	A	mm		0
12/18/2000	2000	33974	A	mm		0.110
05/16/2001	2001	37191	A	mm		0.099
11/19/2001	2001	51480	A	mm		0.439
02/11/2002	2001	54828	A	mm		0.103
04/05/2002	2002	56009	A	mm		0.036
07/10/2002	2002	66765	A	mm		0.330
08/02/2002	2002	66765	A	mm		0
10/08/2002	2002	66920	A	mm		0.005
01/27/2003	2002	66986	A	mm		0.002
04/10/2003	2003	67068	A	mm		0.003
07/11/2003	2003	67140	A	mm		0.002
10/08/2003	2003	67360	A	mm		0.007
01/08/2004	2003	67465	A	mm		0.003
04/26/2004	2004	67563	A	mm		0.003
07/13/2004	2004	71729	A	mm		0.128
10/25/2004	2004	79539	A	mm		0.240
02/25/2005	2004	79585	A	mm		0.001
04/11/2005	2005	79585	A	mm		0
07/12/2005	2005	79852	A	mm		0.008
11/02/2005	2005	79954	A	mm		0.003
01/12/2006	2005	80030	A	mm		0.002
04/04/2006	2006	80060	A	mm		0.001
01/11/2007	2006	80368	A	mm		0.009
08/28/2007	2007	80590	A	mm		0.007

10/11/2007	2007	80590	A	mm	0
04/04/2008	2008	80646	A	mm	0.002
07/04/2008	2008	81116	A	rp	0.014
10/03/2008	2008	81348	A	rp	0.007
12/29/2008	2008	83223	A	rp	0.058
12/22/2009	2009	84377	A	rp	0.035
01/08/2010	2009	84377	A	rp	0
10/05/2010	2010	85192	A	rs	0.025
01/19/2011	2010	85204	A	rs	0
04/10/2011	2011	85204	A	rs	0
10/03/2011	2011	85204	A	mm	0
01/04/2012	2012	85204	A	rs	0
07/31/2012	2012	85204	A	mm	0
07/02/2013	2013	85204	A	cw	0
10/01/2013	2013	85204	A	cw	0
12/20/2013	2013	85204	A	cw	0
10/01/2014	2014	85204	A	ad	0
03/24/2015	2014	85204	A	ad	0
12/28/2015	2015	85204	A	dc	0
07/22/2016	2016	85204	A	cb	0
01/06/2017	2016	85204	A	bf	0
01/09/2019	2018	85204	A	cb	0
02/17/2021	2020	85206	A	dc	0

**YTD Meter Amounts:	Year	Amount
	2000	0.110
	2001	0.641
	2002	0.373
	2003	0.015
	2004	0.372
	2005	0.013
	2006	0.010
	2007	0.007
	2008	0.081
	2009	0.035
	2010	0.025
	2011	0
	2012	0
	2013	0
	2014	0
	2015	0
	2016	0
	2018	0
	2020	0

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.