



MILLWORK NOTES

1. EXTERIOR SURFACES OF ALL CABINETS SHALL BE WHITE CABINET LINER LAMINATE.
2. BASE CABINETS SHALL BE 24" DEEP UNLESS OTHERWISE NOTED.
3. REED VENT? ALL DIMENSIONS PRIOR TO FABRICATION.
4. BASE CABINET DOOR AND DRAWER FRONTS SHALL BE 3/4" THICK, STRIPPER EDGE AND P-30 LAMINATE.
5. STRIPPER EDGE AND P-30 LAMINATE.
6. ALL CABINETS SHALL HAVE BACKS.
7. PROVIDE FILTERS AT ENDS TO MATCH CABINETS (AS REQUIRED).
8. ALL CABINETS AND DRAWERS SHALL BE PROVIDED COMPLETE WITH ALL INCIDENTAL HARDWARE.
9. ALL CABINETS SHALL BE 13" DEEP UNLESS OTHERWISE NOTED.
10. STUDS SHALL BE K&W #1609/817 OR SIMILAR 484 US 28 OR STRIPPER # 410/1 POLLS AT ALL DRAWERS AND DOORS.
11. PULLS SHALL BE HARTLE #116/89/17 OR SIMILAR 484 US 28 OR STRIPPER # 410/1 POLLS AT ALL DRAWERS AND DOORS.
12. ALUMINUM LINER LAMINATE LATCHES AT CABINET DOORS SHALL #40.
13. HINGES SHALL BE STANLEY #1566 OR #1562 FOR FLUSH OVERLAY IN ADVANCE CONTRACTOR MAY INSTALL BLUM MODUL 170 SELF CLOSING HINGES (OMIT LATCHES IF SELF CLOSING HINGES ARE USED).
14. BASE CABINET ADJUSTABLE SHELF SUPPORTS SHALL BE K&W #225 WITH #266R SUPPORTS (4 PER SHELF).
15. ALL FILE DRAWERS 12" OR TALLER SHALL HAVE EQUAL SIZE DRAWER AND CABINET LOCKS (UNLESS SPECIFIED) SHALL BE K&W #266R AND K&W #960A TO 1/4" OR EQUAL. ALL LOCKS KEYS ALIKE.
16. DRAWER AND CABINET LOCKS (UNLESS SPECIFIED) SHALL BE K&W #266R AND K&W #960A TO 1/4" OR EQUAL. ALL LOCKS KEYS ALIKE.
17. STANDBY SHALL BE 3/2" O.C. MAXIMUM LENGTH AS REQUIRED FOR SHELF ACCESS SHALL BE STAINLESS STEEL.
18. ALL CUP ACCESS SHALL BE STAINLESS STEEL.
19. A COMPLETE INSTALLATION.

THOMAS CALDWELL, ARCHITECT
6500 PAPERMILL DRIVE, SUITE 211
KNOXVILLE, TENNESSEE 37919-4819
(865) 588-0860 (865) 558-9844/FAX
[HTTP://www.tcarchitect.com](http://www.tcarchitect.com)

CITY OF KNOXVILLE
VEHICLE IMPOUNDMENT

KNOXVILLE, TENNESSEE

THE DESIGN PROFESSIONAL WAIVES ANY AND ALL LIABILITY FOR PROBLEMS WHICH ARISE FROM FAILURE TO FOLLOW THESE PLANS, SPECIFICATIONS AND THE DESIGN INTENT THEY CONVEY, OR FOR OTHER'S FAILURE TO OBTAIN AND/OR FOLLOW THE DESIGN PROFESSIONAL'S GUIDANCE WITH RESPECT TO ANY ERRORS, OMISSIONS, INCONSISTENCIES, AMBIGUITIES OR CONFLICTS WHICH ARE ALLEGED.

THOMAS CALDWELL, ARCHITECT
REGISTERED ARCHITECT
STATE OF TENNESSEE
No. 028768
EXPIRES 12/31/18

DRAWING NAME:
WALL SECTIONS
AND DETAILS

DATE: 12/31/18
DRAWN BY: VAD
CHECK NO.: 1612
SHEET: A7
10 OF 25

REVISION DATE:
1 04/26/19
2 09/23/19

© COPYRIGHT 2018