



## Jackson County Board of Commissioners

67 Athens Street  
Jefferson, Georgia 30549  
Phone: (706) 367-6309  
Fax: (706) 708-2505  
Email: myarbrough@jacksoncountygov.com

Date: January 04, 2022  
To: General Contractors

From: Myrna Yarbrough, Purchasing Manager

**RE: Addendum 4 to Jackson County ITB 220000, Jackson County Gordon Street Center – Roofing Project.**

1. Please note that the time for questions has now passed.
2. TPO Roof to be mechanically attached at metal decks and tectum decks.
3. Provide R-38 tapered insulation average. Slope 1/8” per foot. Install tapered insulation at all TPO roof areas.
4. Gutters and downspouts to be painted, galvanized steel.
5. Provide a cover board over new insulation.
6. Metal roof panels are to be painted steel panels with Kynar finish.
7. All other terms and conditions in ITB 220000 remain unchanged.
8. Any inquiries concerning Addendum 4 should be made to Myrna Yarbrough, Purchasing Manager, (706) 367-6309 or via email at myarbrough@jacksoncountygov.com
9. Jackson County reserves the right to reject any and all proposals, to waive any technicalities or irregularities and to award the offer based upon the most responsive, responsible submission.
10. Bidders must acknowledge receipt of addenda, by either signing and attaching this copy, or by writing “Acknowledge Addenda #4” at bottom of the proposal.