

NOTICE OF SOLICITATION – INVITATION TO BID: Bulloch County Board of Commissioners Transportation Division and the Office of Capital Projects

DESCRIPTION OF PROJECT: The Bulloch County Board of Commissioners is accepting sealed bids from qualified contractors for this project: **roadway pavement repairs on various county roads as described in this document.**

Addendum #1 will incorporate an ADD ALTERNATE BID to the above mentioned project.

After receiving several questions, an add alternate bid has been added to the Road Repair Bid FY19, Bid #FY19-CP-E01. Some items on the bid form included in the original bid will be changed/modified for the add alternate. Please see attached project profile table and add alternate bid form. You may choose to bid the original bid, the add alternate bid, or both.

Bulloch County reserves the right to reject any and all bids and to waive any technicalities or informalities associated with the bid and to make the award that it deems is in the best interest of the County.

Include the attached bid form in the submitted bid package only if you are bidding on the add alternate bid.

Please include a signed copy of this addendum page in the submitted bid package.

Signature Date

1. Bidder Question: Due to the large area of some of the pavement repairs, would the County consider using an asphalt layer in lieu of the GAB course?

Answer: Yes, the County will allow for a 2.5-inch-thick layer of 19 mm Asphalt Superpave to be used in lieu of the GAB course as an alternate bid. The line item for "Graded Aggregate Base 8 inch Thick" is deleted and replaced with the line item for "19 mm Superpave 2.5 inches Thick", the line item for "Remove Asphalt Pavement and Base 10 inch Depth" is deleted and replaced with "Remove Asphalt Pavement and Base 4.5 inch Depth", and the line item for "Remove Asphalt Pavement and Base 11.5 inch Depth" is deleted and replaced with "Remove Asphalt Pavement and Base 6 inch Depth". For this alternate bid, the following project profile table would be used:

| | Remove Pavement and | Remove Pavement and | 19 mm Asphalt | 19 mm Asphalt | 9.5 mm Asphalt | 12.5 mm Asphalt | Paint Striping, | Paint Striping, | Paint Striping, |
|---------------------|---------------------|-----------------------|----------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|
| Location | Base Material, 6 in | Base Material, 4.5 in | Superpave, 2.5 | Superpave, 2 | Superpave, 1.5 | Superpave, 2 in | 5 in Yellow | 5 in Yellow | 5 in White |
| | depth (SY) | depth (SY) | in thick (TN) | in thick (TN) | in thick (TN) | thick (TN) | Skip (LF) | Solid (LF) | Solid (LF) |
| Josh Deal Rd | 235 | | 35 | 30 | 20 | | 180 | | 180 |
| Old Riggs Mill Rd | 1545 | | 220 | 170 | 130 | | 500 | 2400 | 1245 |
| Old Bowen Store Rd | | 2145 | 300 | | | 240 | 800 | 450 | 1600 |
| Isaac Akins Rd | 5875 | | 820 | 650 | 490 | 650 | 1250 | 4900 | 4395 |
| Burkhalter Rd 1 | | 3500 | 485 | | | 390 | | 2900 | 2900 |
| Burkhalter Rd 2 | | 920 | 130 | | | 105 | | 1500 | 750 |
| Burkhalter Rd 3 | | 700 | 105 | | | 80 | | 600 | 300 |
| Old River Rd | | 975 | 140 | | | 110 | 400 | 300 | 800 |
| Maria Sorrell Rd | | 685 | 105 | | | 80 | | 1000 | 500 |
| Booster Blvd | | 250 | 40 | | | 30 | | | |
| Alderman Rd | 470 | | 70 | 55 | 40 | | | 640 | 320 |
| Rushing Rd | 375 | | 55 | 45 | 35 | | | 600 | 300 |
| Akins Pond Rd | | 140 | 25 | | | 15 | 115 | | 115 |
| Nevils-Groveland Rd | | 130 | 20 | | | 15 | | 100 | 100 |
| Highpoint Rd | | 130 | 20 | | | 15 | | 100 | 100 |
| Williams Rd | | 70 | 10 | | | 10 | 25 | 25 | 50 |
| Total | 8500 | 9645 | 2580 | 950 | 715 | 1740 | 3270 | 15515 | 13655 |

2. Bidder Question: Will the asphalt have to meet the new GDOT COAC requirements? **Answer**: Yes, the current GDOT specifications shall be used.

3. Bidder Question: Is there any information available on the existing roadway sections (asphalt thickness, base material, etc.? **Answer**: The typical sections of the roadways being repaired vary. No core samples have been obtained by the County for this project. Some of the roads consist of surface treatment, while some consist of hot mix asphalt. No data on pavement thickness exists, but it is estimated that pavement thickness could vary from 0.5 inches to 3.5 inches. The County also does not have data on base material for these roads, but it is estimated that they have a sand-clay base. Bidders are encouraged to visit the sites for further information.

ADD ALTERNATE BID FORM – TO BE USED ONLY IF YOU WISH TO BID ON THE ADD ALTERNATE

TO: Bulloch County Board of Commissioners

115 North Main Street Statesboro, Georgia 30458

ATTN: Purchasing Manager

| GDOT | | | | | |
|--------------|---|------|----------|------------|-----------------|
| Item | | | | | |
| Code | Item Description | Unit | Quantity | Unit Price | Price Extension |
| 150-1000 | Traffic Control | LS | 1 | \$ | \$ |
| 205 | Remove and Replace Unsuitable Base Material | CY | 50 | \$ | \$ |
| 402-3190 | 19 mm Superpave, 2.5 inch thick | TN | 2,580 | \$ | \$ |
| 402-3190 | 19 mm Superpave, 2 inch thick | TN | 950 | \$ | \$ |
| 402-3103 | 9.5 mm Superpave, Type 2, 1.5 inch thick | TN | 715 | \$ | \$ |
| 402-3130 | 12.5 mm Superpave, 2 inch thick | TN | 1,740 | \$ | \$ |
| 610-2586 | Remove Asphalt Pavement and Base, 4.5 in Depth | SY | 9,645 | \$ | \$ |
| 610-2586 | Remove Asphalt Pavement and Base, 6 in Depth | SY | 8,500 | \$ | \$ |
| 652-5451 | SOLID TRAFFIC STRIPE, 5 IN, WHITE (paint) | LF | 13,655 | \$ | \$ |
| 652- 5452 | SOLID TRAFFIC STRIPE, 5 IN, YELLOW (paint) | LF | 15,515 | \$ | \$ |
| 652- 6502 | SKIP TRAFFIC STRIPE, 5 IN, YELLOW (paint) | GLF | 3,270 | \$ | \$ |
| | | | | Total | \$ |

| TOTAL BID: \$ | | |
|---------------------|------|--|
| TOTAL BID IN WORDS: | | |

All bids submitted shall be subject to acceptance or rejection and Bulloch County specifically reserves the right to accept or reject any or all bids, and to waive any technicalities or informalities in the process. The undersigned understands that any conditions stated above, clarifications made to the above or information other than that requested should be under separate cover and will be considered only at the discretion of the County Manager.

| Company Name: | | |
|--|---------------|----|
| Company Address: | | |
| Signature of Representative: | | |
| Printed Name of Representative: | | |
| Title: | | |
| Telephone Number: | _ Fax Number: | |
| E-mail Address: | | |
| Date: | | |
| Subscribed and sworn to before me this | day of | 20 |
| NOTARY PUBLIC | | |