



**ANDERSON COUNTY PURCHASING DEPARTMENT**

100 N. Main Street, Room 214

Clinton, Tennessee 37716-3687

Telephone (865) 463-6841

Fax: (865) 457-6252

Pamela Cotham  
Purchasing Agent

February 16, 2016

**ADDENDUM**

**ADDENDUM**

**ADDENDUM**

Addendum #2 on Bid #4643, Wireless Network making the following corrections and clarifications.

- Certificate of Liability Insurance Requirements are being added, see attached.
- A wireless heat map will be required of the successful vendor.
- Asbestos information is available for review at the School Maintenance Department and in the office at each school location.
- Grand Oaks Elementary is not included in this bid.
- Revised Cost sheet information is attached and will be posted to the website.
- A walk-thru of Clinton High School will be conducted on February 17<sup>th</sup> at 9:00 a.m. meeting in the school lobby. If schools are closed due to weather the pre-bid meeting will be held at 9:00 a.m. the next day schools are open.

If you have any questions, please feel free to give me a call at (865) 457-6218.

Sincerely,

A handwritten signature in blue ink, appearing to be "P. Cotham", written over the printed name.

Pamela Cotham  
Purchasing Agent

Department  
Bid File

## INSURANCE REQUIREMENT CHECKLIST

Revised- 1/28/08

The bidder awarded this bid or contract will maintain, at their expense adequate insurance coverage to protect them from claims arising under the Worker's Compensation Act, any and all claims for bodily injury and property damage to the Bidder and to Anderson County Government while delivery and service are being done. A certificate of insurance must be on file in the Purchasing Department before work may begin and must be maintained until work is completed.

CONTRACT / BID TITLE: 4643 Wireless Network (E-Rate)

**Only the items marked with an "X" are applicable to this bid and or contract.**

1. ☒ **Workers Compensation** Statutory limits  
**Employers Liability** 100,000/100,000/500,000
2. ☒ **Commercial General Liability** \$1,000,000 per occurrence  
\$2,000,000 aggregate
  - ☒ Occurrence Form Only
  - ☒ Include Premises Liability
  - ☒ Include Contractual
  - ☒ Include XCU
  - ☒ Include Products and Completed Operations
  - ☒ Include Personal Injury
  - ☒ Include Independent Contractors
  - ☐ Include Vendors Liability
  - ☐ Include Professional or E&O Liability
3. ☐ **Business Auto** \$1,000,000
  - ☐ Include Garage Liability \$1,000,000
  - ☐ Include Garage Keepers Liability
  - ☐ Copy of Valid Drivers License
  - ☐ Copy of Current Motor Vehicle Record
  - ☐ Copy of Current Auto Liability Declarations Page
4. ☐ **Crime Coverages**
  - ☐ Employee Dishonesty
  - ☐ Employee Dishonesty Bond
5. ☐ **Property Coverages**
  - ☐ Builders Risk
  - ☐ Inland Marine
  - ☐ Transportation
6. ☒ Performance Bond and Payment Required - A One-Hundred Percent (100%) performance bond and payment bond or an irrevocable letter of credit in favor of Anderson County Government at a federally insured financial institution.

**Certificate Holder Shall Be:** Anderson County Government, Clinton, Tennessee, and shall show the bid number and title. Anderson County Government shall be named as an additional insured on all policies except worker's compensation and auto. Insurance carrier ratings shall have a Best's rating of A-VII or better, or its equivalent. Cancellation clause on certificate should strike out "endeavor to" and include a 30-day notice of cancellation where applicable. Any deviations from the above requirements must be disclosed to the Anderson County Purchasing Agent. Any liability deductibles or exclusions must also be disclosed. Exceptions can be granted if applicable. Vendor is not to begin services until Certificate of Insurance is on file with Purchasing Agent.

### **Bidders Statement and Certification**

I understand the insurance requirements of these specifications and will comply in full within **21 (twenty-one) calendar days** of notification of intent to award of bid and or contract. Failure to comply will deem vendor non-responsive. I agree to furnish the county with proof of insurance for the entire term of the bid and or contract.

\_\_\_\_\_  
Vendor Name

\_\_\_\_\_  
Authorized Signature

\_\_\_\_\_  
Bid Representative Name (Please Print)

\_\_\_\_\_  
Date

**Bid Worksheet for Andersonville Elementary School****REVISED****REVISED**

**Note- Please read the complete bid package before completing. More information concerning parts can be located in the Parts Standardizations section of the RFP.**

**Vendor Name****Date**

<b>Item</b>	<b>Amt</b>	<b>Price Each</b>	<b>Total Cost</b>
Cabinets	2		
Switches	2		
UPS	2		
Access Points	35		
Jacks	70		
Patch Panels	2		
Surface Mounts	35		
Drops / Cable	5509		
3' Patch Cable	35		
7' Patch Cable	35		
Fiber Cable	250		
Conduit	0		
Innerduct	250		
	<b>Total Costs</b>		

<b>Cabinet/Rack/Fan Sizes for AES</b>			<b>Costs</b>
EWMWG362825 (2) EWMF2	36 inch Cabinet	Closet	
EWMWG482825 (2) EWMF2	48 inch Cabinet	Main Office	
	<b>Total Costs</b>		

**Bid Worksheet for Andersonville Elementary School**

<b>Drops</b>	<b>Room #</b>	<b>Distance</b>
1	118	120
2	119	160
3	120	195
4	121	225
5	122	242
6	123	260
7	124	210
8	125	175
9	126	140
10	127	127
11	128	90
12	129	115
13	130	150
14	131	190
15	132	190
16	133	150
17	134	115
18	135	40
19	139	75
20	140	70
21	141	75
22	142	75
23	149	135
24	150	165
25	151	190
26	153	145
27	154	130
28	155	140
29	156	140
30	Office	75
31	108	45
32	Gym	100
33	Gym #2	115
34	Cafeteria #1	120
35	Cafeteria #2	120

**Bid Worksheet for Briceville Elementary School****REVISED****REVISED**

**Note- Please read the complete bid package before completing. More information concerning parts can be located in the Parts Standardizations section of the RFP.**

**Vendor Name****Date**

<b>Item</b>	<b>Amt</b>	<b>Price</b>	<b>Total Cost</b>
Cabinets	2		
Switches	1		
UPS	1		
Access Points	20		
Jacks	40		
Patch Panels	1		
Surface Mounts	20		
Drops / Cable	3119		
3' Patch Cable	20		
7' Patch Cable	20		
Fiber Cable	0		
Conduit	0		
Innerduct	0		
	<b>Total Costs</b>		

<b>Cabinet/Rack/Fan Sizes for BES</b>			<b>Costs</b>
EWMWG362825 (2) EWMF2	36 inch Cabinet	Workroom	
EWMWG242825 (2) EWMF2	24 inch Cabinet	Gym	
	<b>Total Costs</b>		

**Bid Worksheet for Briceville Elementary School**

<b>Drops</b>	<b>Room #</b>	<b>Distance</b>
1	0	151
2	1	129
3	2	101
4	3	57
5	4	88
6	5	118
7	6	149
8	7	183
9	8	217
10	9	251
11	10	88
12	11	118
13	12	149
14	13	183
15	14	217
16	15	251
17	Cafeteria	70
18	Library	20
19	Office	50
20	Boiler	129



**Bid Worksheet for Claxton School****REVISED**

**Note- Please read the complete bid package before completing. More information concerning parts can be located in the Parts Standardizations section of the RFP.**

**Vendor Name****Date**

<b>Item</b>	<b>Amt</b>	<b>Price Each</b>	<b>Total Cost</b>
Cabinets	4		
Switches	4		
UPS	4		
Access Points	52		
Jacks	104		
Patch Panels	4		
Surface Mounts	52		
Drops / Cable	7760		
3' Patch Cable	52		
7' Patch Cable	52		
Fiber Cable	1015		
Conduit	455		
Innerduct	1015		
	<b>Total Costs</b>		

			<b>Costs</b>
<b>Cabinets/Racks/Fan Sizes for CE</b>	36 inch Cabinet	Primary Building	
EWMWG362825 (2) EWMF2	48 inch Cabinet	Office	
EWMWG482825 (2) EWMF2	24 inch Cabinet	Pre-k	
EWMWG242825 (2) EWMF2	24 inch Cabinet	Pod	
	<b>Total Costs</b>		

# Bid Worksheet for Claxton School

Drops	Room #	Distance
1	1	65
2	2	105
3	3	190
4	4	220
5	5	220
6	6	220
7	7	220
8	8	190
9	9	135
10	10	145
11	11	55
12	12	70
13	13	110
14	14	95
15	15	80
16	16	65
17	17	45
18	19	45
19	21	140
20	22	145
21	23	210
22	24	215
23	25	240
24	26	210
25	27	195
26	30	95
27	31	80
28	32	135
29	33	175
30	34	210
31	35	200
32	36	190
33	37	155
34	38	120
35	39	105
36	40	105
37	41	75
38	42	75
39	43	35



Bid Worksheet for Claxton School		
40	45	55
41	46	55
42	47	95
43	48	95
44	49	65
45	50	40
46	51	65
47	52	40
48	Library #1	130
49	Library #2	140
50	Office	35
51	Cafeteria #1	260
52	Cafeteria #2	260

**Bid Worksheet for Dutch Valley School****REVISED**

**Note- Please read the complete bid package before completing. More information concerning parts can be located in the Parts Standardizations section of the RFP.**

**Vendor Name****Date**

<b>Item</b>	<b>Amt</b>	<b>Price</b>	<b>Total Cost</b>
Cabinets	2		
Switches	2		
UPS	2		
Access Points	23		
Jacks	46		
Patch Panels	2		
Surface Mounts	23		
Drops / Cable	2755		
3' Patch Cable	23		
7' Patch Cable	23		
Fiber Cable	145		
Conduit	0		
Innerduct	145		
	<b>Total Costs</b>		

<b>Cabinet /Racks/Fan Sizes for DVES</b>			<b>Costs</b>
EWMWG362825 (2) EWMF2	36 inch Cabinet	Lab	
EWMWG242825 (2) EWMF2	24 inch Cabinet	Out Building	
	<b>Total Costs</b>		

**Bid Worksheet for Dutch Valley School**

<b>Drops</b>	<b>Room #</b>	<b>Distance</b>
1	1	62
2	2	32
3	3	63
4	4	67
5	5	127
6	6	127
7	7	180
8	8	188
9	9	127
10	10	127
11	11	67
12	12	32
13	Cafeteria	95
14	Gym	165
15	Office	76
16	Storage	128
17	Principal	75
18	13	137
19	Outdoor #1	65
20	Outdoor #2	55
21	Outdoor #3	70
22	Outdoor #4	60
23	Gym Office	170

**Note- Please read the complete bid package before completing. More information concerning parts can be located in the Parts Standardizations section of the RFP.**

**Vendor Name**

**Date**

<b>Item</b>	<b>Amt</b>	<b>Price</b>	<b>Total Cost</b>
Cabinets	1		
Switches	1		
UPS	1		
Access Points	33		
Jacks	66		
Patch Panels	1		
Surface Mounts	33		
Drops / Cable	5705		
3' Patch Cable	33		
7' Patch Cable	33		
Fiber Cable	0		
Conduit	0		
Innerduct	0		
	<b>Total Costs</b>		

<b>Cabinet/Rack/Fan Sizes for FES</b>			<b>Costs</b>
EWMWG482825 (2) EWMF2	48 inch Cabinet	Office	
	<b>Total Costs</b>		

**Bid Worksheet for Fairview School**

<b>Drops</b>	<b>Room #</b>	<b>Distance</b>
1	1	270
2	2	265
3	3	210
4	4	205
5	5	155
6	6	150
7	7	100
8	8	60
9	9	90
10	10	95
11	11	145
12	12	85
13	13	85
14	14	90
15	15	125
16	16	125
17	17	120
18	18	110
19	19	135
20	20	140
21	21	180
22	22	195
23	23	240
24	24	245
25	25	285
26	26	290
27	34	60
28	Library	50
29	Office	35
30	Cafeteria	95
31	Cafeteria #2	115
32	Gym	260
33	Gym #2	235

**Note- Please read the complete bid package before completing. More information concerning parts can be located in the Parts Standardizations section of the RFP.**

**Vendor Name**

**Date**

Item	Amt	Price	Total Cost
Cabinets	3		
Switches	3		
UPS	3		
Access Points	44		
Jacks	88		
Patch Panels	3		
Surface Mounts	44		
Drops / Cable	7145		
3' Patch Cable	44		
7' Patch Cable	44		
Fiber Cable	775		
Conduit	160		
Innerduct	775		
<b>Total Costs</b>			

Cabinet/Rack/Fan Sizes for LCES			Costs
EWMWG362825 (2) EWMF2	36 inch Cabinet	Lower	
EWMWG482825 (2) EWMF2	48 inch Cabinet	Office	
EWMWG242825 (2) EWMF2	24 inch Cabinet	Gym	
<b>Total Costs</b>			



# Bid Worksheet for Lake City Elementary School

Drops	Room #	Distance
1	1	240
2	2	240
3	3	175
4	4	175
5	5	170
6	6	170
7	7	30
8	8	85
9	9	30
10	10	75
11	11	115
12	12	45
13	13	120
14	14	45
15	15	225
16	16	115
17	17	220
18	18	120
19	19	130
20	20	225
21	21	160
22	22	220
23	23	190
24	24	115
25	25	220
26	26	85
27	27	280
28	28	60
29	30	100
30	32	130
31	34	160
32	36	190
33	38	220
34	40	260
35	42	280
36	Office	25
37	Auditorium #1	100
38	Auditorium #1	90
39	Library	85
40	Cafeteria	165
41	Cafeteria #2	165
42	Gym #1	25
43	Gym #2	65
44	Guidance Office	125

**Bid Worksheet for Norris Elementary School****REVISED**

**Note- Please read the complete bid package before completing. More information concerning parts can be located in the Parts Standardizations section of the RFP.**

**Vendor Name****Date**

<b>Item</b>	<b>Amt</b>	<b>Price</b>	<b>Total Cost</b>
Cabinets	2		
Switches	2		
UPS	2		
Access Points	24		
Jacks	50		
Patch Panels	2		
Surface Mounts	24		
Drops / Cable	3764		
3' Patch Cable	24		
7' Patch Cable	24		
Fiber Cable	60		
Conduit	0		
Innerduct	60		
	<b>Total Costs</b>		

<b>Cabinets/Racks/Fans Sizes for NES</b>			<b>Costs</b>
EWMWG482825 (2) EWMF2	48 inch Cabinet	Bookroom	
EWMWG242825 (2) EWMF2	24 inch Cabinet	Art	
	<b>Total Costs</b>		

**Bid Worksheet for Norris Elementary School**

<b>Drops</b>	<b>Room #</b>	<b>Distance</b>
1	115	87
2	116	110
3	117	140
4	118	175
5	119	205
6	126	57
7	125	90
8	124	120
9	123	155
10	122	185
11	120	45
12	121	45
13	128	175
14	129	175
15	Main Office	115
16	Workroom	100
17	Gym #1	150
18	Gym #2	170
19	Cafeteria	150
20	Lounge	55
21	Library	115
22	112	190
23	113	190
24	114	240
25	Uplink	45

**Bid Worksheet for Norwood Elementary School****REVISED**

**Note- Please read the complete bid package before completing. More information concerning parts can be located in the Parts Standardizations section of the RFP.**

**Vendor Name****Date**

<b>Item</b>	<b>Amt</b>	<b>Price</b>	<b>Total Cost</b>
Cabinets	2		
Switches	2		
UPS	2		
Access Points	36		
Jacks	74		
Patch Panels	2		
Surface Mounts	36		
Drops / Cable	6435		
3' Patch Cable	36		
7' Patch Cable	36		
Fiber Cable	180		
Conduit	0		
Innerduct	180		
	<b>Total Costs</b>		

<b>Cabinet/Rack/Fan Sizes for NWES</b>			<b>Costs</b>
EWMWG482825 (2) EWMF2	48 inch Cabinet	Library	
EWMWG482825 (2) EWMF2	48 inch Cabinet	Office	
	<b>Total Costs</b>		

**Bid Worksheet for Norwood Elementary School**

<b>Drops</b>	<b>Room #</b>	<b>Distance</b>
1	100	70
2	101	120
3	102	135
4	103	175
5	104	180
6	105	215
7	106	220
8	200	140
9	201	165
10	202	165
11	203	215
12	204	220
13	205	250
14	206	250
15	300	75
16	301	95
17	302	95
18	303	100
19	304	120
20	305	155
21	306	145
22	307	195
23	312	205
24	310	210
25	314	260
26	316	250
27	318	220
28	Gym #1	90
29	Gym #2	100
30	Cafeteria #1	150
31	Cafeteria #2	160
32	Library #1	75
33	Library #2	80
34	Office	75
35	Prinipal Office	45
36	Music	215
37	Uplink	80



**Note- Please read the complete bid package before completing. More information concerning parts can be located in the Parts Standardizations section of the RFP.**

<b>Vendor Name</b>
<b>Date</b>

Item	Amt	Price	Total Cost
Cabinets	4		
Switches	4		
UPS	4		
Access Points	50		
Jacks	100		
Patch Panels	4		
Surface Mounts	50		
Drops / Cable	7689		
3' Patch Cable	50		
7' Patch Cable	50		
Fiber Cable	775		
Conduit	0		
Innerduct	775		
	<b>Total Costs</b>		

Cabinet/Rack/Fan Sizes for CMS			Costs
EWMWG362825 (2) EWMF2	36 inch Cabinet	Maintenance Closet	
EWMWG362825 (2) EWMF2	36 inch Cabinet	Closet	
EWMWG362825 (2) EWMF2	36 inch Cabinet	Maintenance Closet	
EWMWG362825 (2) EWMF2	36 inch Cabinet	Office	
	<b>Total Costs</b>		



# Bid Worksheet for Clinton Middle School School

Drops	Room #	Distance
1	1	205
2	2	205
3	3	200
4	4	181
5	5	129
6	6	56
7	7	91
8	8	56
9	9	56
10	10	120
11	11	130
12	12	155
13	13	145
14	15	165
15	16	160
16	17	140
17	18	181
18	19	187
19	20	169
20	21	160
21	22	118
22	23	113
23	24	140
24	25	60
25	26	60
26	27	100
27	28	168
28	29	161
29	30	120
30	31	45
31	32	45
32	33	105
33	14	195
34	38	195
35	Band	161
36	Library	242
37	Library #2	255
38	Auditorium	110
39	Auditorium #2	125
40	Office	40
41	Gym	50

<b>Bid Worksheet for Clinton Middle School School</b>		
42	Gym #2	75
43	Cafeteria	110
44	Cafeteria #2	125
45	Teen Living	175
46	Guidance	160
47	34	124
48	35	116
49	36	138
50	37	167

**Bid Worksheet for Lake City Middle School School**    **REVISED**

**Note- Please read the complete bid package before completing. More information concerning parts can be located in the Parts Standardizations section of the RFP.**

**Vendor Name**

**Date**

Item	Amt	Price	Total Cost
Cabinets	2		
Switches	2		
UPS	2		
Access Points	33		
Jacks	66		
Patch Panels	2		
Surface Mounts	33		
Drops / Cable	4950		
3' Patch Cable	33		
7' Patch Cable	33		
Fiber Cable	350		
Conduit	215		
Innerduct	350		
<b>Total Costs</b>			

Cabinet/Racks/Fan Sizes for LCMS			Costs
EWMWG482825 (2) EWMF2	48 inch Cabinet	Library	
EWMWG242825 (2) EWMF2	24 inch Cabinet	Lab	
<b>Total Costs</b>			

**Bid Worksheet for Lake City Middle School School**

<b>Drops</b>	<b>Room #</b>	<b>Distance</b>
1	111	210
2	113	180
3	114	50
4	115	140
5	116	60
6	117	100
7	118	95
8	119	65
9	120	125
10	121	45
11	122	160
12	123	160
13	124	200
14	125	195
15	126	45
16	127	175
17	129	200
18	131	240
19	133	60
20	Office	160
21	Workroom	80
22	Auditorium #1	140
23	Auditorium #2	210
24	Cafeteria #1	120
25	Cafeteria #2	120
26	Gym #1	150
27	Gym #2	60
28	Band	160
29	Tech	140
30	Art	60
31	Pre-K	60
32	Principal Office	140
33	Special Ed	185

**Bid Worksheet for Norris Middle School School    REVISED**

**Note- Please read the complete bid package before completing. More information concerning parts can be located in the Parts Standardizations section of the RFP.**

**Vendor Name**

**Date**

Item	Amt	Price	Total Cost
Cabinets	3		
Switches	2		
UPS	2		
Access Points	38		
Jacks	76		
Patch Panels	3		
Surface Mounts	38		
Drops / Cable	6745		
3' Patch Cable	38		
7' Patch Cable	38		
Fiber Cable	190		
Conduit	0		
Innerduct	190		
	<b>Total Costs</b>		

Cabinet/Rack/Fan Sizes for NMS			Costs
EWMWG482825 (2) EWMF2	48 inch Cabinet	Library	
EWMWG242825 (2) EWMF2	24 inch Cabinet	Cafeteria	
EWMWG242825 (2) EWMF2	24 inch Cabinet	Band	
	<b>Total Costs</b>		

**Bid Worksheet for Norris Middle School School**

	Room #	Distance
<b>Drops</b>		
1	101	120
2	102	70
3	105	210
4	109	210
5	110	170
6	110 #2	135
7	113	280
8	114	290
9	Storage Down	190
10	Office	170
11	V.P. Office	40
12	Cafeteria #1	170
13	Cafeteria #2	195
14	Band Room	40
15	Shop	90
16	Shop #2	75
17	Gym #1	265
18	Gym #2	245
19	201	160
20	202	155
21	203	200
22	204	200
23	205	165
24	206	150
25	207	100
26	208	90
27	209	90
28	210	125
29	211	150
30	212	150
31	213	150
32	214	180
33	215	190
34	216	210
35	217	210
36	Library #1	70
37	Library #2	100
38	Guidance	175



**Note- Please read the complete bid package before completing. More information concerning parts can be located in the Parts Standardizations section of the RFP.**

**Vendor Name**

**Date**

<b>Item</b>	<b>Amt</b>	<b>Price</b>	<b>Total Cost</b>
Cabinets	1		
Switches	1		
UPS	1		
Access Points	30		
Jacks	60		
Patch Panels	1		
Surface Mounts	30		
Drops / Cable	5920		
3' Patch Cable	30		
7' Patch Cable	30		
Fiber Cable	0		
Conduit	0		
Innerduct	0		
	<b>Total Costs</b>		

<b>Cabinet/Rack/Fan Sizes for NWMS</b>			<b>Costs</b>
EWMWG482825 (2) EWMF2	48 inch Cabinet	Library	
	<b>Total Costs</b>		

**Bid Worksheet for Norwood Middle School**

<b>Drops</b>	<b>Room #</b>	<b>Distance</b>
1	1	130
2	2	130
3	3	250
4	4	125
5	5	150
6	5 #2	165
7	96	60
8	97	290
9	98	215
10	99	280
11	110	65
12	111	115
13	112	100
14	113	115
15	115	215
16	116	245
17	117	260
18	118	270
19	121	200
20	122	200
21	123	225
22	124	225
23	125	255
24	126	70
25	127	70
26	128	100
27	129	100
28	130	115
29	132	290
30	133	290

Note- Please read the complete bid package before completing. More information concerning parts can be located in the Parts Standardizations section of the RFP.

Vendor Name

Date

Item	Amt	Price	Total Cost
Cabinets	6		
Switches	6		
UPS	6		
Access Points	69		
Jacks	138		
Patch Panels	6		
Surface Mounts	69		
Drops / Cable	9427		
3' Patch Cable	69		
7' Patch Cable	69		
Fiber Cable	2876		
Conduit	0		
Innerduct	2876		
Total Costs			

Cabinet/Rack/Fan Sizes for ACHS			Costs
EWMWG362825 (2) EWMF2	36 inch Cabinet	Building #2	
EWMWG482825 (2) EWMF2	48 inch Cabinet	2 story Old Part	
EWMWG242825 (2) EWMF2	24 inch Cabinet	Cafeteria	
EWMWG362825 (2) EWMF2	36 inch Cabinet	2 story New Part	
EWMWG242825 (2) EWMF2	24 inch Cabinet	Library	
EWMWG482825 (2) EWMF2	48 inch Cabinet	Office	
Total Costs			

**Bid Worksheet for Anderson County High School**

<b>Drops</b>	<b>Room #</b>	<b>Distance</b>
1	1	145
2	3	135
3	4	111
4	6	87
5	10	45
6	13	58
7	14	80
8	15	105
9	17	150
10	20	125
11	25	135
12	36	62
13	37	80
14	38	80
15	39	125
16	40	62
17	41	90
18	42	90
19	43	125
20	46	150
21	101	190
22	102	195
23	106	217
24	107	198
25	108	172
26	110	150
27	111	145
28	112	115
29	113	105
30	114	95
31	118	87
32	119	108
33	120	143
34	122	160
35	124	168
36	129	180
37	138	80
38	139	97
39	140	97
40	141	145
41	142	80
42	143	107
43	144	107
44	145	140

Bid Worksheet for Anderson County High School		
45	147	173
46	201	116
47	204	95
49	210	130
50	212	157
51	213	118
52	215	93
53	216	40
54	218	40
55	301	50
56	308	40
57	401	40
58	402	140
59	502	192
60	506	170
61	507	130
62	520	165
63	531	130
64	531 #2	112
65	Office	10
66	Guidance	65
67	Gym	150
68	Gym # 2	185
69	Gym Classroom	185



**Note- Please read the complete bid package before completing. More information concerning parts can be located in the Parts Standardizations section of the RFP.**

**Vendor Name**

**Date**

Item	Amt	Price	Total Cost
Cabinets	6		
Switches	6		
UPS	6		
Access Points	88		
Jacks	176		
Patch Panels	6		
Surface Mounts	88		
Drops / Cable	14685		
3' Patch Cable	88		
7' Patch Cable	88		
Fiber Cable	1955		
Conduit	30		
Innerduct	1955		
4" Conduit	45		
	<b>Total Costs</b>		

Cabinet/Rack/Fan Sizes for CHS			Cost
EWMWG482825 (2) EWMF2	48 inch Cabinet	Library	
EWMWG362825 (2) EWMF2	36 inch Cabinet	Art	
EWMWG362825 (2) EWMF2	36 inch Cabinet	Office	
EWMWG362825 (2) EWMF2	36 inch Cabinet	V.P. Office	
EWMWG362825 (2) EWMF2	36 inch Cabinet	V.P. Office Down	
EWMWG362825 (2) EWMF2	36 inch Cabinet	Sped Closet	
	<b>Total Costs</b>		



**Bid Worksheet for Clinton High School**

<b>Drops</b>	<b>Room #</b>	<b>Distance</b>
1	1	210
2	2	185
3	108	185
4	109	190
5	110	185
6	111	140
7	112	130
8	113	140
9	114	130
10	115	135
11	116	70
12	117	135
13	118	75
14	119	190
15	120	100
16	121	200
17	122	140
18	124	140
19	126	190
20	128	190
21	130	125
22	132	125
23	206	260
24	208	245
25	210	240
26	212	220
27	214	200
28	215	235
29	216	180
30	217	230
31	219	175
32	220	75
33	221	170
34	222	75
35	223	120
36	224	160
37	225	180
38	226	165
39	227	200
40	228	220
41	229	220
42	230	225
43	231	245
44	235	265
45	237	280

Bid Worksheet for Clinton High School		
46	302	155
47	303	115
49	304	95
50	305	65
51	306	40
52	307	35
53	308	90
54	309	125
55	311	245
56	312	230
57	313	215
58	314	150
59	321	35
60	331	90
61	332	80
62	333	80
63	334	75
64	335	50
65	336	50
66	341	140
67	342	155
68	343	160
69	344	185
70	345	190
71	346	200
72	347	225
73	Gym #1	90
74	Gym #2	125
75	Agriculture	60
76	Gym (Locker)	100
77	Nurse Office	190
78	Guidance Office	75
79	Guidance #2	120
80	Conference Room	65
81	Sped Office	75
82	Cafeteria #1	125
83	Cafeteria #2	135
84	Library #1	75
85	Library #2	75
86	Main Office #1	60
87	Theatre #1	185
88	Theatre #2	200