SECTION 009111 ADDENDUM NUMBER 2

PARTICULARS

- 1.01 DATE: 10.18.2021
- 1.02 PROJECT: FOLEY DOWNTOWN ROSE TRAIL IMPROVEMENTS
- 1.03 OWNER'S PROJECT NUMBER: ENGR-100721
- 1.04 OWNER: CITY OF FOLEY
- 1.05 LANDSCAPE ARCHITECT: WAS DESIGN, INC.
- **TO: PROSPECTIVE BIDDERS:**
- 2.01 THIS ADDENDUM FORMS A PART OF THE CONTRACT DOCUMENTS AND MODIFIES THE ORIGINAL PROCUREMENT DOCUMENTS DATED 09.23.2021, AND ADDENDUM NUMBER 1 ISSUED 10.15.21, WITH AMENDMENTS AND ADDITIONS NOTED BELOW.
- 2.02 ACKNOWLEDGE RECEIPT OF THIS ADDENDUM IN THE SPACE PROVIDED IN THE BID FORM. FAILURE TO DO SO MAY DISQUALIFY THE BIDDER.
- 2.03 THIS ADDENDUM CONSISTS OF 5 PAGES AND THE FOLLOWING DRAWINGS:

CHANGES TO THE PROJECT MANUAL - INTRODUCTORY REQUIREMENTS, PROCUREMENT REQUIREMENTS AND CONTRACTING REQUIREMENTS:

- 3.01 SECTION 004322 UNIT PRICES FORM
 - A. Sod quantity has been updated to correct typo.

END OF SECTION

FOLEY DOWNTOWN IMPROVEMENTS 2020 TRAIL AREA SECTION 004322 UNIT PRICES FORM

Prepared by WAS Design, Inc. 10/18/2021



TEMPORARY FACILITIES & CONTROLS					
DESCRIPTION	UNIT	UNIT COST	TOTAL		
TEMPORARY FACILITIES & CONTROLS (CONSTRUCTION					
ACCESS & STAGING)	LS	\$	\$		

TF&C SUB-TOTAL \$

DEMOLIT	TON				
CODE	DESCRIPTION	QTY	UNIT	UNIT COST	TOTAL
	REMOVE EXISTING PAVERS AND BASE MATERIAL,				
D-101	DISPOSE OF MATERIALS APPROPRIATELY.	202	SF	TO BE COM	PLETED BY CITY
	REMOVE EXISTING CONCRETE AND BASE MATERIAL, SAW				
	CUT AT EDGE TO ENSURE CLEAN TRANSITION.				
D-102	DISPOSE OF MATERIALS APPROPRIATELY.	2,922	SF	TO BE COM	PLETED BY CITY
	REMOVE EXISTING ASPHALT AND BASE MATERIAL, SAW				
	CUT AT EDGE TO ENSURE CLEAN TRANSITION.				
D-103	DISPOSE OF MATERIALS APPROPRIATELY.	13,784	SF	TO BE COM	PLETED BY CITY
	REMOVE EXISTING CURB & GUTTER, SAW CUT @ END TO				
D-104	ENSURE CLEAN TRANSITION.	830	LF	TO BE COM	PLETED BY CITY
	REMOVE EXISTING CURB & GUTTER, SAW CUT @ END TO				
D-104	ENSURE CLEAN TRANSITION.	15	LF	\$	\$
	REMOVE EXISTING VEGETATION, SOD, AND DEBRIS.				
D-106	DISPOSE OF MATERIALS APPROPRIATELY	7,556	SF	\$	\$
D-108	REMOVE & GRIND EXISTING STUMP	1	EA	\$	\$
	REMOVE EXISTING LIGHT POLES AND FOOTER, DISPOSE				
	OF MATERIALS APPROPRIATELY. REMOVE EXISTING				
	ELECTRICAL WIRING TO PROJECT LIMITS & CAP PER				
D-112	SPECS	3	EA	\$	\$

DEMOLITION SUB-TOTAL \$

EARTHW	EARTHWORK							
CODE	DESCRIPTION	QTY	UNIT	UNIT COST	TOTAL			
	FILL & FINE GRADING	780	CY	\$	\$			

EARTHWORK SUB-TOTAL \$

HARDSCAPE						
	04 MASONRY					
CODE	DESCRIPTION	QTY	UNIT	UNIT COST	TOTAL	
04-01	SEAT WALL: BRICK VENEER W/ CAST STONE CAP	86	LF	\$	\$	
04-02	COLUMN: BRICK VENEER W/ CAST STONE CAP	2	EA	\$	\$	
	COLUMN: BRICK VENEER W/CAST STONE CAP AND					
04-03	FINIAL	2	EA	\$	\$	

32 EXTERIOR IMPROVEMENTS

DESCRIPTION PAVER BANDING, CLAY BRICK PAVERS ON FLEXIBLE BASE, SAILOR COURSE AT PERIMETER OF PAVER AREAS. 199		32 EXTERIOR IMPROVEMENTS				
BASE, SAILOR COURSE AT PERIMETER OF PAVER AREAS. 199 LF	CODE	DESCRIPTION	QTY	UNIT	UNIT COST	TOTAL
32-03 MITER INTERSECTIONS AS SHOWN. UNIT PAVER FIELD, CLAY BRICK PAVERS ON FLEXIBLE BASE, HERRINGBONE PATTERN, DIRECTION OF HERRINGBONE "ARROWS" INDICATED EXPLICITLY IN HATCH PATTERN ON PLANS. REFER TO NOTES 72-05 PAVER BANDING, CLAY BRICK PAVERS ON FLEXIBLE BASE, THREE BRICK BAND TWO SAILOR COURSE 32-06 WITH A CENTER ROW LOCK 32-07 CONCRETE PAVING, 5" THK., RE: SPECS. 32-10 CONCRETE PAVING, 5" THK., RE: SPECS. 32-11 CONCRETE CURB & 18" GUTTER FENCE, WOODEN SPLIT RAIL FENCE TO MATCH EXISTING PAVER BANDING, CLAY BRICK PAVERS ON FLEXIBLE 32-15 BASE, DOUBLE SAILOR BAND TACTILE WARNING STRIP, 24" X 60", INSTALL PER MANUFACTURER "S RECOMMENDATIONS AND ADA 32-16 GUIDELINES. ADA PAVERS, BELDEN CITY LINE ADA PAVERS, COLOR REGIMENTAL RED, ON FLEXIBLE BASE, PATTERN: 32-17 AS SHOWN. 32-18 DOUBLE CURB & 18" GUTTER 32-19 DIAMOND PLATE, DOUBLE CURB W/ DIAMOND PLATE 1 EA \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		PAVER BANDING, CLAY BRICK PAVERS ON FLEXIBLE				
UNIT PAVER FIELD, CLAY BRICK PAVERS ON FLEXIBLE BASE, HERRINGBONE PATTERN, DIRECTION OF HERRINGBONE "ARROWS" INDICATED EXPILITLY IN HATCH PATTERN ON PLANS. REFER TO NOTES 32-05 FOR PAVER SPECIFICATION. PAVER BANDING, CLAY BRICK PAVERS ON FLEXIBLE BASE, THREE BRICK BAND TWO SAILOR COURSE WITH A CENTER ROW LOCK 32-07 CONCRETE PAVING, 5" THK., RE: SPECS. 33-10 CONCRETE CURB & 18" GUTTER 32-11 CONCRETE CURB & 18" GUTTER FENCE, WOODEN SPLIT RAIL FENCE TO MATCH EXISTING 32-12 ROSE TRAIL FENCE. RE: DETL 4/LH500.T PAVER BANDING, CLAY BRICK PAVERS ON FLEXIBLE 32-15 BASE, DOUBLE SAILOR BAND TACTILE WARNING STRIP, 24" X 60", INSTALL PER MANUFACTURER'S RECOMMENDATIONS AND ADA 32-16 GUIDELINES. ADA PAVERS, BELDEN CITY LINE ADA PAVERS, COLOR REGIMENTAL RED, ON FLEXIBLE BASE, PATTERN: 32-18 DOUBLE CURB & 18" GUTTER 32-19 DIAMOND PLATE, DOUBLE CURB W/ DIAMOND PLATE 11 EA \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		BASE, SAILOR COURSE AT PERIMETER OF PAVER AREAS.				
BASE, HERRINGBONE PATTERN, DIRECTION OF HERRINGBONE "ARROWS" INDICATED EXPLICITLY IN HATCH PATTERN ON PLANS. REFER TO NOTES 32-05 FOR PAVER SPECIFICATION. PAVER BANDING, CLAY BRICK PAVERS ON FLEXIBLE BASE, THREE BRICK BAND TWO SAILOR COURSE 32-06 WITH A CENTER ROW LOCK 32-07 CONCRETE PAVING, 5" THK., RE: SPECS. 32-10 CONCRETE PAVING, 5" THK., RE: SPECS. 32-11 CONCRETE CURB & 18" GUTTER FENCE, WOODEN SPLIT RAIL FENCE TO MATCH EXISTING ROSE TRAIL FENCE. RE: DETL 4/LH500.T PAVER BANDING, CLAY BRICK PAVERS ON FLEXIBLE 32-15 BASE, DOUBLE SAILOR BAND TACTILE WARNING STRIP, 24" X 60", INSTALL PER MANUFACTURER' S RECOMMENDATIONS AND ADA 32-16 GUIDELINES. ADA PAVERS, BELDEN CITY LINE ADA PAVERS, COLOR REGIMENTAL RED, ON FLEXIBLE BASE, PATTERN: 32-17 AS SHOWN. 27 SF \$ \$ 32-18 DOUBLE CURB & 18" GUTTER 29 LF \$ \$ \$ 32-20 RETURN CURB 4 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	32-03	MITER INTERSECTIONS AS SHOWN.	199	LF	\$	\$
HERRINGBONE "ARROWS" INDICATED EXPLICITLY IN HATCH PATTERN ON PLANS. REFER TO NOTES 1,000 SF \$ \$ \$ \$ \$ \$ \$ \$ \$		UNIT PAVER FIELD, CLAY BRICK PAVERS ON FLEXIBLE				
HATCH PATTERN ON PLANS. REFER TO NOTES FOR PAVER SPECIFICATION.		BASE, HERRINGBONE PATTERN, DIRECTION OF				
32-05 FOR PAVER SPECIFICATION. PAVER BANDING, CLAY BRICK PAVERS ON FLEXIBLE BASE, THREE BRICK BAND TWO SAILOR COURSE 32-06 WITH A CENTER ROW LOCK 32-07 CONCRETE PAVING, 5" THK., RE: SPECS. 32-10 CONCRETE CURB & 18" GUTTER 112 LF \$ \$ 32-11 CONCRETE CURB & 18" GUTTER 112 LF \$ \$ 32-12 ROSE TRAIL FENCE. RE: DETL 4/LH500.T PAVER BANDING, CLAY BRICK PAVERS ON FLEXIBLE 32-15 BASE, DOUBLE SAILOR BAND 32-16 GUIDELINES. ADA PAVERS, BELDEN CITY LINE ADA PAVERS, COLOR REGIMENTAL RED, ON FLEXIBLE BASE, PATTERN: 32-17 AS SHOWN. 32-18 DOUBLE CURB & 18" GUTTER 32-19 DIAMOND PLATE, DOUBLE CURB W/ DIAMOND PLATE 32-20 RETURN CURB 33-31-31 STRIPING, PER ADA STANDARDS 24 S \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		HERRINGBONE "ARROWS" INDICATED EXPLICITLY IN				
PAVER BANDING, CLAY BRICK PAVERS ON FLEXIBLE BASE, THREE BRICK BAND TWO SAILOR COURSE 33		HATCH PATTERN ON PLANS. REFER TO NOTES				
BASE, THREE BRICK BAND TWO SAILOR COURSE WITH A CENTER ROW LOCK 33 LF \$ \$ \$ \$ \$ \$ \$ \$ \$	32-05	FOR PAVER SPECIFICATION.	1,000	SF	\$	\$
32-06 WITH A CENTER ROW LOCK 33 LF \$ \$ 32-07 CONCRETE PAVING, 5" THK., RE: SPECS. 32-10 CONCRETE CURB & 18" GUTTER 32-11 CONCRETE CURB & 18" GUTTER 32-12 ROSE TRAIL FENCE. RE: DETL 4/LH500.T PAVER BANDING, CLAY BRICK PAVERS ON FLEXIBLE BASE, DOUBLE SAILOR BAND 32-15 BASE, DOUBLE SAILOR BAND TACTILE WARNING STRIP, 24" X 60", INSTALL PER MANUFACTURER'S RECOMMENDATIONS AND ADA GUIDELINES. ADA PAVERS, BELDEN CITY LINE ADA PAVERS, COLOR REGIMENTAL RED, ON FLEXIBLE BASE, PATTERN: 32-17 AS SHOWN. 32-18 DOUBLE CURB & 18" GUTTER 32-19 DIAMOND PLATE, DOUBLE CURB W/ DIAMOND PLATE 32-20 RETURN CURB 33 LF \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		PAVER BANDING, CLAY BRICK PAVERS ON FLEXIBLE				
32-07 CONCRETE PAVING, 5" THK., RE: SPECS. 3,808 SF \$ \$ 32-11 CONCRETE CURB & 18" GUTTER FENCE, WOODEN SPLIT RAIL FENCE TO MATCH EXISTING ROSE TRAIL FENCE. RE: DETL 4/LH500.T PAVER BANDING, CLAY BRICK PAVERS ON FLEXIBLE BASE, DOUBLE SAILOR BAND TACTILE WARNING STRIP, 24" X 60", INSTALL PER MANUFACTURER'S RECOMMENDATIONS AND ADA GUIDELINES. ADA PAVERS, BELDEN CITY LINE ADA PAVERS, COLOR REGIMENTAL RED, ON FLEXIBLE BASE, PATTERN: AS SHOWN. 32-18 DOUBLE CURB & 18" GUTTER 32-20 RETURN CURB SE S S S S S S S S S S S S S S S S S S		BASE, THREE BRICK BAND TWO SAILOR COURSE				
32-11 CONCRETE CURB & 18" GUTTER FENCE, WOODEN SPLIT RAIL FENCE TO MATCH EXISTING ROSE TRAIL FENCE. RE: DETL 4/LH500.T PAVER BANDING, CLAY BRICK PAVERS ON FLEXIBLE 32-15 BASE, DOUBLE SAILOR BAND TACTILE WARNING STRIP, 24" X 60", INSTALL PER MANUFACTURER`S RECOMMENDATIONS AND ADA 32-16 GUIDELINES. ADA PAVERS, BELDEN CITY LINE ADA PAVERS, COLOR REGIMENTAL RED, ON FLEXIBLE BASE, PATTERN: 32-17 AS SHOWN. 27 SF \$ \$ 32-18 DOUBLE CURB & 18" GUTTER 29 LF \$ \$ 32-20 RETURN CURB STRIPING, PER ADA STANDARDS 2 EA \$ \$ \$	32-06	WITH A CENTER ROW LOCK	33	LF	\$	\$
32-11 CONCRETE CURB & 18" GUTTER FENCE, WOODEN SPLIT RAIL FENCE TO MATCH EXISTING ROSE TRAIL FENCE. RE: DETL 4/LH500.T PAVER BANDING, CLAY BRICK PAVERS ON FLEXIBLE 32-15 BASE, DOUBLE SAILOR BAND TACTILE WARNING STRIP, 24" X 60", INSTALL PER MANUFACTURER`S RECOMMENDATIONS AND ADA 32-16 GUIDELINES. ADA PAVERS, BELDEN CITY LINE ADA PAVERS, COLOR REGIMENTAL RED, ON FLEXIBLE BASE, PATTERN: 32-17 AS SHOWN. 27 SF \$ \$ 32-18 DOUBLE CURB & 18" GUTTER 29 LF \$ \$ 32-20 RETURN CURB STRIPING, PER ADA STANDARDS 2 EA \$ \$ \$						
S2-12 FENCE, WOODEN SPLIT RAIL FENCE TO MATCH EXISTING ROSE TRAIL FENCE. RE: DETL 4/LH500.T 190 LF \$ \$ \$ \$ \$ \$ \$ \$ \$	32-07	CONCRETE PAVING, 5" THK., RE: SPECS.	3,808	SF	\$	\$
S2-12 FENCE, WOODEN SPLIT RAIL FENCE TO MATCH EXISTING ROSE TRAIL FENCE. RE: DETL 4/LH500.T 190 LF \$ \$ \$ \$ \$ \$ \$ \$ \$						
32-12 ROSE TRAIL FENCE. RE: DETL 4/LH500.T PAVER BANDING, CLAY BRICK PAVERS ON FLEXIBLE 32-15 BASE, DOUBLE SAILOR BAND TACTILE WARNING STRIP, 24" X 60", INSTALL PER MANUFACTURER`S RECOMMENDATIONS AND ADA GUIDELINES. ADA PAVERS, BELDEN CITY LINE ADA PAVERS, COLOR REGIMENTAL RED, ON FLEXIBLE BASE, PATTERN: 32-17 AS SHOWN. 27 SF \$ \$ 32-18 DOUBLE CURB & 18" GUTTER 29 LF \$ \$ 32-19 DIAMOND PLATE, DOUBLE CURB W/ DIAMOND PLATE 1 EA \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	32-11		112	LF	\$	\$
PAVER BANDING, CLAY BRICK PAVERS ON FLEXIBLE 32-15 BASE, DOUBLE SAILOR BAND TACTILE WARNING STRIP, 24" X 60", INSTALL PER MANUFACTURER`S RECOMMENDATIONS AND ADA 32-16 GUIDELINES. ADA PAVERS, BELDEN CITY LINE ADA PAVERS, COLOR REGIMENTAL RED, ON FLEXIBLE BASE, PATTERN: 32-17 AS SHOWN. 27 SF \$ \$ 32-18 DOUBLE CURB & 18" GUTTER 29 LF \$ \$ 32-19 DIAMOND PLATE, DOUBLE CURB W/ DIAMOND PLATE 1 EA \$ \$ \$ \$ 32-20 RETURN CURB STRIPING, PER ADA STANDARDS 2 EA \$ \$						
32-15 BASE, DOUBLE SAILOR BAND TACTILE WARNING STRIP, 24" X 60", INSTALL PER MANUFACTURER`S RECOMMENDATIONS AND ADA 32-16 GUIDELINES. ADA PAVERS, BELDEN CITY LINE ADA PAVERS, COLOR REGIMENTAL RED, ON FLEXIBLE BASE, PATTERN: 32-17 AS SHOWN. 27 SF \$ \$ \$ DOUBLE CURB & 18" GUTTER 29 LF \$ \$ 32-19 DIAMOND PLATE, DOUBLE CURB W/ DIAMOND PLATE 32-20 RETURN CURB STRIPING, PER ADA STANDARDS 28 LF \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	32-12	· · · · · · · · · · · · · · · · · · ·	190	LF	\$	\$
TACTILE WARNING STRIP, 24" X 60", INSTALL PER MANUFACTURER`S RECOMMENDATIONS AND ADA 32-16 GUIDELINES. ADA PAVERS, BELDEN CITY LINE ADA PAVERS, COLOR REGIMENTAL RED, ON FLEXIBLE BASE, PATTERN: AS SHOWN. 32-17 AS SHOWN. 27 SF \$ \$ 32-18 DOUBLE CURB & 18" GUTTER 29 LF \$ \$ 32-19 DIAMOND PLATE, DOUBLE CURB W/ DIAMOND PLATE 1 EA \$ \$ 32-20 RETURN CURB 5 EA \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		·				
MANUFACTURER`S RECOMMENDATIONS AND ADA 32-16 GUIDELINES. ADA PAVERS, BELDEN CITY LINE ADA PAVERS, COLOR REGIMENTAL RED, ON FLEXIBLE BASE, PATTERN: 32-17 AS SHOWN. 32-18 DOUBLE CURB & 18" GUTTER 32-19 DIAMOND PLATE, DOUBLE CURB W/ DIAMOND PLATE 32-20 RETURN CURB 32-21 STRIPING, PER ADA STANDARDS 5 EA \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	32-15	· ·	58	LF	\$	\$
32-16 GUIDELINES. 5 EA \$ ADA PAVERS, BELDEN CITY LINE ADA PAVERS, COLOR REGIMENTAL RED, ON FLEXIBLE BASE, PATTERN: 27 SF \$ 32-17 AS SHOWN. 27 SF \$ 32-18 DOUBLE CURB & 18" GUTTER 29 LF \$ 32-19 DIAMOND PLATE, DOUBLE CURB W/ DIAMOND PLATE 1 EA \$ 32-20 RETURN CURB 64 LF \$ 32-21 STRIPING, PER ADA STANDARDS 2 EA \$		·				
ADA PAVERS, BELDEN CITY LINE ADA PAVERS, COLOR REGIMENTAL RED, ON FLEXIBLE BASE, PATTERN: 32-17 AS SHOWN. 27 SF \$ \$ 32-18 DOUBLE CURB & 18" GUTTER 29 LF \$ \$ 32-19 DIAMOND PLATE, DOUBLE CURB W/ DIAMOND PLATE 1 EA \$ \$ 32-20 RETURN CURB 32-21 STRIPING, PER ADA STANDARDS 2 EA \$ \$						
32-17 REGIMENTAL RED, ON FLEXIBLE BASE, PATTERN: 27 SF \$ 32-18 DOUBLE CURB & 18" GUTTER 29 LF \$ 32-19 DIAMOND PLATE, DOUBLE CURB W/ DIAMOND PLATE 1 EA \$ 32-20 RETURN CURB 64 LF \$ 32-21 STRIPING, PER ADA STANDARDS 2 EA \$	32-16		5	EA	\$	\$
32-17 AS SHOWN. 27 SF \$ 32-18 DOUBLE CURB & 18" GUTTER 29 LF \$ 32-19 DIAMOND PLATE, DOUBLE CURB W/ DIAMOND PLATE 1 EA \$ 32-20 RETURN CURB 64 LF \$ 32-21 STRIPING, PER ADA STANDARDS 2 EA \$						
32-18 DOUBLE CURB & 18" GUTTER 29 LF \$ 32-19 DIAMOND PLATE, DOUBLE CURB W/ DIAMOND PLATE 1 EA \$ 32-20 RETURN CURB 64 LF \$ 32-21 STRIPING, PER ADA STANDARDS 2 EA \$		·				
32-19 DIAMOND PLATE, DOUBLE CURB W/ DIAMOND PLATE 1 EA \$ 32-20 RETURN CURB 64 LF \$ 32-21 STRIPING, PER ADA STANDARDS 2 EA \$	32-17	AS SHOWN.	27	SF	\$	\$
32-19 DIAMOND PLATE, DOUBLE CURB W/ DIAMOND PLATE 1 EA \$ 32-20 RETURN CURB 64 LF \$ 32-21 STRIPING, PER ADA STANDARDS 2 EA \$	70.10	DOUBLE CURB A 30% CUTTER	20		*	<u></u>
32-20 RETURN CURB 64 LF \$ 32-21 STRIPING, PER ADA STANDARDS 2 EA \$	32-18	DOUBLE CORB & 18" GOTTER	29	LF	>	\$
32-20 RETURN CURB 64 LF \$ 32-21 STRIPING, PER ADA STANDARDS 2 EA \$	72 10	DIAMOND DI ATE DOLIBLE CLIDR W/ DIAMOND DI ATE	1	ΕΛ	¢	d
32-21 STRIPING, PER ADA STANDARDS 2 EA \$ \$	JZ-1J	DIAMOND FLATE, DOUBLE CORD W/ DIAMOND PLATE	<u> </u>	LA	Ψ	Ψ
32-21 STRIPING, PER ADA STANDARDS 2 EA \$ \$	32-20	RETURN CURB	64	LF	\$	\$
		_				
32-22 CONCRETE, BENCH UNDERSLAB 48 SF \$	32-21	STRIPING, PER ADA STANDARDS	2	EA	\$	\$
32-22 CONCRETE, BENCH UNDERSLAB 48 SF \$						
	32-22	CONCRETE, BENCH UNDERSLAB	48	SF	\$	\$

HARDSCAPE SUB-TOTAL \$

DESCRIPTION BENCH, LAMPLIGHTER BENCH WITH BACK BY KEYSTONE RIDGE DESIGNS, MODEL #L26, COLOR: GLOSS BLACK. CAST ON NAME	QTY	UNIT	UNIT COST	TOTAL
RIDGE DESIGNS, MODEL #L26, COLOR: GLOSS BLACK.				
PLATE: CITY OF FOLEY. RE: SPEC SHEET ON LM501	6	EA	\$	\$
TRASH RECEPTACLE, MIDTOWN LITTER RECEPTACLE BY KEYSTONE RIDGE DESIGNS, MODEL # MT3-32, 32 GAL, ELEVATED LEGS, ELEVATED LID, COLOR: GLOSS BLACK. RE: SPEC SHEET ON LM501	1	FA	\$	\$
BIKE RACK, METRO 5-LOOP BIKE RACK WITH 7-BIKE CAPACITY, POWDER COATED FINISH AND SURFACE MOUNT, MODEL # LBR7PSURF BY ANOVA. COLOR: BLACK. C/W STAINLESS STEEL	1		\$	\$
TKNOFECSO	RASH RECEPTACLE, MIDTOWN LITTER RECEPTACLE BY (EYSTONE RIDGE DESIGNS, MODEL # MT3-32, 32 GAL, ELEVATED LEGS, ELEVATED LID, COLOR: GLOSS BLACK. RE: SPEC SHEET ON LM501 BIKE RACK, METRO 5-LOOP BIKE RACK WITH 7-BIKE CAPACITY, POWDER COATED FINISH AND SURFACE MOUNT, MODEL # LBR7PSURF BY ANOVA.	RASH RECEPTACLE, MIDTOWN LITTER RECEPTACLE BY EYSTONE RIDGE DESIGNS, MODEL # MT3-32, 32 GAL, ELEVATED LEGS, ELEVATED LID, COLOR: GLOSS BLACK. RE: SPEC SHEET ON LM501 1 BIKE RACK, METRO 5-LOOP BIKE RACK WITH 7-BIKE CAPACITY, POWDER COATED FINISH AND SURFACE MOUNT, MODEL # LBR7PSURF BY ANOVA. COLOR: BLACK. C/W STAINLESS STEEL	RASH RECEPTACLE, MIDTOWN LITTER RECEPTACLE BY EYSTONE RIDGE DESIGNS, MODEL # MT3-32, 32 GAL, ELEVATED LEGS, ELEVATED LID, COLOR: GLOSS BLACK. RE: SPEC SHEET ON LM501 1 EA BIKE RACK, METRO 5-LOOP BIKE RACK WITH 7-BIKE CAPACITY, POWDER COATED FINISH AND SURFACE MOUNT, MODEL # LBR7PSURF BY ANOVA. COLOR: BLACK. C/W STAINLESS STEEL	RASH RECEPTACLE, MIDTOWN LITTER RECEPTACLE BY (EYSTONE RIDGE DESIGNS, MODEL # MT3-32, 32 GAL, ELEVATED LEGS, ELEVATED LID, COLOR: GLOSS BLACK. RE: SPEC SHEET ON LM501 1 EA \$ BIKE RACK, METRO 5-LOOP BIKE RACK WITH 7-BIKE CAPACITY, POWDER COATED FINISH AND SURFACE MOUNT, MODEL # LBR7PSURF BY ANOVA. COLOR: BLACK. C/W STAINLESS STEEL

FURNITURE SUB-TOTAL	\$
---------------------	----

LANDSCAPE

TREES & PALMS

CODE	DESCRIPTION	QTY	UNIT	UNIT COST	TOTAL
LN	Lagerstroemia indica `Natchez` / `Natchez` Crape Myrtle	7	EA	\$	\$
	Magnolia grandiflora `Brackens Brown` / Bracken`s				
MB	Southern Magnolia	3	EA	\$	\$
QV	Quercus virginiana / Southern Live Oak	7	EA	\$	\$

SHRUBS

CODE	DESCRIPTION	QTY	UNIT	UNIT COST	TOTAL
AC	Rhododendron / Autumn Chiffon Encore	131	EA	\$	\$
				<u>+</u>	+
RO	Rosa `Radrazz` PP11836 / Knock Out Rose	88	EA	\$	\$
MS	Miscanthus sinensis `Adagio` / Adagio Maiden Grass	95	EA	\$	\$
МС	Muhlenbergia capillaris / Pink Muhly	60	EA	\$	\$

GROUND COVERS

CODE	DESCRIPTION	QTY	UNIT	UNIT COST	TOTAL
DC	Diametra to an amine Navie meter / Navie meter de Fley Lib.	07	Ε.Δ	¢	φ.
DS	Dianella tasmanica `Variegata` / Variegated Flax Lily	83	EA	\$	D
LB	Liriope muscari 'Big Blue' / Big Blue Lilyturf	142	EA	\$	\$
	Rosa x `Novarospop` TM / Popcorn Drift Groundcover				
RN	Rose	129	EA	\$	\$
SC	Seasonal Color	392	EA	\$	\$

SOD

CODE	DESCRIPTION	QTY	UNIT	UNIT COST	TOTAL
EO	Eremochloa ophiuroides / Centipedegrass	13,707	SF	\$	\$

LANDSCAPE SUB-TOTAL \$

IRRIGATION

MANUFACTURER / MC	DDEL	QTY	UNIT	UNIT COST	TOTAL
Rain Bird R-1318 RD-180	06-SAM-P45	10	EA	\$	\$
Rain Bird R-1318 RD-180	06-SAM-P45	18	EA	\$	\$
Rain Bird R-1318 RD-180	06-SAM-P45	20	EA	\$	\$
Rain Bird R-1724 RD-18	06-SAM-P45	3	EA	\$	\$
Rain Bird R-1724 RD-18	06-SAM-P45	21	EA	\$	\$
Rain Bird R-1724 RD-18	06-SAM-P45	18	EA	\$	\$

MANUFACTURER / MODEL	QTY	UNIT	UNIT COST	TOTAL
Rain Bird XCZPGA-100-PRF 1"	3	EA	\$	\$
Rain Bird XFS-06-12	3166	SF	\$	\$

MANUFACTURER / MODEL	QTY	UNIT	UNIT COST	TOTAL
Rain Bird PGA 1"	3	EA	\$	\$
Rain Bird ESP8LXME	1	EA	\$	\$
Rain Bird RSD-BEx	1	EA	\$	\$
Irrigation Lateral Line: PVC Class 200 SDR 211"	1873	LF	\$	\$
Irrigation Lateral Line: PVC Class 200 SDR 2111/2"	153	LF	\$	\$
Irrigation Mainline: PVC Class 200 SDR 2111/2"	354	LF	\$	\$
Pipe Sleeve: PVC Schedule 40 3"	175	LF	\$	\$
Pipe Sleeve: PVC Schedule 40 4"	16	LF	\$	\$

IRRIGATION SUB-TOTAL \$

LIGHTING							
MANUFACTURER / MODEL	QTY	UNIT	UNIT COST	TOTAL			
POLE LIGHT MODEL # AUCL2 UTILITY ARLINGTON SERIES LUMINAIRE FULL CUTOFF LED2 BY HOLOPHANE, POLE: 12` ARLEN 17 MODIFIED STRUCTURAL STRAIGHT FLUTED ALUMINUM POLE BY HAPCO. COLOR: BLACK. FOUNDATION TO BE 18" DIA X 30" CONCRETE FOUNDATION W/ 3" ABOVE FINISHED GRADE. TOP EDGE TO RECEIVE 3/4" X 45 DEG RADIUS. PROVIDE FOUNDATION WITH ANCHOR BOLTS SUPPLIED WITH LAMP POST AND ENCASED CONDUIT AS REOUIRED.	7	EA	\$	\$			
UPLIGHT	,	L/ \	Ψ	Ψ			
LFLED5YB BY RAB LIGHTING, COLOR: BLACK	12	EA	\$	\$			
BOLLARD SIERRA B LED BOLLARD BY HESS; SB42B-LED-WW-UNV- D-39RB-BLK	12	EA	\$	\$			

LIGHTING SUB-TOTAL \$

PROJECT SUB-TOTAL \$

NOTE: Any discrepancies b/t plans & bid forms shall be reported to Landscape Architect upon discovery.