



St. Johns River Water Management District

Michael A. Register, P.E., Executive Director

525 Community College Parkway S.E. • Palm Bay, FL 32909 • 321-984-4940 • www.sjrwmd.com

DATE: July 19, 2022

TO: Prospective Respondents

FROM: Amy Lucey, Procurement Specialist

SUBJECT: Addendum #2 to Invitation for Bid, # 37933, Purchase and Delivery of Liquid Aluminum Sulfate 2022-2025

As a result of inquiries, the following clarifications/changes are provided for your information. Please make all appropriate changes to your bid documents. Note: changes are reflected with original language shown with strike-through and new language is underlined.

- Q1: Although the District cautions respondents to not make any assumptions regarding the project budget listed in the bid, the budget amount isn't reasonable given the implied volume of 3000 dry tons and the unprecedented costs on raw materials, freight and fuel. Why not use the current price to calculate the project budget?
- A1: The budget has been predetermined based on the District's annual budgeting process and timeframes. However, that does not mean that the budget cannot be increased due to unusual circumstances. However, at this time, \$175,000 per year is our budget. We understand this limitation on the implied volume, but this was a similar request/requirement from the solicitation three years ago. We have modified that requirement to indicate that the implied volume is over a three-year period not an annual volume.

NOTE: The Bid Due Date **remains** 2:00 p.m., **Thursday August 4, 2022**

Please acknowledge receipt of this Addendum on the Bid FORM provided in the proposal package.

If you have any questions, please e-mail me at alucey@sjrwmd.com.