

General Specifications - 332 Ellsworth

Insulation

R-5 Foam on exterior walls		Tuff-R 3/4	
R-30 attic insulation		Owens Corning or Johns Mansfield	Blown Fiberglass
Radiant Barrier Roof Sheathing		Nor - Board or Georgia Pacific	

Roofing

Asphalt	Architectural	Owens Corning or GAF	Light/ Medium Color
---------	---------------	----------------------	---------------------

Paint

Exterior	Latex	Sherwin Williams Eco - Select	Light/ Medium Color
Interior Walls	Latex	Sherwin Williams Eco - Select	Light/ Medium Color
Interior Trim	Latex	Sherwin Williams Eco - Select	White

Cabinets

Cabinets/Vanities	Flat Panel Maple	Merrilatt Basics	TBD
Bath Tops	Formica		TBD
Kitchen Top	Formica		TBD

HVAC

Equipment	Central Variable Speed Fan	Carrier or Comparable	16 Seer
Ductwork	R-6 Insulated Flex Pipe		
Manual D	By HVAC Contractor		
Manual J	By HVAC Contractor		

Trim

Baseboard	3 1/4 Colonial		Finger Joint
Doors	6 Panel Colonial		
Bi-Folds	6 Panel Colonial		
Window Sills	Marble		

Drywall

Corner Bead	Textured		
Ceiling	Square		
	Knock Down/Painted		

Appliances

Whirlpool-White/Black	Range hood MUST be vented to outside
-----------------------	--------------------------------------

Plumbing - 332 Ellsworth

Plumbing

Kitchen

Sink SS Drop In 7 1/2" deep
Fixture Moen Chateau or similar

Hall Bath

Bath 1 Fixture Moen Chateau or similar
Bath 1 Tub/Shower Vikreyll 71121120/22 White
Bath 1 Tub/Shower Fixture Moen Chateau
Bath 1 WC Dual Flush/ White
Vanity Sink 20 " Round Drop In

Master Bath

Bath 2 Fixture Moen Chateau or similar
Bath 2 Tub Fiberglass Shower Pan/ Ceramic wall tile
Bath 2 Tub Fixture Moen Chateau or similar
Bath 2 WC Dual Flush/ White
Bath 2 Shower Fixture Moen Chateau or similar
Vanity Sink 20 " Round Drop In

Water Heater


50 gallon energy star

Electrical - 332 Ellsworth

Electrical Room	Model # Type	Bulb
Kitchen	Cloud	CFL/Fluorescent/LED
Bath 1	Hollywood	CFL/Fluorescent/LED
Bath 1 Fan	Utilitech 0.3-Sones 80-CFM White Humidity Sensing Bathroom Fan ENERGY STAR	
Bath 2	Hollywood	CFL/Fluorescent/LED
Bath 2 Fan	Utilitech 0.3-Sones 80-CFM White Humidity Sensing Bathroom Fan ENERGY STAR	
Bed 1	TBD/Fan Light Combo	CFL/Fluorescent/LED
Bed 2	TBD/Fan Light Combo	CFL/Fluorescent/LED
Bed 3	TBD/Fan Light Combo	CFL/Fluorescent/LED
Front Porch	TBD	CFL/Fluorescent/LED
Entry	TBD	CFL/Fluorescent/LED
Dining Room	TBD	CFL/Fluorescent/LED
Living Room	TBD/Fan Light Combo	CFL/Fluorescent/LED
HallWay	TBD	CFL/Fluorescent/LED
Pack Patio	TBD	CFL/Fluorescent/LED
Garage	Garage	CFL/Fluorescent/LED
Coach Lights	TBD	CFL/Fluorescent/LED

Windows

SINGLE HUNG / HORIZONTAL SLIDER



CERTIFIED TO MEET OR EXCEED EXPECTATIONS

All CWD vinyl windows are AAMA and NFRC certified, and are compliant with ENERGY STAR® and Green Building standards when ordered with LoE 366. The features listed throughout this brochure helps satisfy LEED™ credits.

• HVHZ approvals on all products



WINDPACT PLUS LARGE MISSILE IMPACT WINDOWS

- ✓ REDUCED INSURANCE RATES
- ✓ HURRICANE PROTECTION
- ✓ UV RAY PROTECTION
- ✓ ENERGY EFFICIENCY
- ✓ SAFETY & SECURITY
- ✓ NOISE REDUCTION




- 8100 SH up to 100DP, 8200 HS up to +60/-75DP, 8400 CA up to 75DP, 8450 AW up to 75DP, 8500 SH up to 90DP, 8600 HS up to 120DP, 8700 FD from 70DP up to 100DP, Patio Doors up to 120DP
- Tested to Miami-Dade County, Florida and ASTM specifications for impact
- Available with energy efficient LoE² & LoE³ Glass
- Neat® glass is available as option

Advantages of Cardinal LoE³


For the advantages of laminated glass with a reduced solar heat gain, Cardinal offers LoE³ Coatings. Though virtually invisible to the eye, Cardinal's patented LoE³ coating reduces solar gains, thus reducing air conditioning costs.

Neutral in color, the microscopically thin LoE³ coating in laminated glass has high visible light transmission and low outdoor and indoor reflectivity.



Advanced Design and Engineering

- 1) Multiple hollow chambers for strength and insulation
- 2) Dual-pane insulated glass with double-strength glass (standard)
- 3) Extruded Florida flange on all frame types
- 4) Thick vinyl walls for added structural integrity
- 5) Covered weep holes in sill control water penetration and drainage



CWD vinyl windows are available in two easy-to-clean colors: White and Two-Tone Bronze
Also available with special order only:
Solid Adobe, Two-Tone Brick Red & Two-Tone Forest Green

SAVE ON ENERGY.

An average home will lose between 10 percent and 25 percent of its energy through windows and doors. The best windows and doors can save up to 15 percent on your heating and cooling energy bills. Did you know that your energy savings can also help to protect the environment? Every kilowatt of energy we use to heat and cool our homes can result in up to 2 lbs of CO₂ being created. With Envirosealed Windows™ and Doors, you are doing your part to conserve energy and protect our planet.



envirosealed
WINDOWS



1900 SW 44th Avenue, Ocala, FL 34474
(P) 800-327-3086 • (F) (352) 368-2928

www.cws.cc

Your Authorized Custom Windows & Doors Dealer:



L2002B (June 2012)

Floor Covering - 332 Ellsworth

Floor Coverings

	Material	Pattern	Size	Color
Kitchen	Ceramic Floor	Standard	18x18	TBD
Bath 1	Ceramic Floor	Standard	18x18	TBD
Bath 2	Ceramic Floor	Standard	18x18	TBD
Bed 1	Carpet /Pad			TBD
Bed 2	Carpet /Pad			TBD
Bed 3	Carpet /Pad			TBD
Front Porch	Concrete	Broom Finish		
Entry	Ceramic tile	Standard	18x18	TBD
Dining Room	Engineered	Standard	TBD	TBD
Living Room	Engineered	Standard	TBD	TBD
HallWay	Engineered	Standard	TBD	TBD
Pack Patio	Concrete	Broom Finish		
Garage	Concrete	Smooth		