



LIVING AREA = 1349 S.F.
 TOTAL UNDER ROOF = 1625 S.F.
 GARAGE = 276 S.F.
FLOOR PLAN 1/4"=1'-0"

| DOOR SCHEDULE | | | | | |
|---------------|--------|----------|--------|----------|--------|
| MARK | SIZE | TYPE | FINISH | REMARKS | AMOUNT |
| 1 | 30X68 | SWING | S.C. | ENTRY | 1 |
| 2 | 30X68 | SWING | STL. | ENTRY | 4 |
| 3 | 30X68 | SWING | H.C. | INTERIOR | 4 |
| 4 | 30X68 | BIFOLD | H.C. | INTERIOR | 3 |
| 5 | 40X68 | BIFOLD | H.C. | INTERIOR | 1 |
| 6 | 100X70 | OVERHEAD | STL. | GARAGE | 1 |
| 7 | | | | | |

NOTE:
 * EXACT ROUGH OPENING SIZES FOR DOORS & WINDOWS TO BE PROVIDED BY DOOR & WINDOW MANUFACTURER.
 * VERIFY THESE DIMENSIONS BEFORE PROCEEDING WITH THE WORK.

| WINDOW SCHEDULE | | | | | |
|-----------------|-------------------|---------------|-----------|--------------|--------|
| MARK | SIZE | TYPE | FINISH | REMARKS | AMOUNT |
| A | 8'-2 1/2" X 3'-4" | MI-3540-VINTL | SGL. HANG | INSULL. LOWE | 3 |
| B | 8'-2 1/2" X 3'-4" | MI-3540-VINTL | SGL. HANG | INSULL. LOWE | 2 |
| C | 8'-2 1/2" X 3'-4" | MI-3540-VINTL | SGL. HANG | INSULL. LOWE | 2 |
| D | 8'-2 1/2" X 3'-4" | MI-3540-VINTL | SGL. HANG | INSULL. LOWE | 2 |
| E | | | | | |
| F | | | | | |

ALL LINTELS CAST-ORETE
 ▲ 8F14 - 1B / IT X 3'-4"
 ▲ 8F16 - 1B / IT X 4'-4"
 ▲ 8F16 - 1B / IT X 7'-4"
 ▲ 8F14 - 1B / IT X 4'-6"
 ▲ 8F16 - 1B / IT X 11'-8"

INDEX:
 A-1 FLOOR & SITE PLANS
 E11 ELEVATIONS
 E-1 ELECTRICAL PLAN
 S-1 FOUNDATION PLAN
 S-2 ROOF FRAMING PLAN

THESE PLANS MEET THE REQUIREMENTS OF SECTION 904.2 OF THE 2017 FLORIDA RESIDENTIAL BUILDING CODE FOR A BASE WIND SPEED OF 139.5 MPH, RISK CATEGORY II EXPOSURE B, ENCLOSED BUILDING, INTERNAL PRESSURE COEFFICIENT 0.18.

INTERIOR ROOF ZONE
 3' ROOF EDGE ZONE & RIDGES
 3' X 3' CORNER ROOF ZONE
 INTERIOR WALL ZONE
 3' END WALL ZONE
 GARAGE DOOR

161.1 - 30.2
 161.1 - 45.7
 20.3 - 53.1
 30.0 - 33.0
 33.7 - 44.0
 18.5 - 20.2

| | | | | | |
|------------------------|---|--|---------------------------------------|---------|-------------|
| Sheet No A-1 | DUHART ULYSSES & ETHEL 332 ELLSWORTH ST. DAYTONA BEACH, FL. 32114 | CERTIFIED BY: DAVID C. LEETE AR000731 | HANDY HELPER DRAFTING 386-846-2450 | DATE | COMM NUMBER |
| | | | | REVISED | |