


(C) STANDARD TRACK - SINGLE GLAZED (JAMB)

8 ENLARGED PLAN DETAIL
SCALE: 6" = 1'-0"



(B) STANDARD TRACK - SINGLE GLAZED (HEAD)


7 SECTION DETAIL
NEW WORK - GLASS PARTITION @ EXIST. STUDY NICHE
SCALE: 6" = 1'-0"

GLASS PARTITION - BASIS OF DESIGN

OLD CASTLE BUILDING ENVELOPE - GLASS ENTRANCE SYSTEM
GLASS THICKNESS - 5/8" TEMPERED GLASS (CLEAR/FROSTED COMBO - SEE DRAWINGS. ALL GLASS EDGES TO BE POLISHED)
GLASS DOOR - 38" x 84" x 5/8" TEMPERED GLASS (A-STYLE)
HARDWARE:
2-PC SINGLE GLAZE METAL CHANNEL @ SILL, JAMB, AND HEAD (STANDARD TRACK, SINGLE-GLAZED),
08E-380 TOP PIVOT (OVE-1500 BOTTOM PIVOT WITH PATCH COVERS,
CONCEALED BOTTOM CLOSER,
42" STAINLESS STEEL TUBULAR PUSH/PULL DOOR HANDLES (EACH SIDE OF DOOR)
ALL HARDWARE AND FRAMING TO BE STAINLESS STEEL.


RETURN AIR TRANSFER GRILLE (RATG) OPTIONS

RATG OPTION #1:
NEW CEILING RETURN AIR GRILLE CONNECTED TO RETURN AIR DUCT WITH A 12" X 12" BRANCH DUCT. PROVIDE CONT. 1" MIN. DUCT INSULATION AT BRANCH DUCT. GRILLE COLOR TO MATCH EXISTING CEILING COLOR. GRILLE IS SIZED TO TRANSFER 800 cfm.
RATG OPTION #2:
NEW SIDEWALL LINEAR RETURN AIR GRILLE PER PRICE INDUSTRIES, MODEL #5102 / F / L / A / B12, 48" X 4" STEEL LOUVERED RETURN GRILLE WITH ZERO DEFLECTION BLADES PARALLEL TO THE LONG DIMENSION. GRILLE SHALL HAVE A POWDER COAT FINISH TO MATCH EXISTING GRILLES AND A 1/4" FLAT BORDER. PROVIDE TWO (2) GRILLES CONNECTED BY A SHEET METAL SLEEVE THROUGH THE BULKHEAD BELOW THE CEILING. PROVIDE CONT. 1" MIN. DUCT INSULATION AT METAL SLEEVE. GRILLES ARE SIZED TO TRANSFER 800 cfm.




(D) OPTIONAL STD. BASE TRACK - SINGLE GLAZED (SILL)


6 OPTIONAL SILL CONNECTION @ STUDY NICHE - MODIFIED ENLARGE PLAN DETAIL
SCALE: 6" = 1'-0"




5 NEW WORK - GLASS PARTITION @ EXIST. STUDY NICHE SECTION DETAIL
SCALE: 3/4" = 1'-0"




4 TYP. STUDY NICHE - MODIFIED NEW WORK ELEVATION
SCALE: 3/8" = 1'-0"




3 TYP. STUDY NICHE - MODIFIED NEW WORK FLOOR PLAN
SCALE: 3/8" = 1'-0"



2 TYP. STUDY NICHE EXISTING INTERIOR ELEVATION
SCALE: 3/8" = 1'-0"



1 TYP. STUDY NICHE EXISTING FLOOR PLAN
SCALE: 3/8" = 1'-0"



Lambe+Associates, LLC
architecture • planning • design/build
creative solutions to build on

Lambe + Associates, LLC
106 Mission Court, Suite 303
Franklin, TN 37067
phone: 615.771.9801
lambe@lambecorp.com

This drawing and the design shown is the property of the architect. The reproduction, copying, or use of this drawing without their written consent is prohibited and any infringement will be subject to legal action.

Consultants

Project

INTERIOR IMPROVEMENTS TO THE
WILLIAMSON COUNTY
MAIN PUBLIC LIBRARY
1314 COLUMBIA AVENUE
FRANKLIN, TENNESSEE

REV.	DATE
3	REVISION 03.21.24
2	
1	
0	

L+A Job No. 2304
02.22.24

Enlarged Floor Plans,
Section Details,
and Notes

A200
sheet