

Exhibit 1 Cost Schedule

Item	Quantity	Total
8' x 30' Aluminum Floating Dock	1 ea.	\$
5' x 30' Aluminum Gangway	1 ea.	\$
8" diameter x 30' Pile	4 ea.	\$
Total for all items		\$

Expected Delivery time: _____

*Piles shall be 8" diameter Schedule 40 aluminum per the drawings or 8" diameter Schedule 40 A53 Grade B Steel. If the steel pipe is chosen, the pipe shall be hot-dipped galvanized in accordance with ASTM A123 or painted as follows:

First Coat (Primer): DURA-PLATE 235, 4-8 MILS DFT

Second (Final) Coat: DURA-PLATE 235, 4-8 MILS DFT

Color: Light Gray

The pile type does not need to be noted on the Cost Schedule but shall be shown on the shop drawings when submitted.

***Note: All prices should include shipping and handling charges to the SJRWMD Service Center located at 525 Community College Parkway, S.E., Palm Bay, FL 32909.**

I HEREBY ACKNOWLEDGE, as Respondent's authorized representative, that I have fully read and understand all terms and conditions as set forth in this quote request and upon award of such quote, shall fully comply with such terms and conditions.

Respondent (firm name)

Address

email address

Typed name and title

Telephone number.

Signature

Date