

**ADDENDUM FIVE
BLANKET CONTRACT FOR PARKING LOT SEAL COATING AND REPAIRS
CONTRACT NO. M-19-007-201
CITY OF CHATTANOOGA, TENNESSEE**

The following changes shall be made to the Contract Documents, Specifications, and Drawings:

I. Contract Documents

A. Add the Following Definitions of Work, Scope of Work and Specifications

- 1. Asphalt Topping 'E' – Shall be Grading 'E', containing at least 45% River Sand, 1.5" thickness.**
- 2. Asphalt Binder 'B-Mod' – Shall be Grading B Modified, 2.5" thickness.**
- 3. Compacted Stone Base '33P' – Mineral Aggregate Base shall be compacted 303-01, Type A, Grading D '33-P'. Parking Lot Area shall be 8" thickness**
- 4. Prime Coat – Bituminous material for Prime Coat 0.35 Gal. / SY, Chips are optional (AC20)**
- 5. Tack Coat – Bituminous material for Tack Coat 0.05 Gal. /SY (AC20)**

B. Replace Bid Schedule

Replace Section 00301 – Bid Schedule with the revised Section 00301 – Bid Schedule attached.

November 5, 2019

/s/ Justin C. Holland, Administrator
City of Chattanooga
Department of Public Works

BID SCHEDULE

BLANKET CONTRACT FOR PARKING LOT SEAL COATING AND REPAIRS

Project No. M-19-007-201

City of Chattanooga, Tennessee

Item No.	Description	Unit	Est. No. of Units	Unit Price
1	Mobilization/Demobilization (For Seal Coating, Striping, Etc. Per Site)	EA	5	_____
1A	Mobilization/Demobilization (For Striping Only Per Site)	EA	6	_____
2	Asphalt Demo & Removal of Damaged Asphalt Parking Areas (includes excavation of stone/dirt up to 12" deep)	SF	1,000	_____
2A	Sawcutting for Asphalt Demo & Repair	LF	200	_____
3	Asphalt Binder 'B-Mod' (2.5" Thickness) For Parking	SF	1,000	_____
4	Asphalt Topping Type 'E' (1.5" Thickness) for Parking	SF	1,000	_____
5	Erosion Control (Contractor responsible for stormwater runoff during repair)	EA	5	_____
6	Compacted Stone Base 33P (8" Thickness)	SF	1,000	_____
7	Sealcoating Cold Tar Sealer Concentrate (30% Water, 1% Latex, 1 lb Sand per Gallon) Two Coats, 1st Squeegee, 2nd Spray (Machine Squeegee Only - No Hand Work)	SF	70,000	_____
8	Hot Seal Crack Sealant Direct Fire Crack Filler (Banded)	LF	1,000	_____
9	Paint Striping 4" Wide - Yellow Sherwin Williams Pro-Bark B97WD2434	LF	4,000	_____
10	Paint Striping 4" Wide - White Sherwin Williams Pro-Bark B97WD2434	LF	4,000	_____
11	Paint Striping 4" Wide - Blue Sherwin Williams Pro-Bark B97WD2434	LF	4,000	_____
12	Handicap Logos Pre-Mark Handicap (Fig C - 40 x 40) Installed	EA	30	_____
13	Handicap Signs 1-92 (R7-8) Installed	EA	30	_____
13a	Handicap Signs 1-93 (R7-8b) Installed	EA	20	_____
14	Sign Post (8 Feet) Installed	EA	20	_____
15	Demo - Concrete Wheel Stops (Includes Rebar Pins)	EA	20	_____

16	Painting Existing Curb "Yellow" (All Inclusive) Sherwin Williams Pro-Bark B97WD2434	LF	200	_____
17	Painting Existing Wheel Stops "Yellow" (All Inclusive) Sherwin Williams Pro-Bark B97WD2434	EA	20	_____
18	Cleaning and Prepping of Existing Asphalt Parking Lot (up to 10,000 SF)	EA	5	_____
18a	Additional Clean/Prep of Asphalt Parking Lot (per additional 100SF)	SF	100	_____
19	Cleaning, Prepping, and Removal of Vegetation within Cracks (Hot Air Lance & Graser Cart) (1/8" and greater in width)	LF	1,000	_____
20	Remove and Reinstallation of Concrete Wheel Stops (Includes Rebar Pins)	EA	20	_____
21	New Concrete Wheel Stops Installed (Include Rebar Pins)	EA	20	_____
	Total Base Bid			_____

