

BID FORM 1 OF 13

LOCATION: SW 92 COURT FROM 164 STREET NORTH TO END OF CUL-DE-SAC - APPROX 900 SQ YDS

BID ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	TOTAL COST
MSR-2	ASPHALT CONCRETE (TYPE 1" THICK)	TON			
MSR-3	MILLING EXISTING PAVEMENT (1") PAYMENT WITH GREATER CUTS WILL BE PAID PROPORTIONALLY)	SQUARE YARDS			
MSR-4	ADJUST MANHOLE (THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS AND MAY BE INCREASED, DECREASED OR ELIMINATED BY ENGINEER)	EACH			
MSR-5	ADJUST EXISITING VALVE BOXES (THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS AND MAY BE INCREASED, DECREASED OR ELIMINATED BY THE ENGINEER)	EACH			
MSR-6	REFLECTIVE PAVEMENT MARKERS (CLASS B: MONO OR BI-DIRECTIONAL, ALL COLORS)	EACH			
MSR-9	TEMPORARY PAVEMENT MARKING (WHITE/YELLOW: SOLID; 6")	LINEAR FOOT			
MSR-10	YELLOW, SOLID; 6"	LINEAR FOOT			
MSR-13	TEMPORARY PAVEMENT MARKING (WHITE: SOLID; 12")	LINEAR FOOT			
MSR-14	THERMOPLASTIC (WHITE: SOLID; 12")	LINEAR FOOT			
MSR-17	TEMPORARY PAVEMENT MARKING (WHITE: SOLID; 24")	LINEAR FOOT			
MSR-18	THERMOPLASTIC (WHITE: SOLID; 24")	LINEAR FOOT			
MOT	MAINTENANCE OF TRAFFIC	LUMP SUM			

TOTAL BID FOR: SW 92 COURT FROM 164 STREET NORTH TO END OF CUL-DE-SAC

\$ _____

BID FORM 2 OF 13

LOCATION: SW 94 COURT FROM 181 TERRACE SOUTH TO DEAD END - APPROX 370 SQ YDS

BID ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	TOTAL COST
MSR-2	ASPHALT CONCRETE (TYPE 1" THICK)	TON			
MSR-3	MILLING EXISTING PAVEMENT (1") PAYMENT WITH GREATER CUTS WILL BE PAID PROPORTIONALLY)	SQUARE YARDS			
MSR-4	ADJUST MANHOLE (THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS AND MAY BE INCREASED, DECREASED OR ELIMINATED BY ENGINEER)	EACH			
MSR-5	ADJUST EXISITING VALVE BOXES (THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS AND MAY BE INCREASED, DECREASED OR ELIMINATED BY THE ENGINEER)	EACH			
MSR-6	REFLECTIVE PAVEMENT MARKERS (CLASS B: MONO OR BI-DIRECTIONAL, ALL COLORS)	EACH			
MSR-9	TEMPORARY PAVEMENT MARKING (WHITE/YELLOW: SOLID; 6")	LINEAR FOOT			
MSR-10	YELLOW, SOLID; 6"	LINEAR FOOT			
MSR-13	TEMPORARY PAVEMENT MARKING (WHITE: SOLID; 12")	LINEAR FOOT			
MSR-14	THERMOPLASTIC (WHITE: SOLID; 12")	LINEAR FOOT			
MSR-17	TEMPORARY PAVEMENT MARKING (WHITE: SOLID; 24")	LINEAR FOOT			
MSR-18	THERMOPLASTIC (WHITE: SOLID; 24")	LINEAR FOOT			
MOT	MAINTENANCE OF TRAFFIC	LUMP SUM			

TOTAL BID FOR: SW 94 COURT FROM 181 TERRACE SOUTH TO DEAD END

\$ _____

BID FORM 3 OF 13

LOCATION: SW 77 COURT FROM 173 STREET NORTH TO DEAD END - APPROX 380 SQ YDS

BID ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	TOTAL COST
MSR-2	ASPHALT CONCRETE (TYPE 1" THICK)	TON			
MSR-3	MILLING EXISTING PAVEMENT (1") PAYMENT WITH GREATER CUTS WILL BE PAID PROPORTIONALLY)	SQUARE YARDS			
MSR-4	ADJUST MANHOLE (THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS AND MAY BE INCREASED, DECREASED OR ELIMINATED BY ENGINEER)	EACH			
MSR-5	ADJUST EXISITING VALVE BOXES (THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS AND MAY BE INCREASED, DECREASED OR ELIMINATED BY THE ENGINEER)	EACH			
MSR-6	REFLECTIVE PAVEMENT MARKERS (CLASS B: MONO OR BI-DIRECTIONAL, ALL COLORS)	EACH			
MSR-9	TEMPORARY PAVEMENT MARKING (WHITE/YELLOW: SOLID; 6")	LINEAR FOOT			
MSR-10	YELLOW, SOLID; 6"	LINEAR FOOT			
MSR-13	TEMPORARY PAVEMENT MARKING (WHITE: SOLID; 12")	LINEAR FOOT			
MSR-14	THERMOPLASTIC (WHITE: SOLID; 12")	LINEAR FOOT			
MSR-17	TEMPORARY PAVEMENT MARKING (WHITE: SOLID; 24")	LINEAR FOOT			
MSR-18	THERMOPLASTIC (WHITE: SOLID; 24")	LINEAR FOOT			
MOT	MAINTENANCE OF TRAFFIC	LUMP SUM			

TOTAL BID FOR: SW 77 COURT FROM 173 STREET NORTH TO DEAD END

\$ _____

BID FORM 4 OF 13

LOCATION: SW 78TH AVE FROM 170 STREET SOUTH TO DEAD END - APPROX 1,350 SQ YDS

BID ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	TOTAL COST
MSR-2	ASPHALT CONCRETE (TYPE 1" THICK)	TON			
MSR-3	MILLING EXISTING PAVEMENT (1") PAYMENT WITH GREATER CUTS WILL BE PAID PROPORTIONALLY)	SQUARE YARDS			
MSR-4	ADJUST MANHOLE (THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS AND MAY BE INCREASED, DECREASED OR ELIMINATED BY ENGINEER)	EACH			
MSR-5	ADJUST EXISITING VALVE BOXES (THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS AND MAY BE INCREASED, DECREASED OR ELIMINATED BY THE ENGINEER)	EACH			
MSR-6	REFLECTIVE PAVEMENT MARKERS (CLASS B: MONO OR BI-DIRECTIONAL, ALL COLORS)	EACH			
MSR-9	TEMPORARY PAVEMENT MARKING (WHITE/YELLOW: SOLID; 6")	LINEAR FOOT			
MSR-10	YELLOW, SOLID; 6"	LINEAR FOOT			
MSR-13	TEMPORARY PAVEMENT MARKING (WHITE: SOLID; 12")	LINEAR FOOT			
MSR-14	THERMOPLASTIC (WHITE: SOLID; 12")	LINEAR FOOT			
MSR-17	TEMPORARY PAVEMENT MARKING (WHITE: SOLID; 24")	LINEAR FOOT			
MSR-18	THERMOPLASTIC (WHITE: SOLID; 24")	LINEAR FOOT			
MOT	MAINTENANCE OF TRAFFIC	LUMP SUM			

TOTAL BID FOR: SW 78TH AVE FROM 170 STREET SOUTH TO DEAD END

\$ _____

BID FORM 5 OF 13

LOCATION: SW 169 TERRACE FROM 92ND AVENUE EAST TO CUL-DE-SAC - APPROX 794 SQ YDS

BID ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	TOTAL COST
MSR-2	ASPHALT CONCRETE (TYPE 1" THICK)	TON			
MSR-3	MILLING EXISTING PAVEMENT (1") PAYMENT WITH GREATER CUTS WILL BE PAID PROPORTIONALLY)	SQUARE YARDS			
MSR-4	ADJUST MANHOLE (THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS AND MAY BE INCREASED, DECREASED OR ELIMINATED BY ENGINEER)	EACH			
MSR-5	ADJUST EXISITING VALVE BOXES (THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS AND MAY BE INCREASED, DECREASED OR ELIMINATED BY THE ENGINEER)	EACH			
MSR-6	REFLECTIVE PAVEMENT MARKERS (CLASS B: MONO OR BI-DIRECTIONAL, ALL COLORS)	EACH			
MSR-9	TEMPORARY PAVEMENT MARKING (WHITE/YELLOW: SOLID; 6")	LINEAR FOOT			
MSR-10	YELLOW, SOLID; 6"	LINEAR FOOT			
MSR-13	TEMPORARY PAVEMENT MARKING (WHITE: SOLID; 12")	LINEAR FOOT			
MSR-14	THERMOPLASTIC (WHITE: SOLID; 12")	LINEAR FOOT			
MSR-17	TEMPORARY PAVEMENT MARKING (WHITE: SOLID; 24")	LINEAR FOOT			
MSR-18	THERMOPLASTIC (WHITE: SOLID; 24")	LINEAR FOOT			
MOT	MAINTENANCE OF TRAFFIC	LUMP SUM			

TOTAL BID FOR: SW 169 TERRACE FROM 92ND AVENUE EAST TO CUL-DE-SAC

\$ _____

BID FORM 6 OF 13

LOCATION: SW 80 AVENUE FROM 168 STREET NORTH TO SW 166 STREET - APPROX 1,800 SQ YDS

BID ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	TOTAL COST
MSR-2	ASPHALT CONCRETE (TYPE 1" THICK)	TON			
MSR-3	MILLING EXISTING PAVEMENT (1") PAYMENT WITH GREATER CUTS WILL BE PAID PROPORTIONALLY)	SQUARE YARDS			
MSR-4	ADJUST MANHOLE (THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS AND MAY BE INCREASED, DECREASED OR ELIMINATED BY ENGINEER)	EACH			
MSR-5	ADJUST EXISITING VALVE BOXES (THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS AND MAY BE INCREASED, DECREASED OR ELIMINATED BY THE ENGINEER)	EACH			
MSR-6	REFLECTIVE PAVEMENT MARKERS (CLASS B: MONO OR BI-DIRECTIONAL, ALL COLORS)	EACH			
MSR-9	TEMPORARY PAVEMENT MARKING (WHITE/YELLOW: SOLID; 6")	LINEAR FOOT			
MSR-10	YELLOW, SOLID; 6"	LINEAR FOOT			
MSR-13	TEMPORARY PAVEMENT MARKING (WHITE: SOLID; 12")	LINEAR FOOT			
MSR-14	THERMOPLASTIC (WHITE: SOLID; 12")	LINEAR FOOT			
MSR-17	TEMPORARY PAVEMENT MARKING (WHITE: SOLID; 24")	LINEAR FOOT			
MSR-18	THERMOPLASTIC (WHITE: SOLID; 24")	LINEAR FOOT			
MOT	MAINTENANCE OF TRAFFIC	LUMP SUM			

TOTAL BID FOR: SW 80 AVENUE FROM 168 STREET NORTH TO SW 166 STREET

\$ _____

BID FORM 7 OF 13

LOCATION: SW 78TH COURT FROM 166TH STREET SOUTH - APPROX 1,500 SQ YDS

BID ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	TOTAL COST
MSR-2	ASPHALT CONCRETE (TYPE 1" THICK)	TON			
MSR-3	MILLING EXISTING PAVEMENT (1") PAYMENT WITH GREATER CUTS WILL BE PAID PROPORTIONALLY)	SQUARE YARDS			
MSR-4	ADJUST MANHOLE (THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS AND MAY BE INCREASED, DECREASED OR ELIMINATED BY ENGINEER)	EACH			
MSR-5	ADJUST EXISITING VALVE BOXES (THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS AND MAY BE INCREASED, DECREASED OR ELIMINATED BY THE ENGINEER)	EACH			
MSR-6	REFLECTIVE PAVEMENT MARKERS (CLASS B: MONO OR BI-DIRECTIONAL, ALL COLORS)	EACH			
MSR-9	TEMPORARY PAVEMENT MARKING (WHITE/YELLOW: SOLID; 6")	LINEAR FOOT			
MSR-10	YELLOW, SOLID; 6"	LINEAR FOOT			
MSR-13	TEMPORARY PAVEMENT MARKING (WHITE: SOLID; 12")	LINEAR FOOT			
MSR-14	THERMOPLASTIC (WHITE: SOLID; 12")	LINEAR FOOT			
MSR-17	TEMPORARY PAVEMENT MARKING (WHITE: SOLID; 24")	LINEAR FOOT			
MSR-18	THERMOPLASTIC (WHITE: SOLID; 24")	LINEAR FOOT			
MOT	MAINTENANCE OF TRAFFIC	LUMP SUM			

TOTAL BID FOR: SW 78TH COURT FROM 166 STREET SOUTH

\$ _____

BID FORM 8 OF 13

LOCATION: SW 166 STREET FROM 82 AVENUE TO 81 AVENUE - APPROX 1,100 SQ YDS

BID ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	TOTAL COST
MSR-2	ASPHALT CONCRETE (TYPE 1" THICK)	TON			
MSR-3	MILLING EXISTING PAVEMENT (1") PAYMENT WITH GREATER CUTS WILL BE PAID PROPORTIONALLY)	SQUARE YARDS			
MSR-4	ADJUST MANHOLE (THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS AND MAY BE INCREASED, DECREASED OR ELIMINATED BY ENGINEER)	EACH			
MSR-5	ADJUST EXISITING VALVE BOXES (THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS AND MAY BE INCREASED, DECREASED OR ELIMINATED BY THE ENGINEER)	EACH			
MSR-6	REFLECTIVE PAVEMENT MARKERS (CLASS B: MONO OR BI-DIRECTIONAL, ALL COLORS)	EACH			
MSR-9	TEMPORARY PAVEMENT MARKING (WHITE/YELLOW: SOLID; 6")	LINEAR FOOT			
MSR-10	YELLOW, SOLID; 6"	LINEAR FOOT			
MSR-13	TEMPORARY PAVEMENT MARKING (WHITE: SOLID; 12")	LINEAR FOOT			
MSR-14	THERMOPLASTIC (WHITE: SOLID; 12")	LINEAR FOOT			
MSR-17	TEMPORARY PAVEMENT MARKING (WHITE: SOLID; 24")	LINEAR FOOT			
MSR-18	THERMOPLASTIC (WHITE: SOLID; 24")	LINEAR FOOT			
MOT	MAINTENANCE OF TRAFFIC	LUMP SUM			

TOTAL BID FOR: SW 166 STREET FROM 82 AVENUE TO 81 AVENUE

\$ _____

BID FORM 9 OF 13

LOCATION: SW 164TH STREET FROM 82ND AVENUE - APPROX 1,000 SQ YDS

BID ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	TOTAL COST
MSR-2	ASPHALT CONCRETE (TYPE 1" THICK)	TON			
MSR-3	MILLING EXISTING PAVEMENT (1") PAYMENT WITH GREATER CUTS WILL BE PAID PROPORTIONALLY)	SQUARE YARDS			
MSR-4	ADJUST MANHOLE (THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS AND MAY BE INCREASED, DECREASED OR ELIMINATED BY ENGINEER)	EACH			
MSR-5	ADJUST EXISITING VALVE BOXES (THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS AND MAY BE INCREASED, DECREASED OR ELIMINATED BY THE ENGINEER)	EACH			
MSR-6	REFLECTIVE PAVEMENT MARKERS (CLASS B: MONO OR BI-DIRECTIONAL, ALL COLORS)	EACH			
MSR-9	TEMPORARY PAVEMENT MARKING (WHITE/YELLOW: SOLID; 6")	LINEAR FOOT			
MSR-10	YELLOW, SOLID; 6"	LINEAR FOOT			
MSR-13	TEMPORARY PAVEMENT MARKING (WHITE: SOLID; 12")	LINEAR FOOT			
MSR-14	THERMOPLASTIC (WHITE: SOLID; 12")	LINEAR FOOT			
MSR-17	TEMPORARY PAVEMENT MARKING (WHITE: SOLID; 24")	LINEAR FOOT			
MSR-18	THERMOPLASTIC (WHITE: SOLID; 24")	LINEAR FOOT			
MOT	MAINTENANCE OF TRAFFIC	LUMP SUM			

TOTAL BID FOR: SW 164TH STREET FROM 82ND AVENUE

\$ _____

BID FORM 10 OF 13

LOCATION: SW 84TH AVENUE FROM 163RD TO 164TH STREET - APPROX 667 SQ YDS

BID ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	TOTAL COST
MSR-2	ASPHALT CONCRETE (TYPE 1" THICK)	TON			
MSR-3	MILLING EXISTING PAVEMENT (1") PAYMENT WITH GREATER CUTS WILL BE PAID PROPORTIONALLY)	SQUARE YARDS			
MSR-4	ADJUST MANHOLE (THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS AND MAY BE INCREASED, DECREASED OR ELIMINATED BY ENGINEER)	EACH			
MSR-5	ADJUST EXISITING VALVE BOXES (THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS AND MAY BE INCREASED, DECREASED OR ELIMINATED BY THE ENGINEER)	EACH			
MSR-6	REFLECTIVE PAVEMENT MARKERS (CLASS B: MONO OR BI-DIRECTIONAL, ALL COLORS)	EACH			
MSR-9	TEMPORARY PAVEMENT MARKING (WHITE/YELLOW: SOLID; 6")	LINEAR FOOT			
MSR-10	YELLOW, SOLID; 6"	LINEAR FOOT			
MSR-13	TEMPORARY PAVEMENT MARKING (WHITE: SOLID; 12")	LINEAR FOOT			
MSR-14	THERMOPLASTIC (WHITE: SOLID; 12")	LINEAR FOOT			
MSR-17	TEMPORARY PAVEMENT MARKING (WHITE: SOLID; 24")	LINEAR FOOT			
MSR-18	THERMOPLASTIC (WHITE: SOLID; 24")	LINEAR FOOT			
MOT	MAINTENANCE OF TRAFFIC	LUMP SUM			

TOTAL BID FOR: SW 84TH AVENUE FROM 163RD TO 164TH STREET

\$ _____

BID FORM 11 OF 12

LOCATION: SW 164TH TERRACE FROM OLD CUTLER RD EAST TO 72ND AVENUE - APPROX 1,667 SQ YDS

BID ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	TOTAL COST
MSR-2	ASPHALT CONCRETE (TYPE 1" THICK)	TON			
MSR-3	MILLING EXISTING PAVEMENT (1") PAYMENT WITH GREATER CUTS WILL BE PAID PROPORTIONALLY)	SQUARE YARDS			
MSR-4	ADJUST MANHOLE (THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS AND MAY BE INCREASED, DECREASED OR ELIMINATED BY ENGINEER)	EACH			
MSR-5	ADJUST EXISITING VALVE BOXES (THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS AND MAY BE INCREASED, DECREASED OR ELIMINATED BY THE ENGINEER)	EACH			
MSR-6	REFLECTIVE PAVEMENT MARKERS (CLASS B: MONO OR BI-DIRECTIONAL, ALL COLORS)	EACH			
MSR-9	TEMPORARY PAVEMENT MARKING (WHITE/YELLOW: SOLID; 6")	LINEAR FOOT			
MSR-10	YELLOW, SOLID; 6"	LINEAR FOOT			
MSR-13	TEMPORARY PAVEMENT MARKING (WHITE: SOLID; 12")	LINEAR FOOT			
MSR-14	THERMOPLASTIC (WHITE: SOLID; 12")	LINEAR FOOT			
MSR-17	TEMPORARY PAVEMENT MARKING (WHITE: SOLID; 24")	LINEAR FOOT			
MSR-18	THERMOPLASTIC (WHITE: SOLID; 24")	LINEAR FOOT			
MOT	MAINTENANCE OF TRAFFIC	LUMP SUM			

TOTAL BID FOR: SW 164TH TERRACE FROM OLD CUTLER RD EAST TO 72ND AVENUE

\$ _____

BID FORM 12 OF 13

LOCATION: SW 161ST STREET FROM 80TH AVENUE TO 162ND STREET - APPROX 3,695 SQ YDS

BID ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	TOTAL COST
MSR-2	ASPHALT CONCRETE (TYPE 1" THICK)	TON			
MSR-3	MILLING EXISTING PAVEMENT (1") PAYMENT WITH GREATER CUTS WILL BE PAID PROPORTIONALLY)	SQUARE YARDS			
MSR-4	ADJUST MANHOLE (THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS AND MAY BE INCREASED, DECREASED OR ELIMINATED BY ENGINEER)	EACH			
MSR-5	ADJUST EXISITING VALVE BOXES (THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS AND MAY BE INCREASED, DECREASED OR ELIMINATED BY THE ENGINEER)	EACH			
MSR-6	REFLECTIVE PAVEMENT MARKERS (CLASS B: MONO OR BI-DIRECTIONAL, ALL COLORS)	EACH			
MSR-9	TEMPORARY PAVEMENT MARKING (WHITE/YELLOW: SOLID; 6")	LINEAR FOOT			
MSR-10	YELLOW, SOLID; 6"	LINEAR FOOT			
MSR-13	TEMPORARY PAVEMENT MARKING (WHITE: SOLID; 12")	LINEAR FOOT			
MSR-14	THERMOPLASTIC (WHITE: SOLID; 12")	LINEAR FOOT			
MSR-17	TEMPORARY PAVEMENT MARKING (WHITE: SOLID; 24")	LINEAR FOOT			
MSR-18	THERMOPLASTIC (WHITE: SOLID; 24")	LINEAR FOOT			
MOT	MAINTENANCE OF TRAFFIC	LUMP SUM			

TOTAL BID FOR: SW 161ST STREET FROM 80TH AVENUE TO 162ND STREET

\$ _____

BID FORM 13 OF 13
 ADDITIONAL ITEMS

BID ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	TOTAL COST
MSR-28	RE-GRADE EXISTING SWALE (WITHOUT SOD; WHEN REQUIRED NU THE ENGINEER)	SQUARE YARDS			
MSR-29	REMOVAL OF EXISTING PAYMENT	SQUARE YARDS			
MSR-30	REGULAR EXCAVATION	SQUARE YARDS			
MSR-31	BORROW EXCAVATION (CONTRACTOR SUPPLIED, TRUCK MEASUREMENT; THIS ITEM IS CONTINGENT UPON FIELD CONDITIONS & MAY BE INCREASED, DECREASED, OR ELIMINATED BY ENGINEER	CUBIC YARDS			
MSR-32	EMBANKMENT FOR ROAD BUILD-UP (BORROW MATERIAL FROM CONTRACTOR'S SOURCE)	CUBIC YARDS			
MSR-33	EMBANKMENT MATERIAL FOR SHOULDER (BORROW MATERIAL FROM CONTRACTOR'S SOURCE)	CUBIC YARDS			
MSR-34	SODDING (PENSACOLA BAHIA OR MATCH EXISTING; INCLUDES WATERING	CUBIC YARDS			
MSR-35	RESET EXISTING POST AND SIGN	EACH			
ADDL	4"16" CONCRETE SIDEWALK	SQUARE FEET			
ADDL	ADA ARMOR TILE	EACH			

TOTAL BID FOR: SW 161ST STREET FROM 80TH AVENUE TO 162ND STREET

\$ _____