



Issue Date: 04.08.2020		
Revisions		
No.	Description	Date
1	City & Owner Comments	05.11.2020
3	Addendum 2	06.04.2020



1 Site Plan
1" = 30'-0"



4 Enlarged Plan - Van Access Parking
1/4" = 1'-0"

- 1 SIDEWALK CRACKED WITH MINOR SHIFTING. SMOOTH TO CREATE LEVEL WALKING SURFACE.
- 2 SIDEWALK CRACKED WITH NOTABLE SHIFTING. INFILL TO CREATE LEVEL WALKING SURFACE.
- 3 SIDEWALK CRACKED BEYOND REPAIR. REMOVE SECTION AT JOINTS AND REPLACE WITH NEW SIDEWALK.
- 4 RETAINING WALL CRACKED & FAILING. REMOVE APPROXIMATELY 15'-0" ALONG CURVATURE AND REPLACE. SEE DETAIL 6AS1.0.
- 5 ALLOWANCE #1: REMOVE EXISTING CMU RETAINING WALL AT BUILDING B AND PROVIDE NEW SEGMENTED CMU BLOCK AND CAP STONE AT BEDS ALONG THE SOUTH ELEVATION (BOND NEW BLOCK WITH ADHESIVE). EXISTING LANDSCAPING TO RECEIVE NEW LAYER OF PEA GRAVEL AND NEW PLANTINGS. CONTRACTOR SHALL PROVIDE A LANDSCAPING DESIGN AS DELEGATED DESIGN RESPONSIBILITY. THE DESIGN SHALL BE SUBMITTED TO THE ARCHITECT FOR REVIEW.
- 6 REMOVE EXISTING CONCRETE SLAB AND REPLACE WITH CONTINUATION OF LANDSCAPING.
- 7 ALTERNATE #2: AT ALL CURBS NOT INCLUDING CURB OF SIDEWALK ALONG SOUTH ELEVATION OF BUILDING 'B', WHICH IS TO BE INCLUDED IN ALLOWANCE #1, PAINT CURBS YELLOW. SEE SPECS FOR MORE INFORMATION.
- 8 ALLOWANCE #1: REPAINT SIDEWALK STRIPING AND CURB OF SIDEWALK ALONG SOUTH ELEVATION OF BUILDING 'B'. REFER TO SPECS FOR MORE INFORMATION.
- 9 INSTALL EROSION CONTROL MEASURES WHERE NECESSARY INCLUDING, BUT NOT LIMITED TO, SILT FENCE, HAYBALES, TEMPORARY GRASS COVERS AND PERMANENT SOD COVERS AS SOON AS IS PRACTICAL AND MAINTAIN SUCH MEASURES UNTIL A HEALTHY STAND IS ESTABLISHED. EROSION AND SEDIMENT CONTROL BEST MANAGEMENT PRACTICES SHALL FOLLOW THE APPROVED DETAILS.

3 Site Plan Key Notes
NTS

EXISTING PARKING	EXISTING	PROPOSED
STANDARD	102	98
ACCESSIBLE*	12	16
COMBINED	114	114


*ACCESSIBLE PARKING REQUIRES 1 ALLOTTED SPACE PER UFAS UNIT PER IBC 2018 1106.2.3

ACCESSIBLE UNITS


BUILDING A	7
BUILDING B	7
14 TOTAL	

ACCESSIBLE PARKING	EXISTING	PROPOSED
BUILDING A	3	7
BUILDING B	7	7
GUEST PARKING	2	2


2 Parking Matrix
NTS




7 Parking Signage Standard
1" = 1'-0"



6 Retaining Wall Detail
1" = 1'-0"



5 Accessible Striping Standard
1" = 1'-0"



Project Phase: Construction Documents


Issue Date: 04.08.2020

Revisions		
No.	Description	Date
2	Addendum 1	05.29.2020
3	Addendum 2	06.04.2020

Job Number: 19136.00

Demolition Plans

AD1.1



4 Enlarged Elevator Demolition Plan
1/4" = 1'-0"




3 Enlarged First-Aid Restroom Demo Plan
1/4" = 1'-0"

2 Overall Demolition Legend
NTS


1 REMOVE EXISTING CANOPY AND POSTS. PREPARE FOR NEW.	9 REMOVE EXISTING CEILING FINISH AND LIGHTING FIXTURES. PREPARE FOR NEW.
2 REMOVE EXISTING NON-ADA COMPLIANT STALLS.	10 PRIOR TO PAINTING CEILINGS, REMOVE POPCORN CEILING FINISH IN UNITS AS INDICATED IN OWNER'S ASBESTOS REPORT.
3 REMOVE & DISCARD EXISTING LAVATOIRES, CAP AND CONCEAL LINES AS NECESSARY.	11 REMOVE EXISTING APPLIANCES.
4 REMOVE & DISCARD EXISTING PLUMBING FIXTURES. VERIFY WITH OWNER WHICH APPLIANCES TO DISCARD AND WHICH TO SAVE FOR REINSTALLATION PRIOR TO REMOVAL.	12 REMOVE EXISTING CASEWORK
5 REMOVE EXISTING DOOR AND ASSOCIATED HARDWARE. EXISTING FRAME TO REMAIN. PREPARE OPENING FOR NEW DOOR.	13 REMOVE EXISTING CERAMIC SURROUND AND PREPARE FOR ROLL-IN SHOWER
6 RETAIN AND PRETEXT EXISTING FLOORING. PREPARE FOR INSTALLATION OF NEW FLOATING FLOOR ABOVE.	14 REMOVE EXISTING WALL. PREPARE FOR NEW 5/8" MTL STUD PARTITION.
7 REMOVE EXISTING CEILING TILES AND CEILING GRID.	15 REMOVE EXISTING DOOR, ASSOCIATED HARDWARE AND FRAME. PREPARE OPENING FOR NEW DOOR AND FRAME.
8 REMOVE EXISTING CEILING TILES. EXISTING GRID TO REMAIN.	16 REMOVE CERAMIC WALL BASE. REPAIR & REPLACE GYPSUM WALL BOARD AS REQUIRED. PREPARE FOR NEW WOOD BASE. SEE DETAIL 91A.1.

ALL EXISTING LVP FLOORING TO BE PROTECTED AND PREPARED FOR INSTALLATION OF NEW FLOATING FLOOR ABOVE THROUGHOUT.
ALL EXISTING CEILING TILES TO BE REMOVED. EXISTING GRID TO REMAIN IN UO.

1 General Demolition Notes
NTS



6 1st Floor Building A Demolition Plan
1/8" = 1'-0"



5 1st Floor Building B Demolition Plan
1/8" = 1'-0"

Date: 04/08/2020 11:47:10 AM
 Drawn By: Author
 Checked By: Chaucer
 File: C:\Revit Local Files\19136.00_KCDC_Cagle_Terrace_Central_ground.rvt
 © 2020 STUDIO FOUR DESIGN, Inc. All rights reserved. This drawing is an instrument of service only and shall be returned to the Architect upon request.
 This drawing is the property of Studio Four Design, Inc. and shall not be reproduced or used for any other project without the written consent of Studio Four Design, Inc.

1. DEMOLITION PLANS ARE ISSUED AS AN EXPLANATORY SUPPLEMENT TO INDICATE THE APPROXIMATE SCOPE OF PROPOSED DEMOLITION AND AS SUCH ALL CONDITIONS SHALL BE FIELD VERIFIED PRIOR TO COMMENCEMENT OF DEMOLITION ACTIVITIES. DEMOLITION WORK WILL REQUIRE COORDINATION WITH PROPOSED ARCHITECTURAL, STRUCTURAL, MECHANICAL, PLUMBING & ELECTRICAL SYSTEMS. THEREFORE DEMOLITION PLANS MAY NOT REPRESENT OR INCLUDE ALL DEMOLITION REQUIRED. CONTRACTOR SHALL BECOME FAMILIAR WITH THE SITE AND FIELD VERIFY ALL CONDITIONS PRIOR TO BIDDING OR CONSTRUCTION.

2. CONTRACTOR SHALL CONTACT THE ARCHITECT IMMEDIATELY UPON DISCOVERY OF DISCREPANCIES BETWEEN THESE DRAWINGS AND EXISTING CONDITIONS.

3. EXISTING CONSTRUCTION TO REMAIN WITHIN AND SURROUNDING THE LIMITS OF CONSTRUCTION SHALL BE PROTECTED AS NECESSARY DURING DEMOLITION TO AVOID DAMAGE OR DESTRUCTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR REPAIRING OR REPAIRING ANY ITEMS DAMAGED OR DESTROYED THAT WERE NOT INDICATED AS PART OF THE SCOPE OF DEMOLITION.

4. REMOVE ALL INTERIOR CONSTRUCTION INDICATED BY KEYNOTES, EXCEPT WHERE SPECIFICALLY INDICATED TO REMAIN. REMOVAL SHALL INCLUDE, BUT NOT BE LIMITED TO: INTERIOR AND EXTERIOR WALLS, DOORS, PARTITIONS, SUSPENDED ACOUSTICAL CEILINGS, LIGHT FIXTURES, ELECTRICAL DEVICES, FIRE ALARM DEVICES, CONDUIT, ELECTRICAL PANEL BOARDS, SWITCHES, PLUMBING LINES, PLUMBING FIXTURES, MILLWORK, FLOOR FINISHES, WINDOW TREATMENTS, DUCTWORK AND ASSOCIATED MECHANICAL PIPING, FIXTURES AND CONTROLS.

5. THE CONTRACTOR SHALL NOTIFY THE ARCHITECT IMMEDIATELY SHOULD THE PRESENCE OF HAZARDOUS MATERIALS BE SUSPECTED OR IDENTIFIED DURING DEMOLITION ACTIVITIES.

6. DIMENSIONS SHOWN ARE APPROXIMATE DUE TO VARIATIONS IN EXISTING CONDITIONS, AND ARE GIVEN FOR REFERENCE ONLY.


7. GC SHALL COORDINATE WITH OWNER PRIOR TO COMMENCEMENT OF DEMOLITION WORK ALL PROCEDURES (E.G. SCHEDULING OF ACTIVITIES, SHUTDOWNS, ETC.) AND LOCATION OF DUMPSTER FOR DISPOSAL OF ALL REMOVED ITEMS.

8. ANY DAMAGE TO OWNER'S PROPERTY DURING DEMOLITION OR CONSTRUCTION WILL BE REPAIRED PER SPECIFICATIONS, AT GC'S EXPENSE.

9. ANY EXISTING EQUIPMENT OR COMPONENT IN OR PERTAINING TO THE PREMISES THAT IS BEING ABANDONED MUST BE DEMOLISHED COMPLETELY AND PROPERLY REMOVED FROM THE PREMISES.

10. GC SHALL COORDINATE WORK PERFORMED BY OTHER CONTRACTORS. ANY DISCREPANCIES SHALL BE BROUGHT TO THE OWNER'S ATTENTION BEFORE PROCEEDING WITH WORK.

11. GC SHALL TAKE CARE TO NOT DISTURB EXISTING CEILING OR FLOOR EXCEPT FOR THOSE AREAS SPECIFIED.



Project Phase: Construction Documents

Issue Date: 04.08.2020

Revisions		
No.	Description	Date
2	Addendum 1	05.29.2020
3	Addendum 2	06.04.2020

Job Number: 19136.00

Demolition Plans

1. ALL EXISTING LVP FLOORING TO BE PROTECTED AND PREPARED FOR INSTALLATION OF NEW FLOATING FLOOR ABOVE THROUGHOUT.
2. ALL EXISTING CEILING TILES TO BE REMOVED ON EVERY LEVEL IN HALLWAYS. EXISTING CEILING GRID TO REMAIN U.N.O.
3. ALL EXISTING TRASH CHUTE DOORS TO BE REMOVED ON EVERY LEVEL. PREPARE EXISTING OPENINGS FOR NEW DOORS. SEE 5/6.1
4. ALL EXISTING EXTERIOR ACCESS DOORS (LOCATED AT HALLWAY ENDS). ASSOCIATED HARDWARE AND FRAME TO BE REMOVED COMPLETE ON EVERY LEVEL. PREPARE OPENING FOR NEW DOOR AND FRAME.


3 Overall Demolition Notes

- 1 REMOVE EXISTING CANOPY AND POSTS. PREPARE FOR NEW.
- 2 REMOVE EXISTING NON-ADA COMPLIANT STALLS.
- 3 REMOVE & DISCARD EXISTING LAVATORIES. CAP AND CONCEAL LINES AS NECESSARY.
- 4 REMOVE & DISCARD EXISTING PLUMBING FIXTURES. VERIFY WITH OWNER WHICH APPLIANCES TO DISCARD AND WHICH TO SAVE FOR REINSTALLATION PRIOR TO REMOVAL.
- 5 REMOVE EXISTING DOOR AND ASSOCIATED HARDWARE. EXISTING FRAME TO REMAIN. PREPARE OPENING FOR NEW DOOR.
- 6 RETAIN AND PROTECT EXISTING FLOORING. PREPARE FOR INSTALLATION OF NEW FLOATING FLOOR ABOVE.
- 7 REMOVE EXISTING CEILING TILES AND CEILING GRID.
- 8 REMOVE EXISTING CEILING TILES. EXISTING GRID TO REMAIN.
- 9 REMOVE EXISTING CEILING FINISH AND LIGHTING FIXTURES. PREPARE FOR NEW.
- 10 PRIOR TO PAINTING CEILINGS. REMOVE POPCORN CEILING FINISH IN UNITS AS INDICATED IN OWNER'S ASBESTOS REPORT.
- 11 REMOVE EXISTING APPLIANCES.
- 12 REMOVE EXISTING CASEWORK.
- 13 REMOVE EXISTING CERAMIC SURROUND AND PREPARE FOR ROLL-IN SHOWER.
- 14 REMOVE EXISTING WALL. PREPARE FOR NEW 3/8" MTL STUD PARTITION.
- 15 REMOVE EXISTING DOOR. ASSOCIATED HARDWARE AND FRAME. PREPARE OPENING FOR NEW DOOR AND FRAME.
- 16 REMOVE CERAMIC WALL BASE. REPAIR & REPLACE GYPSUM WALL BOARD AS REQUIRED. PREPARE FOR NEW WOOD BASE. SEE DETAIL 9/8.1.

2 Demolition Legend


1. DEMOLITION PLAN(S) ARE ISSUED AS AN EXPLANATORY SUPPLEMENT TO INDICATE THE APPROXIMATE SCOPE OF PROPOSED DEMOLITION AND AS SUCH ALL CONDITIONS SHALL BE FIELD VERIFIED PRIOR TO COMMENCEMENT OF DEMOLITION ACTIVITIES. DEMOLITION WORK WILL REQUIRE COORDINATION WITH PROPOSED ARCHITECTURAL, STRUCTURAL, MECHANICAL, PLUMBING & ELECTRICAL SYSTEMS. THEREFORE DEMOLITION PLAN(S) MAY NOT REPRESENT OR INCLUDE ALL DEMOLITION REQUIRED. CONTRACTOR SHALL BECOME FAMILIAR WITH THE SITE AND FIELD VERIFY ALL CONDITIONS PRIOR TO BIDDING OR CONSTRUCTION.
2. CONTRACTOR SHALL CONTACT THE ARCHITECT IMMEDIATELY UPON DISCOVERY OF DISCREPANCIES BETWEEN THESE DRAWINGS AND EXISTING CONDITIONS.
3. EXISTING CONSTRUCTION TO REMAIN WITHIN AND SURROUNDING THE LIMITS OF CONSTRUCTION SHALL BE PROTECTED AS NECESSARY DURING DEMOLITION TO AVOID DAMAGE OR DESTRUCTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR REPLACING OR REPAIRING ANY ITEMS DAMAGED OR DESTROYED THAT WERE NOT INDICATED AS PART OF THE SCOPE OF DEMOLITION.
4. REMOVE ALL INTERIOR CONSTRUCTION INDICATED BY KEYNOTES, EXCEPT WHERE SPECIFICALLY INDICATED TO REMAIN. REMOVAL SHALL INCLUDE, BUT NOT BE LIMITED TO: INTERIOR AND EXTERIOR WALLS, DOORS, PARTITIONS, SUSPENDED ACoustICAL CEILINGS, LIGHT FIXTURES, ELECTRICAL DEVICES, FIRE ALARM DEVICES, CONDUIT, ELECTRICAL PANEL BOARDS, SWITCHES, PLUMBING LINES, PLUMBING FIXTURES, MILLWORK, FLOOR FINISHES, WINDOW TREATMENTS, DUCTWORK AND ASSOCIATED MECHANICAL PIPING, FIXTURES AND CONTROLS.
5. THE CONTRACTOR SHALL NOTIFY THE ARCHITECT IMMEDIATELY SHOULD THE PRESENCE OF HAZARDOUS MATERIALS BE SUSPECTED OR IDENTIFIED DURING DEMOLITION ACTIVITIES.
6. DIMENSIONS SHOWN ARE APPROXIMATE DUE TO VARIATIONS IN EXISTING CONDITIONS, AND ARE GIVEN FOR REFERENCE ONLY.
7. GC SHALL COORDINATE WITH OWNER PRIOR TO COMMENCEMENT OF DEMOLITION WORK ALL PROCEDURES (E.G. SCHEDULING OF ACTIVITIES, SHUTDOWNS, ETC.) AND LOCATION OF DUMPSTER FOR DISPOSAL OF ALL REMOVED ITEMS.
8. ANY DAMAGE TO OWNER'S PROPERTY DURING DEMOLITION OR CONSTRUCTION WILL BE REPAIRED PER SPECIFICATIONS, AT GC'S EXPENSE.
9. ANY EXISTING EQUIPMENT OR COMPONENT IN OR PERTAINING TO THE PREMISES THAT IS BEING ABANDONED MUST BE DEMOLISHED COMPLETELY AND PROPERLY REMOVED FROM THE PREMISES.
10. GC SHALL COORDINATE WORK PERFORMED BY OTHER CONTRACTORS. ANY DISCREPANCIES SHALL BE BROUGHT TO THE OWNER'S ATTENTION BEFORE PROCEEDING WITH WORK.
11. GC SHALL TAKE CARE TO NOT DISTURB EXISTING CEILING OR FLOOR EXCEPT FOR THOSE AREAS SPECIFIED.

5 1st Floor Building B - Enlarged Restroom Demo Plan
1/4" = 1'-0"




4 Type 1 - Demolition Plan
1/4" = 1'-0"

7 Type 3 UFAS - Demolition Plan
1/4" = 1'-0"



6 Type 4 - Demolition Plan
1/4" = 1'-0"

9 Type 3 - Demolition Plan
1/4" = 1'-0"




8 Type 2 - Demolition Plan
1/4" = 1'-0"

Date: 6/4/2020 11:47:20 AM
Drawn By: Author
Checked By: Chucker
File: C:\Revit Local Files\19136.00_KCDC_Cagle Terrace_Central_govdwg.rvt


© 2020 STUDIO FOUR DESIGN, Inc. All rights reserved. This drawing is the property of Studio Four Design, Inc. and shall not be reproduced or used for any other project without the express written consent of Studio Four Design, Inc. This drawing is a instrument of service only and shall be returned to the Architect upon request.

- General Notes**
- 1 INSTALL NEW CANOPY. SEE SPECS FOR CANOPY DETAILS.
 - 2 ALL EXISTING TRASH CHUTES TO BE REPLACED ON EVERY LEVEL. SEE S/46.1
 - 3 ALL CEILING ACCESSORIES TO REMAIN IN EXISTING LOCATION. VERIFY HEIGHT TO MATCH EXISTING. TYP.




4 1st Floor Building A
1/8" = 1'-0"

2 General Notes
N.T.S.



3 1st Floor Building B
1/8" = 1'-0"

1 Key Plan
1" = 50'-0"



KCDC - Cagle Terrace

515 Renford Rd
Knoxville, TN 37919



Project Phase: Construction Documents


No.	Description	Date
2	Addendum 1	05.29.2020
3	Addendum 2	06.04.2020

Job Number: 19136.00
1st Floor Plans

A1.1


Date: 04/20/20 11:44:18 AM
 Drawn By: Author
 Checked By: Checker
 File: C:\Revit Local Files\19136.00_KCDC_Cagle Terrace_Central.gpw.rvt
 © 2020 STUDIO FOUR DESIGN, Inc.
 This drawing is the property of Studio Four Design, Inc. and shall not be reproduced or used for any other project in whole or in part without written consent. This drawing is an instrument of service only and shall be returned to the Architect upon request.

- ① INSTALL NEW CANOPY. SEE SPECS FOR CANOPY DETAILS.
- ② ALL EXISTING TRASH CHUTES TO BE REPLACED ON EVERY LEVEL. SEE SIA6.1
- ③ ALL CEILING ACCESSORIES TO REMAIN IN EXISTING LOCATION. VERIFY HEIGHT TO MATCH EXISTING, TYP.




4 2nd Floor Building A
1/8" = 1'-0"

2 General Notes
NTS



3 2nd Floor Building B
1/8" = 1'-0"



1 Key Plan
1" = 50'-0"

KCDC - Cagle Terrace

515 Renford Rd
Knoxville, TN 37919



Project Phase: Construction Documents


Issue Date:	04.08.2020		
Revisions	No.	Description	Date
	3	Addendum 2	06.04.2020

Job Number: 19136.00
2nd Floor Plans

A1.2

Date: 04/08/2020 11:45:57 AM
 Drawn By: Author
 File: C:\Revit Local Files\19136.00_KCDC_Cagle_Terrace_Central_ground.rvt

© 2020 STUDIO FOUR DESIGN, Inc.
 This is the property of Studio Four Design, Inc. and shall not be reproduced or used for any other project in whole or in part without written consent. This drawing is an instrument of service only and shall be returned to the Architect upon request.




Project Phase: Construction Documents

Issue Date: 04.08.2020


No.	Description	Date
3	Addendum 2	06.04.2020

Job Number: 19136.00
3rd Floor Plans

- 1 INSTALL NEW CANOPY. SEE SPECS FOR CANOPY DETAILS.
- 2 ALL EXISTING TRASH CHUTES TO BE REPLACED ON EVERY LEVEL. SEE S/A6.1
- 3 ALL CEILING ACCESSORIES TO REMAIN IN EXISTING LOCATION. VERIFY HEIGHT TO MATCH EXISTING, TYP.




1 Key Plan
1" = 50'-0"



4 3rd Floor Building A
1/8" = 1'-0"


2 General Notes
N/A



3 3rd Floor Building B
1/8" = 1'-0"

Date: 04/08/2020 11:45:00 AM
 Drawn By: Author
 Checked By: Checker
 File: C:\Revit Local Files\19136.00_KCDC_Cagle_Terrace_Central_ground.rvt


© 2020 STUDIO FOUR DESIGN, Inc.
 This is the property of Studio Four Design, Inc. and shall not be reproduced or used for any other project in whole or in part without written consent. This drawing is an instrument of service only and shall be returned to the Architect upon request.



- ① INSTALL NEW CANOPY. SEE SPECS FOR CANOPY DETAILS.
- ② ALL EXISTING TRASH CHUTES TO BE REPLACED ON EVERY LEVEL. SEE 5/A6.1
- ③ ALL CEILING ACCESSORIES TO REMAIN IN EXISTING LOCATION. VERIFY HEIGHT TO MATCH EXISTING, TYP.

4 4th Floor Building A
 1/8" = 1'-0"

2 General Notes
 NTS



3 4th Floor Building B
 1/8" = 1'-0"


1 Key Plan
 1" = 50'-0"

Date: 04/04/2020 11:45:23 AM
 Drawn By: Author
 File: C:\Renford Local\19136_00_KCDC Cagle Terrace_Central_ground.rvt

© 2020 STUDIO FOUR DESIGN, Inc.
 This is the property of Studio Four Design, Inc. and shall not be reproduced or used for any other project in whole or in part without written consent. This drawing is an instrument of service only and shall be returned to the Architect upon request.

KCDC - Cagle Terrace


515 Renford Rd
 Knoxville, TN 37919



Project Phase: Construction Documents

No.	Description	Date
3	Addendum 2	06.04.2020

Job Number: 19136.00
 4th Floor Plans




Project Phase: Construction Documents

Issue Date: 04.08.2020

No.	Description	Date
3	Addendum 2	06.04.2020


Job Number: 19136.00
5th Floor Plans

- 1 INSTALL NEW CANOPY. SEE SPECS FOR CANOPY DETAILS.
- 2 ALL EXISTING TRASH CHUTES TO BE REPLACED ON EVERY LEVEL. SEE SIA6.1
- 3 ALL CEILING ACCESSORIES TO REMAIN IN EXISTING LOCATION. VERIFY HEIGHT TO MATCH EXISTING, TYP.




1 Key Plan
1" = 30'-0"


2 General Notes
N/A



4 5th Floor Building A
1/8" = 1'-0"





3 5th Floor Building B
1/8" = 1'-0"



- ① INSTALL NEW CANOPY. SEE SPECS FOR CANOPY DETAILS.
- ② ALL EXISTING TRASH CHUTES TO BE REPLACED ON EVERY LEVEL. SEE 5/A6.1
- ③ ALL CEILING ACCESSORIES TO REMAIN IN EXISTING LOCATION. VERIFY HEIGHT TO MATCH EXISTING. TYP.

4 6th Floor Building A
1/8" = 1'-0"

2 General Notes
NTS



3 6th Floor Building B
1/8" = 1'-0"


1 Key Plan
1" = 50'-0"

Date: 04/20/20 11:45:52 AM
 Drawn By: Author
 File: C:\Revit Local Files\19136_00_KCDC Cagle Terrace_Central_ground.rvt

© 2020 STUDIO FOUR DESIGN, Inc.
 This is the property of Studio Four Design, Inc. and shall not be reproduced or used for any other project in whole or in part without written consent. This drawing is an instrument of service only and shall be returned to the Architect upon request.

KCDC - Cagle Terrace

515 Renford Rd
Knoxville, TN 37919



Project Phase: Construction Documents

Issue Date:	04.08.2020		
Revisions	No.	Description	Date
	3	Addendum 2	06.04.2020

Job Number: 19136.00
6th Floor Plans

Building B - Door Schedule table with columns: Door Number, Width, Height, Thickness, Door Material, Door Type, Frame Material, Frame Type, Hardware, Notes. Includes rows 4, 6A, 6C, 6, 10, 17, 22, 23, 25, 26, 28, 29, 30, 32A, 32B, 32C, 33, 34, 36, 41A, 41B, 44A, 44B, 47A, 47B, 50A, 50B, 53A, 53B, 200A, 200B, 201A, 201B, 202A, 202B, 203A, 203B, 204A, 204B, 205A, 205B, 206A, 206B, 207A, 207B, 208A, 208B, 209A, 209B, 210A, 210B, 211A, 211B, 212A, 212B, 213A, 213B, 214A, 214B, 215A, 215B, 216A, 216B, 217A, 217B, 218A, 218B, 219A, 219B, 220A, 220B.

Building B - Door Schedule table with columns: Door Number, Width, Height, Thickness, Door Material, Door Type, Frame Material, Frame Type, Hardware, Notes. Includes rows 221A through 405A.

Building B - Door Schedule table with columns: Door Number, Width, Height, Thickness, Door Material, Door Type, Frame Material, Frame Type, Hardware, Notes. Includes rows 405B through 515B.

Building B - Door Schedule table with columns: Door Number, Width, Height, Thickness, Door Material, Door Type, Frame Material, Frame Type, Hardware, Notes. Includes rows 516A through 625B.


3 Building B - Door Schedule NTS

Date: 04/08/2020 11:46:17 AM
Drawn By: Author
Checked By: Chaucer
File: C:\Revit Local Files\193136_00_KCDC Cagle Terrace_Central_gov.pwd.rvt

© 2020 STUDIO FOUR DESIGN, Inc. The property of Studio Four Design, Inc. and shall not be reproduced or used for any other project without the express written consent of Studio Four Design, Inc. This drawing is a instrument of service only and shall be returned to the Architect upon request.

2 Not Used NTS

1 Access - Room Sign



NOTE: LOCATE SIGN SUCH THAT THERE IS AN 18"X18" MIN. CLEAR FLOOR SPACE IN FRONT OF AND CENTERED ON SIGN.

KCDC - Cagle Terrace

515 Renford Rd
Knoxville, TN 37919



Project Phase: Construction Documents
Issue Date: 04.08.2020
Revisions table with columns: No., Description, Date.
2 Addendum 1 05.29.2020
3 Addendum 2 06.04.2020


Job Number: 19136.00
Building B Door Schedule




Project Phase: Construction Documents

No.	Description	Date
1	Issue Date:	04.08.2020
2	Revisions	
3	Addendum 2	06.04.2020


Job Number: 19136.00
Enlarged Unit Floor Plans & Interior Elevations




2 Type 1 - Enlarged Plan
1/4" = 1'-0"




1 Type 4 - Enlarged Plan
1/4" = 1'-0"




4 Type 1 - Kitchen Elevation
3/4" = 1'-0"




3 Type 4 - Kitchen Elevation
3/4" = 1'-0"




6 Type 1 - Bathroom Elevation
3/4" = 1'-0"




5 Type 4 - Bathroom Elevation
3/4" = 1'-0"



10 Type 2 - Enlarged Plan
1/4" = 1'-0"



9 Type 2 - Kitchen Elevation 1
3/4" = 1'-0"




7 Type 2 - Bathroom Elevation
3/4" = 1'-0"

© 2020 STUDIO FOUR DESIGN, Inc. This drawing is the property of Studio Four Design, Inc. and shall not be reproduced or used for any other project in whole or in part without written consent. This drawing is an instrument of service only and shall be returned to the Architect upon request.

Date: 6/4/2020 11:46:02 AM
 Drawn By: Author
 File: C:\Revit Local Files\19136.00_KCDC_Cagle Terrace_Central_ground.rvt

Checked By: Chacher
 File: C:\Revit Local Files\19136.00_KCDC_Cagle Terrace_Central_ground.rvt




Project Phase: Construction Documents


Issue Date: 04.08.2020		
Revisions		
No.	Description	Date
1	City & Owner Comments	05.11.2020
3	Addendum 2	06.04.2020

Job Number: 19136.00
Enlarged Unit Floor Plans
& Interior Elevations


A8.3




2 Type 3 UFAS - Enlarged Plan
1/4" = 1'-0"




1 Type 3 - Enlarged Plan
1/4" = 1'-0"




4 Type 3 UFAS - Kitchen Elevation 1
3/4" = 1'-0"




3 Type 3 - Kitchen Elevation 1
3/4" = 1'-0"




6 Type 3 UFAS - Kitchen Elevation 2
3/4" = 1'-0"




5 Type 3 - Kitchen Elevation 2
3/4" = 1'-0"




8 Type 3 UFAS - Bathroom Elevation
3/4" = 1'-0"



7 Type 3 - Bathroom Elevation
3/4" = 1'-0"



10 Access - Reach Ranges
1/4" = 1'-0"



9 Access - Protruding Objects
1/4" = 1'-0"

© 2020 STUDIO FOUR DESIGN, Inc. This drawing is the property of Studio Four Design, Inc. and shall not be reproduced or used for any other project in whole or in part without written consent. This drawing is an instrument of service only and shall be returned to the Architect upon request.
 Date: 6/4/2020 11:46:54 AM
 Drawn By: R. Gower
 Checked By: M. Chady
 File: C:\Revit Local Files\19136.00_KCDC_Cagle Terrace_Central.ground.rvt