

ADDENDUM NO. 2

**JULY 25, 2017
CITY OF ORANGE BEACH
ART CENTER SITE IMPROVEMENTS**

1. Substitute the Attached **Section V Proposal Form** to be submitted for the Bid. Insert in Booklet in front of the Original Section V.

Note the following changes to the Form:

Added: **Item 701-A "Solid White, Class 1, Type A Traffic Stripe" per linear foot.**

Deleted: **Item 703-B "Pavement Markers, Class AH Type Blue"**

This Document shall be signed and returned via email or fax to the Engineer for proof of receipt. Attach a copy of the signed Addendum(s) to the front cover of the sealed Proposal at the time of Bid submission. **Signing indicates you received the Addendum and the attached Section V Proposal Form.**

Signature of Contractor's Agent

Title

Date

Printed Name

SECTION V

PROPOSAL

DATE: _____

Proposal of _____

Alabama License No. _____ for constructing **Art Center Site Improvements** ; for the performance of all work and the furnishing of all labor and materials required by the Contract terms, specifications, and special provisions.

The specifications are attached hereto and specified and made a part hereof.

TO: **City of Orange Beach**

Dear Sirs:

The following proposal is made on behalf of _____ and no others. Evidence of authority to submit the proposal is herewith furnished. The proposal is made without collusion on the part of any person, firm, or corporation.

____ certify that _____ have carefully examined the plans for this project and the specifications hereto attached including the special provisions, and have also personally examined the site of work. On the basis of the specifications and plans _____ propose to furnish all necessary machinery, tools, apparatus, and other means of construction, and do all the work and furnish all the material in the manner specified.

____ further agree to complete all the work in ninety (90) calendar days.

____ understand that the quantities below are approximate only and are subject to either increase or decrease, and hereby propose to perform any increased or decreased quantities of work at the unit prices bid.

____ further propose to perform all "Force Account or Extra Work" that may be required of _____ on the basis provided in the specifications hereto attached, and to give such work _____ personal attention in order to see that it is economically performed.

____ further propose to execute the attached Contract Agreement as soon as the work is awarded to __and to begin and complete the work within the respective time limit provided for in the specifications and Notice to Contractors hereto attached.

The following items shall be constructed in accordance with the State of Alabama Department of Transportation Standard Specifications for Highway Construction, Latest Edition

NOTES:

1. The following unit prices shall include all labor, materials, equipment removal, overhead, profit, insurance, etc., to cover the finished work of the several kinds called for.
2. Bidder understands that the Owner reserves the right to reject any and all bids.
3. The Bidder understands that he must submit this entire booklet with the bid.

**SCHEDULE OF ITEMS
Art Center Site Improvements**

ITEM #	DESCRIPTION	UNIT	QTY	UNIT PRICE	AMOUNT
201-A	CLEARING AND GRUBBING	ACRE	1		
205-A1	REMOVE AND RELAY EXISTING 18" RCP	LF	18		
205-A2	REMOVE AND RELAY EXISTING 24" HDPE	LF	52		
206-B	EXISTING CONCRETE SIDEWALK REMOVAL	SY	100		
206-C	EXISTING ASPHALT REMOVAL	SY	555		
206-C3	REMOVE EXISTING CONCRETE HEADWALLS	EA	2		
206-D	EXISTING CONCRETE CURB REMOVAL	LF	94		
206-E	EXIST. DRAINAGE PIPE REMOVAL (SIZE VARIES)	LF	109		
210-A	UNCLASSIFIED EXCAVATION	CY	865		
210-D	BORROW EXCAVATION	CY	262		
230-A	ROADBED PROCESSING	STA	19		
301-A	CRUSHED AGGREGATE BASE COURSE, 6" THICK	SY	3111		
305-B1	6" SANDY/GRAVEL BASE MIX (GRASS PAVERS)	CY	300		
305-B2	2" SAND CLAY BASE (BRICK PAVERS)	SY	25		
401-A	BIT. TREATMENT A	SY	234		
405-A	TACK COAT (0.075 GAL/SY)	GAL	225		
408-A	PLANNING/MILLING EXISTING ASPHALT	SY	308		

	1" BIT. CONCRETE WEARING SURFACE LAYER, 110 LBS/SY (NANCY LANE)	TON	60		
424-A					
424-A1	SUPERPAVE BIT. CONCRETE WEARING SURFACE LAYER. 135 LBS/SY	TON	16		
424-A2	1-1/2" LIGHT DUTY BIT. CONCRETE WEARING SURFACE LAYER. 165 LBS/SY	TON	40		
424-A3	1" MEDIUM DUTY BIT. CONCRETE WEARING SURFACE LAYER. 110 LBS/SY	TON	110		
424-B	1-1/2" MEDIUM DUTY BIT. CONCRETE BINDER LAYER. 165 LBS/SY	TON	165		
424-B1	2" BIT. CONCRETE CONCRETE LAYER, 220 LB/SY (NANCY LANE)	TON	46		
424-B2	SUPERPAVE BIT. CONCRETE UPPER BINDER LAYER, 330 LB/SY	TON	41		
424-B4	BINDER LAYER/LEVELING (110 LB/SY - 220 LB/SY) (NANCY LANE)	SY	308		
530-B1	22"X13" RCAP ROADWAY PIPE	LF	170		
535-A2	15" RCP	LF	20		
533-A3	18" RCP	LF	92		
600-A	MOBILIZATION	LS	1		
606-A	4" PERFORATED UNDERDRAIN	LF	390		
606-A1	4" PVC PIPE	LF	294		
610-D	6 OZ. FILTER BLANKET, NON-WOVEN	SY	1790		
610-D1	SEPARATION FABRIC (TERRATEX GS)	SY	2466		
610-D2	FILTER CLOTH - UNDERDRAIN	SY	109		
618-A	CONCRETE PAVEMENT, 6"	SY	1412		
618-A1	CONCRETE WALK INCLUDING H/C RAMP	SY	469		
618-A2	CONCRETE FLUME	LF	5		

619-A	15" PIPE END TREATMENT	EA	1		
619-B	PRECAST 6:1 SLOPE PAVED HEADWALL, 18"	EA	1		
621-A	JUNCTION BOX (8'x 6')	EA	1		
621-G	TYPE "PD" GRATE INLET, MODIFIED BOX 8'x6'	EA	1		
621-C1	GRATE INLET	EA	3		
621-H	NYLOPLAST RISER INLET	EA	5		
623-B	TYPE "F" CURB, CONCRETE	LF	36		
623-B1	TYPE "N" CURB, CONCRETE	LF	195		
623-B2	CONCRETE CURB, RIBBON	LF	237		
650-B	TOPSOIL, 3" THICK (From Stockpiles)	CY	282		
652-A	SEEDING, SEASONAL	ACRE	1.2		
654-A	SOLID SODDING	SY	1151		
654-A1	BERMUDA SOD	SY	1600		
656-A	MULCHING	ACRE	1.2		
665-J	SILT FENCING, TYPE A	LF	700		
665-Q	WATTLES	LF	100		
701-A	SOLID WHITE, CLASS 1, TYPE A TRAFFIC STRIPE	LF	315		
701-G	SOLID WHITE TRAFFIC STRIPE, CLASS 2, TYPE A	MILE	0.5		
703-A	TRAFFIC CONTROL MARKINGS AND TRAFFIC ARROWS	SF	50		
703-A1	TRAFFIC CONTROL LEGENDS, CL2, TYPE A (WHITE)	SF	550		
805-A	BRICK PAVERS	SY	25		
805-A1	GRASS PAVERS	SY	1600		
999-A	GRASSED DITCH SWALE	LF	345		
000-A	TRAFFIC CONTROL SCHEME	LS	1		
TOTAL					

CONTRACTOR'S NAME & GENERAL CONTRACTOR'S LICENSE NUMBER

____ also propose to furnish a Contract Performance Bond, approved by the Owner in an amount equal to the total amount of the bid. This bond shall serve not only to guarantee the completion of the work on _____ part, but also to guarantee the excellence of both workmanship, and materials until the work is finally accepted.

Signature of Bidder (If Firm or Individual) _____

By: _____

Address of Bidder _____

Names and Addresses of Members of Firm _____

Signature of Bidder (Corporation) _____

Business Address _____
President

Business Address _____
Sect. & Treas.

Attest: _____ Incorporated in _____
State

(CORPORATE SEAL)