

WATER NOTES:

1. FIRE HYDRANTS, WATER VALVES AND OTHER WATER SYMBOLS ARE SHOWN IN LARGE SCALE FOR CLARITY. REFER TO THE DETAIL SHEET FOR SPECIFIC LOCATION REQUIREMENTS FOR FIRE HYDRANTS AND OTHER ITEMS. WATER VALVES SHALL NOT BE LOCATED WITHIN THE CURB AND GUTTER AND SHALL BE LOCATED FULLY WITHIN OR OUTSIDE OF PAVED SURFACES.
2. WATER SERVICE WILL BE PROVIDED BY CWS VIA EXISTING 8" WATER MAIN NEAR THE NORTH WEST PORTION OF THE PROPERTY AND A 6" WATER MAIN AT THE SOUTH WEST PORTION.
3. ALL WATER MAINS TO BE DIP.
4. LATERAL LINES TO SERVE FIRE HYDRANTS SHALL BE 6" DIAMETER.

SEWER TIE-IN NOTE:

CONTRACTOR TO VERIFY EXISTING SEWER ELEVATIONS AT POINT OF CONNECTIONS AND SHALL NOTIFY ENGINEER AND BCWS OF ANY DISCREPANCIES. CONTACT BCWS A MINIMUM OF 72 HOURS PRIOR TO CONNECTION.

NOTE: OWNERSHIP AND MAINTENANCE OF PRIVATE SEWER SYSTEM WILL BE THE RESPONSIBILITY OF THE OWNER OF TMS #253-00-00-001



SEE SHEET C1.1 FOR LEGEND AND SHEETS C10.0 - C10.2 FOR WATER & SEWER NOTES AND DETAILS.

EXISTING UTILITY NOTE:



THE LOCATION OF EXISTING UNDERGROUND UTILITIES ARE SHOWN IN AN APPROXIMATE WAY ONLY AND HAVE NOT BEEN INDEPENDENTLY VERIFIED BY THE OWNER OR ITS REPRESENTATIVE. THE CONTRACTOR SHALL VERIFY THE EXACT LOCATION OF ALL EXISTING UTILITIES BEFORE COMMENCING ANY WORK, AND AGREES TO BE FULLY RESPONSIBLE FOR ANY AND ALL DAMAGES WHICH MIGHT OCCUR DUE TO THE CONTRACTOR'S FAILURE TO EXACTLY LOCATE AND PRESERVE ANY AND ALL UNDERGROUND UTILITIES.



Know what's below.
Call before you dig.



MOUNT PLEASANT, SC
843.884.1667
GREENVILLE, SC
864.298.0534
SUMMERVILLE, SC
843.972.0710
SPARTANBURG, SC
864.298.0534
CHARLOTTE, NC
980.312.5450
WWW.SEAMONWHITESIDE.COM



**HANAHAN RECREATION
COMPLEX**
CITY OF HANAHAN
HANAHAN, SOUTH CAROLINA

SW+ PROJECT: 7867
DATE: 06/12/20
DRAWN BY: BET
CHECKED BY: JRP

REVISION HISTORY	
A	6/12/20
B	10/29/20
C	01/22/21
0	03/11/21
1	03/26/21

OVERALL
WATER &
SEWER PLAN