

501 WANDO PARK BOULEVARD, SUITE 200 | MOUNT PLEASANT, SC 29464 | 508 RHETT STREET, SUITE 101 | GREENVILLE, SC 29601  
TMS# 259-00-095 CENTERPOINT PROPERTIES TRUST  
TMS# 259-00-004 BERKELEY COUNTY SCHOOL DISTRICT  
TMS# 259-00-004 CENTERPOINT PROPERTIES TRUST  
THIS DRAWING SHALL NOT BE REPRODUCED IN ANY MANNER OR USED FOR ANY PURPOSE WITHOUT WRITTEN PERMISSION  
COPYRIGHT © SEAMON, WHITESIDE & ASSOCIATES, INC.

MATCHLINE C7.2

MATCHLINE C7.2



MOUNT PLEASANT, SC 843.884.1667  
GREENVILLE, SC 864.298.0534  
SUMMERVILLE, SC 843.972.0710  
SPARTANBURG, SC 864.298.0534  
CHARLOTTE, NC 980.312.5450  
WWW.SEAMONWHITESIDE.COM



# HANAHAN RECREATION COMPLEX


CITY OF HANAHAN  
HANAHAN, SOUTH CAROLINA

SW+ PROJECT: 7867  
DATE: 06/12/20  
DRAWN BY: BET  
CHECKED BY: JRP

REVISION HISTORY	
A	6/12/20
B	10/29/20
C	01/22/21
O	03/11/21
1	03/26/21

## DRAINAGE PLAN

C7.2



MATCHLINE C7.2

MATCHLINE C7.2

### LEGEND




- DRAINAGE PIPE ABBREVIATIONS (SEE SPECS FOR ADDITIONAL INFORMATION)**
- GRCP - REINFORCED CONCRETE PIPE: ASTM F 76, CLASS III, WALL B WITH GASKETED JOINTS (ASTM C 443).
  - SRCP - REINFORCED CONCRETE PIPE: ASTM C 76, CLASS III, WALL B WITH SEALANT JOINTS (ASTM C 900)
  - PVC - POLYVINYL CHLORIDE PLASTIC PIPE: ASTM D 3034, SDR 26 WITH WATER-TIGHT, GASKETED JOINTS (ASTM D 3212).
- DRAINAGE STRUCTURE ABBREVIATIONS (SEE SPECS AND DETAILS FOR ADDITIONAL INFORMATION)**
- CB - CATCH BASIN
  - CI-16 - CURB INLET SCDOT TYPE 16
  - JB - JUNCTION BOX
  - PE - PIPE END
  - BPE - BEVELED PIPE END
  - UNDERDRAIN
  - SWALE

SEE SHEET C1.1 FOR LEGEND, SHEETS C7.5 - C7.7 FOR DRAINAGE PROFILES AND SHEETS C8.0 - C8.1 FOR GRADING & DRAINAGE DETAILS.

**EXISTING UTILITY NOTE:**  
THE LOCATION OF EXISTING UNDERGROUND UTILITIES ARE SHOWN IN AN APPROXIMATE WAY ONLY AND HAVE NOT BEEN INDEPENDENTLY VERIFIED BY THE OWNER OR ITS REPRESENTATIVE. THE CONTRACTOR SHALL VERIFY THE EXACT LOCATION OF ALL EXISTING UTILITIES BEFORE COMMENCING ANY WORK, AND AGREES TO BE FULLY RESPONSIBLE FOR ANY AND ALL DAMAGES WHICH MIGHT OCCUR DUE TO THE CONTRACTOR'S FAILURE TO EXACTLY LOCATE AND PRESERVE ANY AND ALL UNDERGROUND UTILITIES.



Know what's below.  
Call before you dig.



- NOTES:**
- ALL ELEVATIONS ARE BASED ON THE NAVD 1988 DATUM.
  - BOUNDARY DATA AND TOPO SURVEY PROVIDED BY SOUTHEASTERN LAND SURVEYING.
  - CONTRACTOR SHALL EMPLOY ANY NECESSARY EROSION CONTROL METHODS AVAILABLE TO PREVENT SEDIMENT FROM ENTERING FRESHWATER WETLANDS.
  - REFERENCE SCDOT DETAILS FOR RCP INSTALLATION.