



ELECTRONIC CARD ACCESS SYSTEM AT THE JUSTICE CENTER
INVITATION TO BID – REQUISITION NO. 2017-1102

ADDENDUM NO. TWO (2) – DATED OCTOBER 25, 2017

The information given in this addendum is in addition to or supersedes conflicting information to the invitation to bid and is hereby made a part of the request.

Section D, “Minimum Specifications” as amended by Addendum No. One (1), dated October 20, 2017, is hereby further amended to read as follows:

D. Minimum Specifications

Existing hardware may be used when in good working condition. All new equipment shall meet or exceed current industry standards. Item specifications listed below shall be construed as a minimum. Should manufacturer’s current published data or specifications exceed these, such standards shall be considered minimum and furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished.

1. All exterior doors must have dual access authentication.
2. All interior doors that are inmate accessible must have dual access authentication.
3. Other doors that must be kept locked at all times will have a single access card swipe.
4. Authorized personnel shall be able to control card access remotely via cloud services. In the case of a lost card or other purpose for denying access, authorized personnel shall have the ability to disable cards immediately.
5. All electronic locking mechanisms on doors shall have standby power backups.
6. Doors with card swipes and key pads shall document entry times.
7. Cards shall have the ability to be programmed for specific door access as well as specific times of access.
- ~~8. All exits shall be compliant with the National Fire Protection Association’s (NFPA) Life Safety Code 101.~~
- ~~9. Each door shall have 1200 lb. electromagnetic locks, with the exception of those that are required to have rim locks or rim strikes to comply with the Fire Code’s requirement of dual egress methods.~~
- ~~10. Request to Exit (REX) Motion Detectors shall be used as the secondary method of egress when required on doors with electromagnetic locks.~~
8. Each door shall have 1200 lb. electromagnetic locks where applicable.

City of
Orange Beach
A L A B A M A
Life is better here

9. There shall be three types of locking mechanisms utilized:
- (1) UTRUST Scramble Pad & Reader, Dual Authentication Card Reader, and Key Pad – or equal (“Dual”)
 - (2) Single Door Reader/Card Swipe (“Single”)
 - (3) Request to Exit Button or Push to Exit (“Push Exit”)

Sections D-2 through D-7 remain unchanged.

Clarification:

The Orange Beach Fire Marshal has determined that secondary methods of egress are not required for the Justice Center due to the necessity of maintaining a secure facility. There are other standard jail-industry safety measures in place in case of fire.

Please be sure to acknowledge receipt of this addendum on your bid form.

BID FORM – ELECTRONIC CARD ACCESS SYSTEM AT THE JUSTIC CENTER

BID TOTAL (One-Time Cost for Turn Key Solution)	\$ _____
--	----------

Please attach itemized breakout for bid total.

Additional Services and Options:

Item 1	Cloud Hosting Services	\$ _____ / Year
Item 2	Service / Maintenance Agreement	\$ _____ / Year
Item 3	Warranty	\$ _____
Item 4	Printer for Proximity Cards, Make/Model: _____	\$ _____

**Days to Complete Installation
after Receipt of Notice to Proceed:** _____

Warranty Description: _____
Warranties shall be provided in writing and shall specify any and all exclusions, including products and services. If such warranties are provided at additional cost, the incremental cost must be so specified. The procedure necessary to notify such warranty must be specified. Any additional charges relating to the utilization of the warranty provided must be specified.

Documentation:
Specifications for all proposed equipment must be attached to the bid.

City of
Orange Beach
A L A O B A M A
Life is better here

The bidder acknowledges receipt of the following addenda covering revisions to the bid documents, and states that the costs, if any, of such revisions have been included in the base bid and other prices quoted herein:

Addendum No. _____ Dated: _____
 Addendum No. _____ Dated: _____

Note: If no addenda have been received, write in "none."

Company Name	Company Representative
Street Address	Title
City, State, Zip	Phone
Federal Employer ID No. <i>(if no FEIN, enter SSN)</i>	Email

I/we agree to furnish at the prices shown and guarantee that each offered will meet or exceed all specifications, terms and conditions, and requirements listed. This is the total price and includes all delivery or freight charges to the City of Orange Beach. Any attachment hereto is made and becomes a part of this inquiry and must be signed by the bidder. I herein affirm that I have not been in any agreement or collusion among bidders in restraint of competition to bid at a fixed price or to refrain from bidding otherwise.

SWORN TO AND SUBSCRIBED BEFORE ME THIS DAY OF _____, 20____.	Company Name	Authorized Signature (INK)
	Mail Address	Typed Authorized Name
Notary Public	City, State, Zip	Title
Commission Expires	Phone Including Area Code	Fax Number

PAGES 3 & 4 MUST BE RETURNED IN SEALED BID