

## WILLIAMSON COUNTY

Leslie Mitchell, CPPO, CPPB 1320 West Main Street, Suite 130 Franklin, Tennessee 37064 (615) 790-5868 lesliem@williamson-tn.org

September 18, 2018

To Whom It May Concern:

Williamson County is accepting bids for one (1) dump trucks for the Solid Waste Department. Minimum bid specifications are enclosed. Please note any exceptions to the bid.

It is not the intent of Williamson County to favor one vendor; however, we do, from time to time, have to rely on vendors' help in writing specifications. We will accept all bids with exceptions noted, and all bids will be given equal consideration.

Bids will be opened Thursday, October 11, 2018, 2:00 p.m. Bids should be submitted in a sealed envelope to the County Mayor's Office, 1320 West Main Street, Suite 125, Franklin, TN 37064. Each envelope should be plainly marked: Bid – Dump Truck, Solid Waste Department, October 11, 2018. Envelope must also include bidder's company name. PLEASE NOTE: IF THE SEALED PACKAGE IS NOT LABELED EXACTLY AS SPECIFIED ABOVE, THE BID WILL NOT BE OPENED.

Williamson County reserves the right to reject any and/or all proposals, to waive technicalities or informalities, and to accept any proposal deemed to be in the best interest of Williamson County. **No bid shall be valid unless signed.** No bid shall be accepted by FAX machine or e-mail.

Enclosed is an Ethical Standards Affidavit, Iran Divestment Act Affidavit, Fair Employment Affidavit, Immigration Attestation and Immigration Compliance Affidavit, and Business Tax and License Affidavit. Please complete these documents and return them with your bid.

If you have any questions, please e-mail <u>lesliem@williamson-tn.org</u>. All questions must be submitted in writing by 4:30 p.m. CST on October 5, 2018. No addenda will be issued within 48 hours of the bid opening date and time.

Sincerely,

Leslie Mitchell, CPPO, CPPB

Purchasing Agent

# MINIMUM BID SPECIFICATIONS FOR (1) DUMP TRUCK, TANDEM AXLE, CONVENTIONAL CAB AND CHASSIS WITH 16FT. DUMP BODY FOR WILLIAMSON COUNTY SOLID WASTE DEPARTMENT

## **GENERAL**

These trucks shall be new, unused, current year manufactured tandem axle dump trucks. This is manufacturer's latest design and production, complete, serviced, ready for work, and includes all standard equipment as shown in the manufacturer's printed literature. Units furnished to this specification shall meet or exceed all requirements herein (see attachments). Price shall include delivery to the Williamson County garage at 302 Beasley Dr, Franklin, TN 37064.

Use of specific names or numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer, but is intended solely for the purpose of indicating the type, size, and quality of equipment considered best adapted to the uses of the Williamson County Solid waste Department.

#### **BID PRICE**

The bid price shall include all destination charges, delivery charges, rebates and all other applicable costs and refunds.

#### **MANUALS**

Units shall be provided with two (2) copies of the operator's manual, two (2) copies of the maintenance and repair manual, and two (2) copies of the current parts manual. They should also be delivered with (2) extra sets of keys. Units will not be accepted for delivery until manuals as outlined above are received by the purchaser.

#### WARRANTY

Bidders shall submit a copy of all the manufacturer's warranties along with a complete explanation of the warranty with their bid. Warranty shall include service response time of maximum of 36 hours within notification by the Williamson County Solid Waste Department.

#### **DELIVERY**

Upon award of bid, vehicles shall be delivered within 120 days.

## Williamson County Solid Waste Department Dump Body Specifications

Type:

Roger's Millennium Body for Mounting on 130/138 CT Truck

Size:

16' long, 7'4" Wide Inside, 46" High Sides, 52" High Tailgate with 6" Pockets

Front and Rear.

Capacity

17.5 cu. yd.

Materials:

1/4" AR 450 Steel Sides, Front, Tailgate and Floor. Continuous Welding. Hoist

Well To Be Not Less than 1/4" AR 450 Steel.

Extras:

Cab Shield to be 20" long. Tailgate hydraulic Hi-Lift Cylinders Inside Rear Post, Steps on Front Sides of Body. Lights Reflectors and Mud Flaps per Federal Motor Vehicle Safety Std. #108. Safety Support Strut and Back Up Alarm per OSHA #1926.601. 8" Channel Push Bumper with 3" Pipe Bolt on (asphalt lip at rear of body) Maintenance Manual with Each Body. Air Tailgate, Side Pose None, Long Members 2" x 8" x 3/16" Tubing Full Length, 3/16" Full Fenders, DVA 20-N-3-A3HP2000. Valve to Operate Raising and Lowering of Body and Operation of Hi-Lift Tailgate, Primed, Plus Painted Black Acrylic Urethane, 23" Radius Floor, EZ Step Drivers Side, 8 LED Strobe Lights, Rear Tailgate Guard, HD Rear Tow Hooks, Angle on Top of 2" x 6" Steel Tubing and Tailgate.

Hoist:

Single Front Mounted Telescopic Cylinder with Minimum 48" Dump Angle with

Pull Out Cable. 7"-135" Stroke, Model 74135

Pump:

Minimum Capacity 31 Gallons per Minute at 1200 RPM. Relief Valve

Equipped. Parker P51-313-9610-663

Controls:

Air Controls, positioned forward so driver does not have to reach back to operate

Hoist Frame:

Frameless Body

Power Take Off:

PTO Suitable for Allison Automatic Transmission

Tarp:

Electric Tarp, Assembly Aluminum Arms, Vinyl Tarp

Mounting:

Dump Bed Shall be Mounted 5" Back of Cab

Oil Tank:

Front Mount

Pusher Air Axle:

Hendrickson (HLM) Model #MT20A-A49A. Fixed Suspension with Hub Piloted Disc Wheels (4) Steel Rims 22.5 x 8.25 with (4) 11R22.5 Tires Hwy

Tread

Protective Coating:

Entire Undercarriage of truck and bed to have protective Undercoating

	Description	Complies			
			No	Description or Exceptions	
Engine & Equipment					
	Diesel Engine, 13 L, 450 hp, 1650 lb-ft torque, 2010 EPA Compliant				
	Air intake with firewall mounted air cleaner and inside/outside air with snow doors				
	160 amp alternator				
	(3) batteries, 12-volt, 3300 CCA, threaded studs or equal				
	Positive & negative jump start posts				
	Compression brake				
	Horizontal after treatment (ATD) with RH vertical tailpipe (with clear BOC) and turnout and shield				
	Minimum 1500 sq. in. radiator				
	Fuel filter/fuel water separator				
	Gates blue stripe hoses or equal				
	Extended life antifreeze to -34 degrees				
	Block heater with receptacle mounted under LH door				
	Heavy duty starter with over crank protection	-			
ransmission & Equipm	nent				
	Allison 4700 Automatic Transmission				
	Vehicle interface wiring with body builder at end of frame				
	Provisions for customer installed PTO mounted bottom of transmission  Synthetic transmission lube				
ront Axle & Equipment		SECTION AND		(0.5 v.s.) kit filming the high starting	
Set Back Axle)					
	20,000 lb. single front axle				
	16.5x6 cam front brakes				
	Front dust shields				
	Power steering with auxiliary gear, 4-quart power steering reservoir				
	Synthetic lube 75W-90				
	20,000 lb. flat leaf suspension with shock absorbers				
ear Axle & Equipment					
**************************************	46,000 lb. tandem rear axle with pump or equal				
d	Ratio 4.56				
	HD drive lines, 18 series U-Joints				
2	Driver controlled traction differential both rear axles or equal				
	16.5x8.62 cam rear brakes				
	Asphalt spreader clearance for brake chambers				
	Rear brake dust shields				
	Synthetic lube 75W-90				

1	Description		plies		
		Yes	No	Description or Exceptions	
	Hendrickson Haulmax rear suspension,				
	46,000 lb., with steel beams or equal				
	Fore and aft and transverse control rods				
	Tote and all and transverse control rous				
	54" axle spacing or equal				
Pusher Axle & Equipme	ent	(CE) 15 (CE)			
	Hendrickson 20,000 lb. non-steer pusher				
	axle and suspension				
	Dash mounted valve and gauge				
	16.5x7 cam brakes				
	52" axle spacing				
Brake System					
z. and Oyotom	Air brakes with wabco ABS/ Traction				
	Control				
	Heated air dryer				
	Automatic drain valves on all tanks				
Wheelbase, Frame & Cl	nassis	125 3000			
Equipment					
Company Copyright Design Company Construction	Wheelbase as required by body builder for				
	132" - 135" CA				
	HD frame with inner frame reinforcement,				
	minimum RBM 3,200,000 lbf-in				
	Heavy Duty suspension crossmember				
	Painted steel front bumper				
	Front tow hooks				
uel Tank & Equipment					
	Minimum 80 gallon aluminum fuel tank,				
	LH side under cab				
ires & Wheels					
	Front tires 425/65R22.5 20 ply radial				
	highway tread				
	Rear tires 11R22.5, 16 ply radial highway tread				
	Pusher tires 11R22.5, 14 ply radial				
	highway tread				
	Front wheels 22.5x12.25 hub pilot				
	aluminum disc  Rear and pusher wheels 22.5x8.25 hub				
	pilot steel disc				
ab Exterior			Section Co.		
	Conventional cab, 110" BBC or equal	100			
	Air cab mounts				
	Fender extensions				
	LH & RH exterior grab handles				
	7				
	Bright finish radiator bezel with chrome mounted air intake grille				
	Electric horn				
	Dual 24" polished aluminum air horns with				
	shields, roof mounted or equal				

	Description	Com	plies	
		Yes	No	Description or Exceptions
	Halogen headlights, daytime running lights and LED marker lights			
	Dual west coast bright finish heated mirrors with LH & RH convex mirrors; power RH/LH mirrors			
	RH Down view mirror			
	Tinted glass all around			
Cab Interior				
	Gray vinyl interior with overhead console, interior sun visors	X-2	SALES TE STERNING S. C. (1921)	
	Lower window in passenger door			
	(2) cup holders console mounted			
	Heater, defroster, & air conditioning with recirculation switch			
	Heater plumbing shut off valves	*		
	Dome lights LH & RH, door activated, reading lights			
	12 volt power supply in dash			
	High back air suspension driver's seat with air lumbar and arm rests			
	High back non suspension passenger seat			
	Black Cordura plus cloth seat covers			
	Adjustable ti8lt & telescoping steering column			
nstruments and Controls				
	Low air pressure light & buzzer	34950 LEI 1055		
	Dash mount on/off engine fan switch			
	Primary & Secondary air pressure gauges			
	Dash mounted air restriction indicator			
	Back-up alarm, self adjusting 87 to 112			
	Odometer/trip/hour/diagnostic/voltage display, data linked			
	Engine coolant temperature gauge			
	Engine oil temperature gauge			
	ransmission oil temperature gauge			
- [	Engine oil pressure gauge			
,	AM/FM/WB radio with front auxiliary input			
	Power & ground studs top of dash wiring with CB radio provisions			
N	Multi-band AM/FM/WB/CB LH mirror nounted antenna			
1	ntermittent wipers with arctic type blades			
F	ower window and door locks			
aint			Se alex	
C	ab color black base coat clear coat		AND ADDRESS OF THE PARTY OF	
C	hassis color black			

	Description	Complies		
		Yes	No	Description or Exceptions
Warranty				
	All standard warranties in addition to a 5yr/250,000 engine warranty.			
	Warranty to include after treatment system (A.T.D.)			
Dump Body Specs				
	Pls see attachment (2)			
Delivery				
	Within 120 days	CATANGE AND SIG		

## (1) DUMP TRUCK, TANDEM AXLE, CONVENTIONAL CAB AND CHASSIS WITH 16FT. DUMP BODY FOR WILLIAMSON COUNTY SOLID WASTE DEPARTMENT

Unit Price \$	
The bid price shall include all destination applicable costs and refunds.	charges, delivery charges, title fees, rebates and all other
The bidder has received the following add	lenda:
Addendum #	Dated
Company Name	
Physical Address	
Remittance Address	
Authorized Signature	
rifiled Name	
Phone	_
rax	
Email Address	
Date	

## Business Tax and License Affidavit

Business Tax and License Affidavit. The authority to swear to this on behalf of manner in violation of Tennessee Code Annotated shall be made or purchase order or contract of purcounty officials or employees, acting in their officials or license is delinquent." Affiant affirms and all business taxes have been paid and are current a pays business taxes in (Count	d, Section, 5-14-108 rchase issued for tan cial capacity, from a warrants that Contra as of the date of this	ractor"); that Control (1) which provides agible personal property firm or individuator's licenses are of the control of the c	ractor is not in that "(n)o purc perty or service tal whose busin currently valid	hase s by ness
		(4)		
Affiant				
Ву:				
Title:				
Date:				
Witness:	<u> </u>			
Date:				

## Ethical Standard Affidavit.

### State of Tennessee

## County of Williamson County

Ethical Standard Affidavit. After first being duly sworn according to law, the undersigned ("Affiant") states that he/she has the legal authority to swear to this on behalf of \_\_\_\_\_\_\_.

("Contractor") that no part of any other governmental monies provided for the services or products contemplated in this Agreement which was received from the State of Tennessee and/or Williamson County shall be paid directly to an employee or official of the State of Tennessee or Williamson County as wages, compensation, or gifts in exchange for acting as an officer, agent, employee, subcontractor, or consultant to the County or the Contractor in connection with any work contemplated or performed relative to this Agreement. Affiant and Contractor further swears that no federally, state, or county appropriated funds have been paid or will be paid, by or on behalf of the Contractor, to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, any employee of the State of Tennessee, or employee of Williamson County in connection with the awarding of any federal, state, or county contract, the making or awarding of any government grant, the making of any government loan, and entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any federal, state or county contract, grant, loan, or cooperative agreement.

Affiant	
Ву:	
Title:	 
Witness:	NAME OF THE OWNER, ST.
Date:	

## CERTIFICATION OF COMPLIANCE WITH THE IRAN DIVESTMENT ACT

Effective July 1, 2016, this form must be submitted for any contract that is subject to the Iran Divestment Act, Tenn. Code Ann. § 12-12-101, et seq., ("Act"). This form must be submitted with any bid or proposal regardless of where the principal place of business is located.

Pursuant to the Act, this certification must be completed by any corporation, general partnership, limited partnership, limited liability partnership, joint venture, nonprofit organization, or other business organization that is contracting with a political subdivision of the State of Tennessee.

## Certification Requirements.

No state agency or local government shall enter into any contract subject to the Act, or amend or renew any such contract with any bidder/contractor who is found ineligible under the Act.

Complete all sections of this certification and sign and date it, under oath, in the presence of a Notary Public or a person authorized to take an oath in another state.

### **CERTIFICATION:**

I, the undersigned, certify that by submission of this bid, each bidder and each person signing on behalf of any Respondent certifies, and in the case of a joint bid or contract each party thereto certifies, as to its own organization, under penalty of perjury, that to the best of its knowledge and belief that each bidder is not on the list created pursuant to Tenn. Code Ann. § 12-12-106.

Respondent represents it has the full power, knowledge, and authority to make this Certification and that the signatory signing this Certification on behalf of bidder/contractor has been duly authorized to do so on behalf of the bidder/contractor.

Sworn as true to the best of my knowledge and belief, subject to the penalties of false statement.

Printed Respondent Name Printed Name of Autl	horized Official
Signature of Authorized Official	
Witness:	
Date:	

## IMMIGRATION ATTESTATION AND IMMIGRATION COMPLIANCE ACT AFFIDAVIT

CONTRACTOR'S LEGAL ENTITY NAME
CONTRACTOR'S TENNESSEE LICENSE NUMBER
The Contractor, identified above, does hereby attest, certify, warrant, and assure that the Contractor shall not knowingly utilize the services of an illegal immigrant in the performance of the Agreement and shall not knowingly utilize the services of any subcontractor who will utilize the services of an illegal immigrant in the performance of any Services under this Agreement.
By executing this affidavit, the undersigned person or entity verifies its compliance with the Tennessee Lawful Employment Act codified at <i>Tennessee Code Annotated</i> , <i>Section 50-1-701</i> , et. seq., stating affirmatively that the Contractor which is contracting with Williamson County government has registered with and is participating in the federal work authorization program commonly known as E-Verify or has obtained and maintains copies of the required documents in accordance with the applicable provisions of the Tennessee Lawful Employment Act.
The Contractor further agrees that it will continue to comply with all provisions of the Tennessee Lawful Employment Act, and it will contract for the physical performance of services in satisfaction of such contract only with subcontractors who comply with the applicable provisions of the Tennessee Lawful Employment Act.
The undersigned person or entity further agrees to maintain records of the documents or of such compliance including documentation for all subcontractor(s) retained to perform such service on behalf of the Contractor for the minimum period provided in the Tennessee Lawful Employment Act.
BY: Authorized Officer or Agent Date
(Name of Person or Entity)
Title of Authorized Officer or Agent
Printed Name of Authorized Officer or Agent
Witness:
Date:

## FAIR EMPLOYMENT PRACTICES AFFIDAVIT

State of	County of	
undersigned (Affiant) states employment policy, standard policy which permits or allow off of any individual due to h	ds, and practices the Offeror does ws for the promotion, demotion, enis/her race, creed, color, national and will not violate any applicables.	(Offeror) and that by its not subscribe to any personnel employment, dismissal, or laying
By:	Title:	
	Address: _	