

Exhibit A
Lake Earl Permit Drawings



Florida Department of Environmental Protection

Marjory Stoneman Douglas Building
3900 Commonwealth Boulevard
Tallahassee, Florida 32399-3000

Rick Scott
Governor

Jennifer Carroll
Lt. Governor

Herschel T. Vinyard, Jr.
Secretary

Mean High Water Procedure Approval

Date: March 20, 2012

Surveyor's Name: Jeffrey Glassburn

Firm Name: City of Fort Walton Beach

Address: 107 Miracle Strip Pkwy. SW
Fort Walton Beach, FL 32548

Phone: 850-833-9612 FAX: 850-833-9926

Point Identification Number: 1496 County: Okaloosa

USGS 7.5-Minute Quad Map Name: FORT WALTON BEACH

Mean High Water (MHW) : 0.57 ft Mean Low Water (MLW): 0.19 ft

Datum: NAVD 88

Unit of measurement: Feet Tidal Epoch: 1983 - 2001

Procedure: Extend the above MHW height to job site.

Source of Data: The Land Boundary Information System internet web site (www.labins.org)

This form constitutes approval of the method to be used to survey the mean high water line within one half mile of the point identified above.

Retain this form for record keeping. Submit a copy of it with the completed survey to the Bureau of Survey and Mapping within 90 days of the completion of the survey.

Contact:
Division of State Lands
Bureau of Surveying and Mapping
Mean High Water Section
(850)245-2606

More Protection, Less Process
www.dep.state.fl.us



Florida Department of Environmental Protection


Marjory Stoneman Douglas Building
3900 Commonwealth Boulevard
Tallahassee, Florida 32399-3000

Rick Scott
Governor

Jennifer Carroll
Lt. Governor



Herschel T. Vinyard, Jr.
Secretary

LAKE EARL ENTRANCE MAINTENANCE DREDGING VICINITY MAP



NOT TO SCALE

LOCATION MAP





MICHAEL D. BEEDIE
FLORIDA PE NO. 60525

NOT VALID WITHOUT SEAL

P:\Engineering-CD\INE\LAKE_EARL_DREDGING-LOCATION-MAR_2012.dwg

APPLICANT:	<u>FORT WALTON BEACH, CITY OF</u>	PURPOSE:	<u>DREDGE</u>
WATER BODY:	<u>LAKE EARL ENTRANCE FROM CHOCTAWHATCHEE BAY</u>	SHEET #	<u>1 OF 5</u>
COUNTY:	<u>OKALOOSA</u>	ORIGINAL WORK	<input type="checkbox"/> MAINTENANCE <input checked="" type="checkbox"/>
DATUM:	<u>NAVD '88</u>	DATE:	<u>MARCH 20, 2012</u>

LAKE EARL ENTRANCE MAINTENANCE DREDGING CROSS-SECTIONS



MICHAEL D. BEEDIE
FLORIDA PE NO. 60525

NOT VALID WITHOUT SEAL

P:\Engineering-CD\LAKE_EARL_DREDGING-CROSS_SECTIONS-MAR_2012.dwg



CROSS SECTIONS

SCALE: HORIZ. 1" = 10'
SCALE: VERT. 1" = 10'

APPLICANT: FORT WALTON BEACH, CITY OF PURPOSE: DREDGE
 WATER BODY: LAKE EARL ENTRANCE FROM CHOCTAWHATCHEE BAY SHEET # 3 OF 5
 COUNTY: OKALOOSA ORIGINAL WORK MAINTENANCE
 DATUM: NAVD '88 DATE: MARCH 20, 2012

USED FDEP TIDE INTERPOLATION POINT #1496 TO ESTABLISH MHW, 0.57' AND MLW 0.19' (NTDE83-01 NAVD88) FOR THIS PROJECT. THE PROJECT IS APPROXIMATELY 1000' NORTH OF POINT #1496. BENCHMARK USED FOR THIS SURVEY IS NGS BENCHMARK BG2071 (J297).

LAKE EARL ENTRANCE MAINTENANCE DREDGING CROSS-SECTIONS



CROSS SECTIONS

SCALE: HORIZ. 1" = 10'
SCALE: VERT. 1" = 10'

USED FDEP TIDE INTERPOLATION POINT #1496 TO ESTABLISH MHW, 0.57' AND MLW 0.19' (NTDE83-01 NAVD88) FOR THIS PROJECT. THE PROJECT IS APPROXIMATELY 1000' NORTH OF POINT #1496. BENCHMARK USED FOR THIS SURVEY IS NGS BENCHMARK BG2071 (J297).



MICHAEL D. BEEDIE
FLORIDA PE NO. 60525

NOT VALID WITHOUT SEAL

P:\Engineering-CD\LAKE_EARL_DREDGING-CROSS_SECTIONS-MAR_2012.dwg

APPLICANT:	<u>FORT WALTON BEACH, CITY OF</u>	PURPOSE:	<u>DREDGE</u>
WATER BODY:	<u>LAKE EARL ENTRANCE FROM CHOCTAWHATCHEE BAY</u>	SHEET #	<u>4 OF 5</u>
COUNTY:	<u>OKALOOSA</u>	ORIGINAL WORK	<input type="checkbox"/> MAINTENANCE <input checked="" type="checkbox"/>
DATUM:	<u>NAVD '88</u>	DATE:	<u>MARCH 20, 2012</u>

LAKE EARL ENTRANCE MAINTENANCE DREDGING CROSS-SECTIONS



MICHAEL D. BEEDIE
FLORIDA PE NO. 60525

NOT VALID WITHOUT SEAL

P:\Engineering-CD\INE\LAKE_EARL_DREDGING-CROSS_SECTIONS-MAR_2012.dwg

CROSS SECTIONS

SCALE: HORIZ. 1" = 10'
SCALE: VERT. 1" = 10'

APPLICANT:	<u>FORT WALTON BEACH, CITY OF</u>	PURPOSE:	<u>DREDGE</u>
WATER BODY:	<u>LAKE EARL ENTRANCE FROM CHOCTAWHATCHEE BAY</u>	SHEET #	<u>5 OF 5</u>
COUNTY:	<u>OKALOOSA</u>	ORIGINAL WORK	<input type="checkbox"/> MAINTENANCE <input checked="" type="checkbox"/>
DATUM:	<u>NAVD '88</u>	DATE:	<u>MARCH 20, 2012</u>

USED FDEP TIDE INTERPOLATION POINT #1496 TO ESTABLISH MHW, 0.57' AND MLW 0.19' (NTDE83-01 NAVD88) FOR THIS PROJECT. THE PROJECT IS APPROXIMATELY 1000' NORTH OF POINT #1496. BENCHMARK USED FOR THIS SURVEY IS NGS BENCHMARK BG2071 (J297).