



- LEGEND**
- 1-1/2" TYPE SP 9.5 ASPHALTIC CONCRETE SURFACE COURSE
6" CRUSHED CONCRETE BASE COURSE LBR 140
6" COMPACTED SUBBASE LBR 40 OR FBV 75 P.S.I.
 - 5 FT. WIDE 6" STABILIZED SHOULDER FBV 75 P.S.I.
 - 24 FT. WIDE 8" CRUSHED CONCRETE BASE LBR 140
10" COMPACTED SUBBASE LBR 40 OR FBV 75 P.S.I. (PHASE 1)
 - 6" CONCRETE 3,500 P.S.I. ON COMPACTED BASE COMPACTED TO 98% AASHTO T-180
 - FUTURE PHASE 2 PARKING
 - TYPE SP 9.5 SURFACE COURSE (TRAFFIC C) (1")
TYPE SP 12.5 STRUCTURAL COURSE (TRAFFIC C) (2")
10" CRUSHED CONCRETE (LBR 140) COMPACTED TO 98% DENSITY PER AASHTO T-180 MODIFIED PROCTOR TEST
TYPE B STABILIZATION (12") LBR 40

NOTE:
1. CONTRACTOR TO PRIME AND SAND THE BASE FOR INTERIM PROTECTION FROM WEAR.
2. CONTRACTOR TO PAVE PARKING AREA AFTER CONSTRUCTION OF FOUNDATION PACKAGE TO MINIMIZE DAMAGE FROM CONSTRUCTION ACTIVITIES.
3. PAVEMENT STRIPING TO BE INSTALLED AFTER MAJORITY OF BUILDING IS CONSTRUCTED.

FDOT NOTES:
1. THE PROPOSED FENCE SHALL MEET FDOT STANDARD SPECIFICATIONS (DATED 2016) INDEX NO. 802, FENCE TYPE B, WITH TYPE IV VINYL COATED FABRIC.

NOTE:
ALL SIDEWALKS, RAMPS AND CROSSWALKS WILL BE BUILT & INSPECTED TO MEET CURRENT ADA REQUIREMENTS.

DEV #2017-104
CITY APPROVAL STAMP

8	4/24/18	REVISED PER ADDENDUM NO. 4	BVB
7	4/12/18	REVISED PER ADDENDUM NO. 2	BVB
6	3/8/18	REVISED PER CITY COMMENTS	BVB
5	2/28/18	REVISED PER ARCHITECT'S REVIEW	BVB
4	2/7/18	REVISED PER FDOT COMMENTS	BVB
3	12/5/17	REVISED PHASE 1 PARKING	BVB
2	10/12/17	REVISED PER CITY COMMENTS	BVB
1	10/11/17	REVISED PER SURWMD	BVB
NO.	DATE	DESCRIPTION	BY

PARKER MYNCHENBERG & ASSOCIATES, INC.
PROFESSIONAL ENGINEERS * LANDSCAPE ARCHITECTS
1729 RIDGEWOOD AVENUE HOLLY HILL, FLORIDA 32117
(386) 677-6891 FAX (386) 677-2114 E-MAIL: info@parkermynchenberg.com
CERTIFICATE OF AUTHORIZATION NUMBER: 00003910

SITE PLAN

FIRST STEP HOMELESS ASSISTANCE SHELTER
DSAYTONA BEACH * FLORIDA

FILE NO. REV1_1622SP.DWG DESIGNER: P.MYNCHENBERG
DATE: 7/12/17 CADD TECH: BVB
SCALE: 1" = 40' SHEET 5 OF 18 SEAL