

# Whitfield County Schools

1306 South Thornton Avenue, Dalton, Georgia 30721 wcsga.net • (706) 217-6780

tradition • purpose • excellence

## **INVITATION TO BID**

School Nutrition - Hood Cleaning

### ITB # WCS-SN-2018-001

October 2, 2018

Whitfield County Schools (WCS) is soliciting bids for Hood Cleaning for the School Nutrition Department.

1. Bids must be received in the Purchasing Office located at:

Whitfield County Schools Purchasing Department 1030 Hill Road, Bldg A Dalton, GA 30721

- OR –

Online Submission at:

www.wcsga.net/purchasing -> OPEN SOLICITATIONS

- 2. Deadline for Submission is: Thursday November 1, 2018 at 2:00pm.
- Proposals will be for Cleaning Kitchen Vent Hoods and Dishwasher Hoods at 23 Kitchens (22 School Nutrition kitchens [addresses below] + additional kitchen at Career Academy Culinary Department) at the frequency of 2 times per year. One in February and one in June.
- 4. Whitfield County Schools reserves the right to reject any and all bids and to waive informalities and irregularities.
- The initial agreement will begin January 1, 2019 for and terminate absolutely without further obligation to the district on December 31, 2019. This agreement may be renewed for four (4) additional one (1) year terms upon the written approval of both parties.
- Respondents must include copies of E-Verify affidavit which may be found at <u>www.wcsga.net/purchasing</u>. Also, include Authorizations / Certifications from Dalton Utilities Wastewater Treatment Facility, Georgia Department of Natural Resources Environmental Protection Division as well as any additional current certifications required to perform these services.

#### 7. The cleanings are to be according to the following requirements:

- a. Cleaning schedules must be set in consultation with the School Nutrition Department.
- b. Protect all under hood equipment and other kitchen equipment with drop cloths, etc. before cleaning.
- c. Supplies and equipment needed are to be included in the bid.
- d. Clean and service the hood, hood ducts, exhaust fans and fresh air intake.
- e. Remove and clean filters and reinstall to allow for proper airflow balance.
- f. Remove any flaking paint on the hood and repaint to match if needed.
- g. Clean up any residue so that the floor, equipment and tables are left at least as clean as they were found.
- h. Clean dishwasher hoods and fan.
- i. Clean any exposed oven fan motors.
- j. Provide a decal, attach to the hood, and update the decal with each cleaning date. The insurance company and the fire inspection vendor require posting of the last date of hood cleaning.

#### 8. INSURANCE REQUIRMENTS

- a. Commercial/Comprehensive General Liability
  - i. \$1,000,000 Bodily Injury Per Person
  - ii. \$1,000,000 Bodily Injury Aggregate Limit
  - iii. \$ 500,000 Property Damage Per Occurrence
  - iv. \$1,000,000 Property Damage Aggregate Limit
- b. Comprehensive Automobile Liability
  - i. \$1,000,000 Property Damage Per Occurrence
- c. Workmen's Compensation and Employer's' Liability
  - i. \$ 500,000 Bodily Injury Per Person
- d. Umbrella or Excess of Loss Coverage
  - i. \$1,000,000 Per Occurrence
- e. The proposer will provide an insurance certificate with 21 days after acceptance of contract.
- f. Whitfield County School District must have 10 days notice of cancellation or change in insurance coverage and give its approval.

### 9. Locations where cleanings will occur:

Antioch Elementary	Beaverdale Elementary
1819 Riverbend Road	9196 Highway 2
Dalton, GA 30721	Dalton, GA 30721
Cedar Ridge Elementary	Cohutta Elementary
285 Cedar Ridge Road	254 Wolfe Street
Dalton, GA 30721	Cohutta, GA 30710
Dawnville Elementary	Dug Gap Elementary
1380 Dawnville Road	2032 Dug Gap Road
Dalton, GA 30721	Dalton, GA 30720
Eastside Elementary	New Hope Elementary
102 Hill Road	1175 New Hope Road
Dalton, GA 30721	Dalton, GA 30721
Pleasant Grove Elementary	Tunnel Hill Elementary
2725 Cleveland Road	203 East School Street
Dalton, GA 30721	Tunnel Hill, GA 30755
Valley Point Elementary	Varnell Elementary
3798 S. Dixie Road, SE	4421 Hwy 2
Dalton, GA 30721	Dalton, GA 30721
Westside Elementary	Eastbrook Middle
1815 Utility Road	1382 Eastbrook Dr
Rocky Face, GA 30740	Dalton, GA 30721
New Hope Middle	North Whitfield Middle
1111 New Hope Road	3264 Cleveland Road
Dalton, GA 30721	Dalton, GA 30721
Valley Point Middle	Westside Middle
3796 S. Dixie Road, SE	580 LaFayette Road, SW
Dalton, GA 30721	Rocky Face, GA 30740
Northwest High	Southeast High
1651 Tunnel Hill-Varnell Rd.	1954 Riverbend Road
Tunnel Hill, GA 30755	Dalton, GA 30721
Career Academy	Coahulla Creek High
2300 Maddox Chapel Rd	3361 Crow Rd
Dalton, GA 30721	Dalton GA 30721

**Proposal Submission Form** 

## **Proposal For Hood Cleaning**

Vent Hoods per kitchen (23 kitchen sites)	\$ each x 2 times per year
Dishwasher Hood per kitchen (23 kitchen sites)	\$ each x 2 times per year

I certify by my signature below that the costs quoted in this proposal are correct and that I have the authority to obligate the company to perform the requirements outlined above for Hood Cleaning two (2) times per kitchen site per year during the time of this agreement.

Signature		
Signature		
Printed Name		
Company Name		
Mailing Address		
Email Address		
Talaahaaa		
Telephone	Fax	