

**K-12 EQUIPMENT
SPECIFICATIONS**

**TWENTY NINE PALMS
COMMUNITY CENTER**

TWENTY NINE PALMS, CA 90404

11-40-00 AND SPECIFICATIONS

Provided by:

KITCHEN PROFESSIONALS

16742 Gothard St. Suite 103

Huntington Beach, CA 92647

714-841-0531

Fax: 714-841-9986

K-12 EQUIPMENT SPECIFICATION SHEETS – PAGES 26-38

K12 SPECIFICATIONS

ITEM # 1 TRASH RECEPTACLE, INDOOR
Quantity: Five (5)
Manufacturer: Rubbermaid Commercial Products
Model: FG354060GRAY

1. Five (5) Model FG354060GRAY Slim Jim® Container, 23 gallon, 22"W x 11"D x 30"H, with venting channels, molded-in handles, general purpose waste, open type without lid, high-impact plastic construction, gray, Made in USA

ITEM # 2 DESK W/ CHAIR - NIC
Quantity: One (1)
Manufacturer: NIC
Model: NIC

ITEM # 3 HAND SINK
Quantity: One (1)
Manufacturer: IMC/Teddy
Model: CSW-2S-SS

1. One (1) Model CSW-2S-SS Hand Sink, wall mounted, 14"W x 10" front-to-back x 5" deep bowl, (2) holes for 4" center splash-mounted faucet (included), 8" backsplash & side splashes, 6" apron, 1-1/2" drain opening, includes mounting bracket & clip with hardware, 20/300 stainless steel, NSF, Made in USA

ITEM # 5 REACH-IN FREEZER
Quantity: Two (2)
Manufacturer: True Mfg. - General Foodservice
Model: STA1F-1S-HC

1. Two (2) Model STA1F-1S-HC SPEC SERIES® Freezer, reach-in, -10°F, one-section, (1) stainless steel door with lock, cam-lift hinges, digital temperature control, (3) chrome shelves, LED interior lights, stainless steel front & sides, aluminum interior, 5" castors, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 6.0 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA
2. Two (2) Warranty - 7 year compressor (self-contained only), please visit www.Truemfg.com for specifics
3. Two (2) Warranty - 3 year parts and labor, please visit www.Truemfg.com for specifics
4. Two (2) Door hinged right standard
5. Two (2) (3) chrome shelves and shelf supports standard per section
6. Four (4) Chrome plated shelf (includes shelf clip supports) (specify for left, center or right section, if

applicable), each

- 7. Two (2) 5" castors, set of 4, standard

ITEM # 6	WASTE BASKET
Quantity:	Two (2)
Manufacturer:	Rubbermaid Commercial Products
Model:	FG295600GRAY

- 1. Two (2) Model FG295600GRAY Waste Basket, 28 quart, 14-3/8"W x 10-1/4"D x 15-1/8"H, medium, soft, rolled rims, all plastic, won't chip, rust or dent, gray , Made in USA

ITEM # 12	FRYER DUMP STATION
Quantity:	One (1)
Manufacturer:	Pitco Frialator
Model:	SSHBNB55

- 1. One (1) Model SSHBNB55 Solstice Supreme™ Bread & Batter Cabinet, with BNB dump station, fryer match design, approximately 15-5/8" wide, includes 4-5/8" recessed pan and screen, standard finish, stainless steel front, sides & door, for SSH55 fryers, NSF
- 2. One (1) 1 year parts and labor warranty from the date of installation up to a maximum of 15 months from the date of manufacture (with appropriate documentation), standard
- 3. One (1) Model B3901504 Casters, 9" adjustable swivel (set of 4) non-lock rear & lock front casters, ALL Solstice BNB's

ITEM # 13	GAS FLOOR FRYER
Quantity:	One (1)
Manufacturer:	Pitco Frialator
Model:	SSH55

- 1. One (1) Model SSH55 Solstice Supreme™ High Efficiency Fryer, gas, 40-50 lb. oil capacity, full tank, solid state controls, boil out & melt cycle, drain valve interlock, matchless ignition, self-clean burner, downdraft protection, stainless steel tank, front & sides, total 80,000 BTU, ENERGY STAR®, CSA Flame, CSA Star, NSF, CE
- 2. One (1) Dormont Model 1675KITCF2S48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long covered with stainless steel braid, coated with blue antimicrobial PVC, (1) Safety Quik® QDV, (2) Swivel MAX®, and coiled restraining cable with hardware, 160,000 BTU/hr minimum flow capacity, limited lifetime warranty
- 3. One (1) 1 year parts and labor warranty from the date of installation up to a maximum of 15 months from the date of manufacture (with appropriate documentation), standard
- 4. One (1) Gas to be determined
- 5. One (1) 115/60/1-ph, 0.7 amps, NEMA 5-15P
- 6. One (1) (SSTC) Solid State Controller, standard

7. One (1) Model P6072145 Basket, (2) oblong/twin size, 13-1/2" x 6-1/2" x 5-3/4" deep, long handle, regular mesh (shipped std (n/c) with models "T" SG14, SG14R, SSH55, SE14, SE14X, SE14B, SG14T, 35+, 45+, fryer batteries shipped with (1) per fryer
8. One (1) Stainless steel splashguard (6"), reversible (L/R)
9. One (1) Model B3901504 Casters, 9" adjustable swivel (set of 4) non-lock rear & lock front casters, solstice supreme, SG, SE, VF and flat bottom fryers, pasta cookers, rethermalizers, BNB

ITEM # 14 REFRIGERATED EQUIPMENT BASE
Quantity: One (1)
Manufacturer: Montague Company
Model: RB-84-SC

1. One (1) Model RB-84-SC Legend™ Heavy Duty Extreme Cuisine Refrigerated Equipment Base/Stand, 84" W, two-section, side mounted self-contained refrigeration, (4) 27-1/4" wide drawers, (8) pan capacity (pans NOT included), welded stainless steel body, frame, front, sides & top, 6" adjustable stainless steel legs, 1/2 HP, 115v/60/1-ph, 12.36 amps, NEMA 5-20P, cord & plug, cULus, UL EPH Classified
2. One (1) Standard warranty: one year parts and labor warranty
3. One (1) 4 year (parts only) compressor warranty, Self-contained units only.
4. One (1) Casters with 5" wheel 6" OA (set of 8), in lieu of legs

ITEM # 15 RANGE, 24" GRIDDLE
Quantity: One (1)
Manufacturer: Montague Company
Model: TC-2FT

1. One (1) Model TC-2FT Technostar Restaurant Range, gas, 24", griddle, countertop, stainless steel front and sides, 4" flue riser, 4" high legs, 40,000 BTU, CE, CSA, NSF
2. One (1) Dormont Model 1675KITCF2S48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long covered with stainless steel braid, coated with blue antimicrobial PVC, (1) Safety Quik® QDV, (2) Swivel MAX®, and coiled restraining cable with hardware, 160,000 BTU/hr minimum flow capacity, limited lifetime warranty
3. One (1) Gas type to be specified
4. One (1) 27" deep cooktop, standard

ITEM # 16 CHARBROILER, GAS, COUNTERTOP
Quantity: One (1)
Manufacturer: Montague Company
Model: UFLCS-24R

1. One (1) Model UFLCS-24R Technostar Char-Broiler, 24", countertop, shallow depth low-profile, self-cleaning stainless steel radiants, 2-position cast iron Ultra-Flow reversible top grate, stainless steel front, sides & top trim, 3/4" rear gas, with pressure regulator, 4" adjustable nickel legs, 76,000

BTU, NSF, CE

- 2. One (1) Dormont Model 1675KITCF2S48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long covered with stainless steel braid, coated with blue antimicrobial PVC, (1) Safety Quik® QDV, (2) Swivel MAX®, and coiled restraining cable with hardware, 160,000 BTU/hr minimum flow capacity, limited lifetime warranty
- 3. One (1) Gas type to be specified

ITEM # 17	RANGE, 36", 6 OPEN BURNERS
Quantity:	One (1)
Manufacturer:	Montague Company
Model:	TC-6

- 1. One (1) Model TC-6 Technostar Restaurant Range, gas, 36", (6) 30,000 BTU open burners, countertop, stainless steel front and sides, 4" flue riser, 4" high legs, 180,000 BTU, CE
- 2. One (1) Dormont Model 1675KITCF2S48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long covered with stainless steel braid, coated with blue antimicrobial PVC, (1) Safety Quik® QDV, (2) Swivel MAX®, and coiled restraining cable with hardware, 160,000 BTU/hr minimum flow capacity, limited lifetime warranty
- 3. One (1) Gas type to be specified
- 4. One (1) 27" deep cooktop, standard

ITEM # 18	SALAMANDER BROILER, GAS
Quantity:	One (1)
Manufacturer:	Montague Company
Model:	SB36-W

- 1. One (1) Model SB36-W Legend™ Salamander Broiler, 36" Heavy-Duty Wall Mount, ceramic tile infrared Rapid Start full-flow burners, on-off controls, adjustable grid heights, stainless steel front, sides, top & bottom, with wall mounting brackets, 32,000 BTU
- 2. One (1) Dormont Model 1675KITCF2S48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long covered with stainless steel braid, coated with blue antimicrobial PVC, (1) Safety Quik® QDV, (2) Swivel MAX®, and coiled restraining cable with hardware, 160,000 BTU/hr minimum flow capacity, limited lifetime warranty
- 3. One (1) Standard warranty: one year parts and labor warranty
- 4. One (1) Gas type to be specified

ITEM # 19	CONVECTION OVEN, GAS
Quantity:	Two (2)
Manufacturer:	Montague Company
Model:	R2-85A

- 1. Two (2) Model R2-85A Apollo Convection Oven, gas, double-deck, standard depth, snap action thermostatic controls, 60 minute electric timer, 2-speed motor, (5) racks each, stainless steel front

with glass in doors, sides & top, 3" H flue deflector with stainless steel front trim, 6" high stainless steel legs, 170,000 BTU, NSF, CSA Star

2. Two (2) Dormont Model 1675KITCF2S48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long covered with stainless steel braid, coated with blue antimicrobial PVC, (1) Safety Quik® QDV, (2) Swivel MAX®, and coiled restraining cable with hardware, 160,000 BTU/hr minimum flow capacity, limited lifetime warranty
3. Two (2) Standard warranty: one year parts and labor warranty
4. Two (2) Gas type to be specified
5. Two (2) (2) 120v/60/1ph, 1/2 hp, cord with 3-prong plug
6. Two (2) Gas manifold, for single point connection
7. Two (2) Casters with 5" wheel 6" OA (set of 4)

ITEM # 20

STEAMER, CONVECTION, BOILERLESS,
COUNTERTOP

Quantity:
Manufacturer:
Model:

One (1)
Cleveland Range
22CGT6.1

1. One (1) Model 22CGT6.1 SteamChef™ 6 Convection Steamer, Gas, boilerless, countertop, 1 compartment, (6) full size pan capacity, 60-minute electro-mechanical timer & manual (continuous steaming) bypass switch, left-hand hinged door, controls on right, automatic drain & water level controls, KleanShield™ interior, standard treated & tap water connection, stainless steel exterior, 4" adjustable legs with flanged feet, 32,000 BTU, UL, ENERGY STAR®
2. One (1) Dormont Model 1675KITCF2S48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long covered with stainless steel braid, coated with blue antimicrobial PVC, (1) Safety Quik® QDV, (2) Swivel MAX®, and coiled restraining cable with hardware, 160,000 BTU/hr minimum flow capacity, limited lifetime warranty
3. One (1) 1-year parts & labor warranty, standard
4. One (1) 3 year Convection Steamer Door Warranty, standard
5. One (1) Performance start-up included at customer request after equipment is installed (Free Water Quality Check included) (contact Cleveland Sales Representative for details)
6. One (1) Gas type to be specified
7. One (1) 120v/60/1-ph, 4.0 amps, standard
8. One (1) Model UNISTAND34 (P/N 111721) Equipment Stand, 34" H, stainless steel

ITEM # 21

REACH-IN REFRIGERATOR

Quantity:
Manufacturer:
Model:

Four (4)
True Mfg. - General Foodservice
STA2R-2S-HC

1. Four (4) Model STA2R-2S-HC SPEC SERIES® Refrigerator, reach-in, two-section, (2) stainless steel doors with locks, cam-lift hinges, digital temperature control, (6) chrome shelves, LED interior lights, stainless steel front & sides, aluminum interior sides & walls, stainless floor & ceiling, 5" castors,

R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 5.9 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA, ENERGY STAR®

2. Four (4) Warranty - 7 year compressor (self-contained only), please visit www.Truemfg.com for specifics
3. Four (4) Warranty - 3 year parts and labor, please visit www.Truemfg.com for specifics
4. Four (4) Left door hinged left, right door hinged right standard
5. Four (4) (3) chrome shelves and shelf supports standard per section
6. Eight (8) Chrome plated shelf (includes shelf clip supports) (specify for left, center or right section, if applicable), each
7. Four (4) 5" castors, set of 4, standard

ITEM # 23

WORK TABLE, STAINLESS STEEL TOP

Quantity:

One (1)

Manufacturer:

IMC/Teddy

Model:

WT-3060

1. One (1) Model WT-3060 Work Table, 60"W x 30"D, 14/304 stainless steel flat top, stainless steel undershelf & legs, KD
2. One (1) See "Integral Sinks" for sink options
3. One (1) Model C4 Swivel Caster, 5", set of 4, with brakes

ITEM # 34

ICE BIN FOR ICE MACHINES

Quantity:

One (1)

Manufacturer:

Ice-O-Matic

Model:

B42PS

1. One (1) Model B42PS Ice Bin, 351 lb storage capacity, 22"W, 31"D x 50"H, top-hinged, slope front door, for top-mounted ice maker, polyethylene interior, durable aluminum exterior, 6" legs, NSF
2. One (1) 2 yr. parts & labor warranty, standard

ITEM # 35

ICE MAKER, CUBE-STYLE

Quantity:

One (1)

Manufacturer:

Ice-O-Matic

Model:

CIM0320FA

1. One (1) Model CIM0320FA Elevation Series™ Modular Cube Ice Maker, air-cooled, self-contained condenser, dual exhaust top/side air discharge, 22" W, approximately 313 lb production/24 hours at 70°/50° (244 lb at 90°/70°), full-size cubes, PURE ICE® built in antimicrobial protection, LED status display, one touch sanitize/descaling controls, dishwasher safe food zone components, cULus, NSF, CE, BPA Free
2. One (1) 3 yr. parts & labor warranty, standard
3. One (1) 5 yr. evaporator warranty, standard

4. One (1) 5 yr. parts on the compressor warranty, standard
5. One (1) 115v/60/1-ph, 11.0 amps, standard

ITEM # 38 WATER FILTRATION SYSTEM, FOR ICE
MACHINES
Quantity: One (1)
Manufacturer: Ice-O-Matic
Model: IFQ1

1. One (1) Model IFQ1 Water Filter Manifold, single filter designed for ice makers producing up to 800 lbs. (363.6 Kg.) of ice per day, 1.5 gpm maximum flow rate, IsoNet® scale inhibitor, .5 micron particle reduction, quick connect fittings (water filters must be changed every 180 days (6 months), at a minimum)
2. One (1) 1 yr parts & labor warranty (excluding cartridges), standard

ITEM # 42 WALL / SPLASH MOUNT FAUCET
Quantity: Two (2)
Manufacturer: Fisher
Model: 60968

1. Two (2) Model 60968 Faucet, backsplash mount, 8" centers, 10" swing spout, lever handles with color coded indexes, 1/2" NPT male inlets, stainless steel, ADA Compliant
2. Two (2) 5 year warranty against defects in materials or workmanship, standard

ITEM # 43 WIRE SHELVING
Quantity: Five (5)
Manufacturer: Metro
Model: 2160BR

1. Five (5) Model 2160BR Super Erecta® Shelf, wire, 60"W x 21"D, Brite (zinc) finish, plastic split sleeves are included in each carton, NSF
2. Four (4) Model 86P Super Erecta® SiteSelect™ Post, 86-1/2"H, adjustable leveling bolt, posts are grooved at 1" increments & numbered at 2" increments, double grooved every 8", chrome finish

ITEM # 44 FOUR COMPARTMENT SINK
Quantity: One (1)
Manufacturer: Custom
Model: ST/STL

ITEM # 45 SINGLE WALLSHELF
Quantity: One (1)

Manufacturer: Custom
Model: ST/STL

ITEM # 46 WALL / SPLASH MOUNT FAUCET
Quantity: Two (2)
Manufacturer: Fisher
Model: 60917

1. Two (2) Model 60917 Faucet, backsplash mount, 8" centers, 10" swing spout, lever handles with color coded indexes, 1/2" NPT male inlets, with elbows, stainless steel, CSA, ADA Compliant
2. Two (2) 5 year warranty against defects in materials or workmanship, standard

ITEM # 47 PRE-RINSE FAUCET ASSEMBLY, WITH
ADD ON FAUCET
Quantity: One (1)
Manufacturer: Fisher
Model: 34622

1. One (1) Model 34622 Pre-Rinse Unit, 8" backsplash with elbows, spring style with inline vacuum breaker, add-on faucet with 12" swing spout, 30" hose, lever handles, stainless steel

ITEM # 48 SINGLE WALLSHELF
Quantity: One (1)
Manufacturer: Custom
Model: ST/STL

ITEM # 49 MOP SINK CABINET
Quantity: One (1)
Manufacturer: IMC/Teddy
Model: CMSC-R

1. One (1) Model CMSC-R Combination Mop & Storage Cabinet, 46-1/2"W x 30"D x 84"H, mop storage on left with 23-1/2" wide x 19" front-to-back mop sink & hinged door, includes wall-mounted utility spray assembly (KL53-2000-VB), storage cabinet on right with (2) fixed shelves & ramp for mop bucket, top compartment includes (1) fixed shelf notched for mop handles, 18-gauge stainless steel construction, NSF, Made in USA
2. One (1) Model CMSC-SEC Security Package, for CMSC models

ITEM # 52 DOUBLE BLADE SPLASH GUARD
Quantity: One (1)
Manufacturer: Custom

Model: ST/STL

ITEM # 54 PREP TABLE
Quantity: One (1)
Manufacturer: Custom
Model: ST/STL

ITEM # 55 HAND SINK
Quantity: Two (2)
Manufacturer: Custom
Model: ST/STL

ITEM # 56 DECK MOUNT FAUCET
Quantity: Two (2)
Manufacturer: Fisher
Model: 1744

1. Two (2) Model 1744 Faucet, 4" OC deck mount, with rigid spout, 1/2" inlets, lever handles, hot and cold index buttons, swiveling seat disks, stainless steel seats, stainless steel seat screws, stainless steel handle screws

ITEM # 57 SPLASH GUARD
Quantity: Two (2)
Manufacturer: Custom
Model: ST/STL

ITEM # 58 PREP SINK
Quantity: Two (2)
Manufacturer: Custom
Model: ST/STL

ITEM # 59 DOUBLE WALLSHELF
Quantity: One (1)
Manufacturer: Custom
Model: ST/STL

ITEM # 60 FOOD PROCESSOR, BENCHTOP /
 COUNTERTOP
Quantity: One (1)
Manufacturer: Robot Coupe
Model: R2N

- 1. One (1) Model R2N Commercial Food Processor, 3 liter gray polycarbonate bowl with handle, vegetable prep attachment with external ejection, kidney-shaped opening, includes: (1) "S" blade (27055), (1) 2mm grating disc (27577), (1) 4mm slicing disc (27566), continuous feed, bowl attachment designed for vertical cutting & mixing, on/off & pulse switch, single speed, 1725 RPM, 120v/60/1-ph, 7.0 amps, 1 HP, NEMA 5-15P, cETLus, ETL-Sanitation
- 2. One (1) 1 year parts & labor warranty
- 3. One (1) 3 year motor warranty

ITEM # 61 EMPLOYEE LOCKERS – NIC BY OWNER
Quantity: One (1)
Manufacturer: NIC
Model: NIC

ITEM # 66 EQUIPMENT STAND, FOR MIXER /
 SLICER
Quantity: One (1)
Manufacturer: IMC/Teddy
Model: SMT-3036

- 1. One (1) Model SMT-3036 Mixer Stand, 30"D x 36"W x 30"H, with undershelf, 14 gauge stainless steel, (4) casters (2 with brakes)

ITEM # 67 FOOD SLICER, ELECTRIC
Quantity: One (1)
Manufacturer: Hobart
Model: HS6-1

- 1. One (1) Model HS6-1 Heavy Duty Meat Slicer, manual, 13" CleanCut™ removable knife with removal tool, burnished finish, removable meat grip assembly, removable ring guard cover, single action top mounted sharpener with Borazon™ stones, cleaning kickstand, 1/2 hp motor, 5.4amps, 120v/60hz/1-ph, NSF cETLus
- 2. One (1) Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA

ITEM # 68 EQUIPMENT STAND, FOR MIXER /
 SLICER
Quantity: One (1)

Manufacturer: Hobart
Model: TABLEHW-HL2012

1. One (1) Model TABLEHW-HL2012 Mixer Table; 27"W x 32"D x 26"H, the top shelf is drilled for mounting an HL120 or HL200 mixer, includes 4 posts for storing attachments, a lower shelf for additional storage, & (4) locking 5" diameter wheels

ITEM # 69 PLANETARY MIXER
Quantity: One (1)
Manufacturer: Hobart
Model: HL200-1STD

1. One (1) Model HL200-1STD 100-120/50/60/1; Bench type mixer; with bowl, beater, whip & spiral dough arm, US/EXP configuration - Legacy Planetary Mixer, Bench, 20 quart, (3) fixed speeds plus stir speed, gear-driven transmission, 15-minute SmartTimer™, #12 taper hub, manual bowl lift, stainless steel bowl, aluminum "B" beater, stainless steel "D" wire whip, aluminum "ED" spiral dough arm, stainless steel bowl guard, 1/2 hp, cord with plug
2. One (1) Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA

ITEM # 70 SECURITY UNIT
Quantity: Four (4)
Manufacturer: Metro
Model: SEC53DC

1. Four (4) Model SEC53DC Super Erecta® Security Unit, mobile, chrome plated finish, 40-3/4"W x 27-1/4"D x 68-1/2"H, no intermediate shelves, (4) 5MP casters, NSF

ITEM # 71 REACH-IN REFRIGERATOR
Quantity: One (1)
Manufacturer: True Mfg. - General Foodservice
Model: T-49-HC

1. One (1) Model T-49-HC Refrigerator, reach-in, two-section, (2) stainless steel doors, (6) PVC coated adjustable wire shelves, interior lighting, stainless steel front, aluminum sides, aluminum interior with stainless steel floor, 4" castors, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 5.4 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA, ENERGY STAR®
2. One (1) Self-contained refrigeration standard
3. One (1) Warranty - 7 year compressor (self-contained only), please visit www.Truemfg.com for specifics
4. One (1) Warranty - 3 year parts and labor, please visit www.Truemfg.com for specifics
5. One (1) Left door hinged left, right door hinged right standard
6. Four (4) Additional PVC coated wire shelf, each (shelf clips included)

7. One (1) 4" stem castors, standard (adds 5" to OA height)

ITEM # 74	WORK TABLE, STAINLESS STEEL TOP
Quantity:	Six (6)
Manufacturer:	IMC/Teddy
Model:	WT-3060

1. Six (6) Model WT-3060 Work Table, 60"W x 30"D, 14/304 stainless steel flat top, stainless steel undershelf & legs, KD
2. Six (6) See "Integral Sinks" for sink options
3. Six (6) Model C4 Swivel Caster, 5", set of 4, with brakes
4. Six (6) Model TBV-1-1260 Overshelf, table mounted, single tier, 12"D x 60"W, (4) legs, 18 gauge stainless steel

ITEM # 75	BAR STOOL
Quantity:	Twenty-Four (24)
Manufacturer:	NIC
Model:	NIC

ITEM # 80	CHEF'S COUNTER
Quantity:	One (1)
Manufacturer:	Custom
Model:	ST/STL

ITEM # 81	HAND SINK
Quantity:	One (1)
Manufacturer:	Custom
Model:	ST/STL

ITEM # 82	DECK MOUNT FAUCET
Quantity:	One (1)
Manufacturer:	Fisher
Model:	1744

1. One (1) Model 1744 Faucet, 4" OC deck mount, with rigid spout, 1/2" inlets, lever handles, hot and cold index buttons, swiveling seat disks, stainless steel seats, stainless steel seat screws, stainless steel handle screws

ITEM # 83 SPLASH GUARD
 Quantity: One (1)
 Manufacturer: Custom
 Model: ST/STL

ITEM # 84 PREP SINK
 Quantity: One (1)
 Manufacturer: Custom
 Model: ST/STL

ITEM # 85 DECK MOUNT FAUCET
 Quantity: One (1)
 Manufacturer: Fisher
 Model: 57657

1. One (1) Model 57657 Faucet, deck mount, 8" centers, 10" swing spout, lever handles with color coded indexes, 1/2" male inlets, stainless steel, ADA Compliant
2. One (1) 5 year warranty against defects in materials or workmanship, standard

ITEM # 86 SANDWICH / SALAD PREPARATION
 REFRIGERATOR
 Quantity: One (1)
 Manufacturer: Delfield
 Model: 4464NP-16

1. One (1) Model 4464NP-16 Sandwich/Salad Top Refrigerator, two-section, 64" W, 21.60 cubic feet, (2) doors, (2) 1/1 GN shelves, stainless steel top with polyethylene cutting board & (16) 1/6 size plastic pans, ABS interior sides, stainless steel front & sides, 5" casters, front-breathing rear-mounted refrigeration system, R290 Hydrocarbon refrigerant, 0.35 hp, cUL, UL, NSF
2. One (1) NOTE: Freight quotes are only valid from Delfield
3. One (1) Model 0460003CN 3 year parts & labor warranty, standard
4. One (1) Model W00007ACN 7 year compressor warranty, standard
5. One (1) 115v/60/1-ph, 6.0 amps, NEMA 5-15P, standard
6. One (1) Self-Contained refrigeration, standard
7. One (1) Telescoping lid, standard

END OF SECTION 11 40 00 FOOD SERVICE EQUIPMENT SPECIFICATIONS