

Date Issued: August 2, 2021

Invitation to Bid No.: 21-027

The City of Decatur will accept sealed bids for the following material, equipment or services for the Engineering Department.

Description: **Bituminous Plant Mix**

Bids must be received before 2:15 PM, August 17, 2021. The bid opening will be publically opened at that time on the 7th Floor, Decatur City Hall, 402 Lee St NE, Decatur, AL 35601.

Return the **original and (1) copy** of your **sealed and marked** bid to:

Regular Mail
City of Decatur
Purchasing Department
P.O. Box 488
Decatur, AL 35602

Courier
City of Decatur
Purchasing Department
Third Floor
402 Lee St., NE
Decatur, AL 35601

I/We agree to furnish at the prices shown and guarantee that each item offered will meet or exceed all specifications, terms and conditions, and requirements listed. I herein affirm I have not been in any agreement or collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding or otherwise. I have read and understand all terms and conditions of this bid.

Company Name

Authorized Signature

Mailing Address

Typed/Printed Authorized Name

City, State, Zip

Title

Email

Telephone

PRICE SHEET

Invitation to Bid No.: 21-027

Opening Date: August 17, 2021

Opening Time: 2:15 PM

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QTY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	See Attached Price Sheet				\$
TOTAL					\$

Prices quoted above in all bids for personal property shall be total delivered price.

- A bid bond is not required for this bid.
- Evidence of insurance IS required for this bid.
- Delivery can be made _____ days or _____ weeks after receipt of order.
- Terms: _____ (Discounts offered in payment terms will be considered in the bid evaluation)
- Prices valid for acceptance within _____ days (not to be less than 30 days)
- Contracts for services are let for a period of one year and may be renewed for up to two additional years, provided the terms of the contract do not materially change.

NOTE: FOR THIS BID TO BE CONSIDERED RESPONSIVE, ALL INFORMATION REQUESTED SHOULD BE SUPPLIED, AS APPROPRIATE OR THE ENTIRE BID MAY BE DISQUALIFIED. BID RESPONSE MUST BE IN INK OR TYPED WITH THE ORIGINAL SIGNATURE INCLUDED.

By signing this contract, (Insert Company Name) _____ represents and agrees that it is not currently engaged in, nor will it engage in, any boycott of a person or entity based in or doing business with a jurisdiction with which the State of Alabama can enjoy open trade.

Bidder Signature

Company

STANDARD TERMS AND CONDITIONS

IN ORDER TO SUBMIT A RESPONSIVE BID, IT IS VERY IMPORTANT THAT ALL TERMS AND CONDITIONS, SPECIFICATIONS AND INSTRUCTIONS ARE READ THOROUGHLY.

Bid response envelopes shall be properly identified on the front with the invitation to bid number, opening date and time. Each individual invitation to bid shall be submitted in a separate sealed envelope. Multiple bid responses submitted in the same envelope/courier package (that are not in separate envelopes properly identified) shall be rejected. The Purchasing Department assumes no responsibility for late bid responses that occur due to the U.S. Postal Service or private courier service.

Bid responses and signature page must be submitted on this form in ink or typewritten or the bid will be rejected. Submit this original and (1) copy of the original with your response.

For a “no-bid” response, return the signature page signed and marked “no bid”. Non-response may result in removal from active bidders list.

The attached specifications are being provided to potential bidders as guidelines that describe the type and quality of equipment, supply, and/or service the City of Decatur is seeking to purchase. The bidder must indicate compliance or list exceptions to each specification item for consideration. Failure to comply with this provision could be cause for rejection of the bid.

Bid responses must be received in the office of the Purchasing Department not later than the date and time specified.

The Purchasing Department will not accept facsimile (fax) nor email transmissions of bids.

Changes or modifications of this Invitation to Bid are allowed only by written authority of the Purchasing Agent.

Non Appropriation of Funds: Continuation of any agreement between the City of Decatur and a bidder beyond a fiscal year is contingent upon continued legislative appropriation of funds for the purpose of this bid and any resulting agreement. Non availability of funds at any time shall cause any agreement to become void and unenforceable and no liquidated damages shall accrue to the City as a result. The City will not incur liability beyond the payment of accrued agreement payment.

Descriptive Literature: Reference to brand names and numbers is not restrictive, unless otherwise specified. Bids on equivalent items meeting the standards of quality indicated will be considered, providing the bid clearly describes the item offered and indicates how it differs from the referenced brands. Descriptive literature on any supplemental information necessary for comparison purposes shall be submitted with the bid or the Purchasing Agent may reject the bid for that item. Reference to literature submitted with a previous bid, or on file with the Purchasing Department will not satisfy this requirement.

The City of Decatur reserves the right to modify all or any portion of this Invitation to Bid when the best interest of the City is involved.

The City of Decatur reserves the right to seek clarification of bid responses from vendors submitting responses.

The City of Decatur is exempt from all Federal, sales and use taxes.

All bidders shall maintain such insurance as will protect bidder and the City of Decatur from claims under Workman's Compensation Acts and from claims for damage and or personal injury, including death, which may arise from the operation and/or fulfillment of the resulting contract of this Invitation to Bid. Insurance shall be written by companies authorized to do business in Decatur, Alabama. Evidence of insurance shall be furnished to the City of Decatur Purchasing Department with submitted bids when requested.

Any individual, company, or corporation doing business with the City of Decatur must possess and show proof thereof all proper licenses and/or proper certifications required by Federal, state and local statutes and regulations prior to award.

The City of Decatur reserves the right to terminate any contract resulting from this bid for just and reasonable cause whereby it appears to be in the best interest of the City.

The successful bidder agrees, by entering into this contract, to defend, indemnify, and hold the City of Decatur harmless from any and all causes of action or claims of damages arising out of or related to bidder's performance under this contract.

The successful bidder shall abide by all Federal, State, and Local Statutes, laws, regulations, and ordinances.

An electronic version of this bid is available on the City's website at www.decalab.com or by emailing purchasing@decalab.com. In order to decrease the evaluation time and insure award by the award date please enter your responses in the electronic version if possible, and return it with a hard copy with your bid response package.

The hard copy of the invitation to bid on file in the City of Decatur Purchasing office shall serve as the master document. Any alterations, deletions, additions or other changes that materially change the intent of the bid could be considered grounds for rejection of the bid response.

Exclusion of the electronic files in a bid response is not a basis for rejection.

A BID RESPONSE MAY BE REJECTED IF:

- Bids improperly submitted or identified
- Bid not signed or not original signature
- Requested information, or documentation not submitted with bid
- Failure to acknowledge receipt of addendum with bid
- Material alteration of the master document
- Invitation to bid number not on face of envelope
- Received late
- Bid response not on original form
- Bid not in ink or typed
- Proper licensing not included/provided as required by law

For questions concerning the specifications contact Carl Prewitt at (256) 341-4878 or by email at clprewitt@decatur-al.gov

For questions concerning the bid schedule or bid process contact the Purchasing Department at (256) 341-4521 or by email at Purchasing@decatur-al.gov.

Notice: As a condition of contract, grant or incentive performance with the City of Decatur, compliance with the requirements of the Beason-Hammon Alabama Taxpayer and Citizen Protection Act must be provided. Please enter the name of your company and your name and complete the affidavit below. Your signature must be notarized.

BUSINESS NAME: _____

APPLICANT'S NAME: _____

E-VERIFY AFFIDAVIT

I am the applicant listed above. In my capacity as _____ of the business entity listed above, I do hereby execute this affidavit on behalf of the business listed above and, by executing this affidavit, I verify that business' compliance with Section 31-13-9 of the Code of Alabama, 1975, stating affirmatively that it does not knowingly employ, hire for employment or continue to employ an unauthorized alien. Further, the business has registered with and is participating and will participate during the performance of any contract with the City in the federal work authorization program known as "E-verify" web address <https://e-verify.uscis.gov/enroll> , operated by the United States Citizenship and Immigration Service Bureau of the United States Department of Homeland Security to verify information of newly hired employees pursuant to the Immigration Reform and Control Act of 1986 (IRCA), P. L. 99-603, in accordance with the applicable provisions of Alabama's Immigration law. The undersigned further represents that, should the business employ or contract with any subcontractor(s) in connection with the physical performance of services pursuant to the contract with the City, it will secure from such subcontractor(s) verification of compliance with Section 31-13-9 of the Code of Alabama, 1975, in a form substantially similar to this affidavit. The Business further agrees to maintain records of such compliance and provide a copy of each said verification on request of the City.

E-verify Employment Eligibility Verification User Identification Number

Applicant

Sworn to and subscribed before me on this the _____ day of _____ 20_____

Notary Public

My Commission Expires: _____

Bid Document Checklist

Items Required with Bid	Submission Requirements Check Sheet X = REQUIRED; BLANK=NOT REQUIRED	Items Submitted (Bidders Initials)
X	Envelope Sealed and Marked w/bid # on front	
X	Statement of Non-Collusion Enclosed	
X	Original Signatures (in ink)	
	Bid Bond or Check	
	Addendum	
X	E-Verify form	
X	Proof of Insurance	
X	Price Sheet Information Included	
	References	
	Catalog	
X	Send in on or before given time	
	Business License	
X	Contractor Safety Pre-qualification Form	

PLEASE CALL OR EMAIL THE PURCHASING DEPT IF YOU HAVE ANY QUESTIONS ABOUT THE BID REQUIREMENTS (256) 341-4521/PURCHASING@DECATUR-AL.GOV.

CITY OF DECATUR, ALABAMA

Contractor Pre-qualification Form (PQF)

This form must returned in your sealed bid submission and can be filled in using MS Word

Safety Health and Environmental (FOR CONTRACTORS AND MAJOR SUPPLIERS)			
GENERAL INFORMATION			
1. Company Name:		Telephone:	
Street Address:		Mailing Address:	
2. Contact for Insurance Information (Name):			
Title:		Telephone:	Fax:
3. PQF Completed By (Name):			
Title:		Telephone:	Fax:
ORGANIZATION			
4. Project Description:			

SAFETY, HEALTH & ENVIRONMENTAL PERFORMANCE			
5. Injury & Illness Stats (previous 3 years)	(Year)	(Year)	(Year)
Total Recordable Incidents:	_____	_____	_____
Fatalities:	_____	_____	_____
6. Has your company received any Citations, Notice of Violations, or other penalties relative to safety, health, or environmental within the last three years?			
Yes_____ No_____			
If Yes, please provide detailed explanation.			

7. Does your organization have a Substance Abuse and Prevention Program?

Yes No

8. Does your organization have an Accident/Incident Reporting and Investigation procedure?

Yes No

9. Do you have a Safety Orientation Program?

Yes No

10. Do you conduct field safety inspections?

Yes No

11. Do you conduct Safety Meetings?

Yes No

12. Company Safety Health and Environmental contact:

Name: _____

Title: _____

Address: _____

Phone Number: Mobile _____ Office _____

Email Address: _____

13. Company Representative:

Signature _____

Date _____

TECHNICAL SPECIFICATIONS AND CONSTRUCTION REQUIREMENTS FOR PAVEMENT

Construction materials, equipment and procedures shall be in general accord with Alabama State Highway Department STANDARD SPECIFICATIONS FOR HIGHWAYS AND BRIDGES, 2012 Edition. Specific reference should be made to Section 410-Bituminous Plant Mix Pavements, Section 411-Hot Bituminous Pavement, Section 414-Bituminous Concrete Binder Layer and Section 416-Bituminous Concrete Wearing Surface.

The nature of this work is planning (milling) and/or surfacing or resurfacing of streets, alleys, parking areas, open storage or other areas, at locations directed by the City's Representative. The bituminous plant mix furnished and installed by the Contractor shall meet ADH Section 411 (Mix 1 or 2), 414 (Mix 1 or 2), 416 (Mix 1, 2, 3, 4, 5 or 6), or 420 (Mix 1 or 2) as directed by the City's Representative.

The Decatur Street Department, or other Contractor, will prepare or repair the surface to be paved, including installation of bituminous surface treatments when required, unless otherwise specified herein.

The locations and dates of planning (milling) and or paving will be coordinated between the Contractor and City's Representative. Due consideration will be afforded work schedules and time requirement. Quantities of work will be accumulated, when possible, to preclude disruption to schedules and inefficiency of construction.

The Contractor will be required to furnish a standard highway broom for surface booming and cleaning before installation of the tack coat and paving.

The Contractor will be required to furnish an asphalt distributor to apply tack coat immediately prior to placing bituminous plant mix. Material for tack coat will be approved by the City's Representative. The cost for tack coat will not be a separate pay item, but will be included in unit price bid for bituminous plant mix.

The Contractor will be required to furnish adequate workmen to operate all equipment, and adequate rake men, flagmen and laborers to efficiently and promptly remove minor debris (grass, etc.) immediately preceding the paving, and to install the paving. Maintenance of traffic shall conform to the current Alabama Department of Transportation Standard Manual of Uniform Traffic Control Devices. No separate payment shall be made for these items but shall be included in the unit prices bid for the work items.

The Contractor will be required to provide a copy of the weight ticket for the quantity delivered by each vehicle, clearly indicating gross, tare and net weights. The tickets will be authenticated by the City's Representative on site. Payment will be net monthly for the accepted quantities.

The requirements of Section 416.02 of ALDOT Specifications are hereby revised to permit utilization of carbonate stone as a component of the wearing surface.

The refuse from planing (milling) operations shall become the property of the Contractor. The Contractor shall provide all labor and equipment to remove the refuse from site during performance of the planing (milling) operations.

Liquid asphalt shall be furnished at plant site or storage facility within ten (10) miles of Decatur City Limits. It shall be emulsified asphalt (RS-2, CRS-2, or SS-1h) as directed by the City's Representative. The asphalt will be heated in accord with standard practice to permit pumping and spraying. The liquid asphalt may be loaded and hauled by city owned or city rental asphalt distributors in full or partial loads. Larger amount requirements may be acquired from other sources.

The Contractor will be required to furnish an asphalt distributor to apply asphalt sealant immediately prior to placing pavement geotextile fabric. Material for the asphalt sealant will be CRS-2 emulsified asphalt or substitute approved by the City's Representative.

Base repairs shall include the following:

Saw cut or mill around designated failed areas to remove existing pavement.

Excavate existing base material beneath failed areas.

Compact existing subgrade

Add minimum of Six (6) inches Compacted Thickness, Crushed Aggregate, Base Course, Type A, Plant Mixed (Alabama Department of Transportation Specifications 414) to level of existing surrounding pavement.

No separate pavement will be made for milling, base or asphalt in these areas, but payment shall be made under the item Base Repair.

TRAFFIC STRIPE, MARKINGS AND LEGENDS

Traffic Striping, Markings and Legends will be applied at the direction of the Owner and in accordance with the State of Alabama Standard Specifications for Highway Construction, 1992 Edition. Specific reference should be made to Section 701 – Traffic Stripe, Section 703- Traffic Control Markings and Legends and Section 705 – Pavement Markers.

Where new pavement surface is applied in the same configuration as existing, traffic striping, markings and legends shall be placed in same configurations.

New construction Traffic Striping, Markings and Legends, will be coordinated with the Decatur Police Traffic Department to ensure no pass zones, turn lanes, etc. are properly designated.

Materials shall comply with State of Alabama Standard Specifications, Section 856 and shall be Class 1 – Paint Stripe or Class 2 – Thermoplastic hot applied.

Equipment for application of Class 1 paint stripe or Class 2 thermoplastic will have attachments to ensure accurate regulation of rate of application and to properly agitate paint during application.

All pavement areas to be striped shall be thoroughly cleaned and dry before application of paint. Striping shall follow as closely as practical after surface cleaning.

No striping will be permitted when (1) moisture is on pavement surface (2) surface temperature is below 40°F for paint or 50° F for thermoplastic or (3) other conditions exist that would displace, damage or affect the bonding of the stripe, markings or legend material.

Traffic stripe will be protected immediately following application by devices approved by the Owner, and shall remain in place until tire traffic will not disturb the paint.

Protection of Traffic will be a priority. The contractor shall furnish and place, without extra compensation, all warning and directional signs required to direct, control and protect traveling public while marking and stripping operations are in progress. The operation shall cause the least disruption to the normal flow of traffic as possible.

PAVEMENT MARKERS

Pavement markers shall be Class A – Reflective and shall be furnished and installed in accordance with the State of Alabama, Standard Specifications for Highway Construction, 2012 edition.

Pavement markers shall be installed at the direction of the Owner. Coordination with Decatur Police Traffic Department is the responsibility of the Contractor when questions exist as to the type or color of the Marker.

Invitation to Bid # 21-027
Bituminous Plant Mix

ALDOT ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	AMOUNT
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D (Complete in Place)		TON		
	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D (FOP)				
424A361	Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D (Complete in Place)		TON		
	Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D (FOP)				
424A366	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D (Complete in Place)		TON		
	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D (FOP)				
424A358	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D (Complete in Place)		TON		
	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D (FOP)				
424B002	Superpave Bituminous Concrete Upper Binder Layer, 1/2" Maximum Aggregate Size mix, ESAL Range C/D (Complete in Place)		TON		
	Superpave Bituminous Concrete Upper Binder Layer, 1/2" Maximum Aggregate Size mix, ESAL Range C/D (FOP)				
424B650	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D (Complete in Place)		TON		
	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D (FOP)				
424B651	Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D (Complete in Place)		TON		
	Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D (FOP)				
420A015	Polymer Modified Open Graded Friction Course (Complete in Place)		TON		
	Polymer Modified Open Graded Friction Course (FOP)				
420B000	Open Graded Friction Course Tack Coat		GAL		
430B047	Aggregate Surfacing (3/4" Down, Crusher Run) (Complete in Place)		TON		
	Aggregate Surfacing (3/4" Down, Crusher Run) (FOP)				

ALDOT ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	AMOUNT
430B043	Aggregate Surfacing (1" Down, Crusher Run) (Complete in Place)		TON		
	Aggregate Surfacing (1" Down, Crusher Run) (FOP)				
	Milling Existing Pavement (0.00" - 2.0" Thick)		SQYD		
	Milling Existing Pavement (2.10" - 4.0" Thick)		SQYD		
	Milling Existing Pavement (4.10" - 6.0" Thick)		SQYD		
622A000	Manhole Covers Reset		EACH		
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)		MILE		
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)		MILE		
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)		MILE		
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)		MILE		
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)		LF		
701C000	Broken Temporary Traffic Stripe		MILE		
701C001	Solid Temporary Traffic Stripe		MILE		
701F000	Dotted Temporary Traffic Stripe		LF		
703A002	Traffic Control Markings, Class 2, Type A		SQFT		
703B002	Traffic Control Legends, Class 2, Type A		SQFT		
703D001	Temporary Traffic Control Markings		SQFT		
703E001	Temporary Traffic Control Legends		EACH		
705A039	Pavement Markers, Class A-H, Type 2-A		EACH		
433A000	Scrub Seal		SQYD		
730H001	Loop Wire		LF		

TOTAL BID BASED ON UNIT PRICES: _____

The BIDDER by execution hereafter, hereby agrees to construct the hereinbefore described and specified WORK at unit prices bid, with final contract amount, calculated from actual measured quantities. The quantities may be substantially increased or decreased at the discretion of the City of Decatur with no liability incurred by the City. Contractor is responsible for all traffic control. **Per City Engineering, there will be no use of shingle mix for wear course.**

AND, FURTHER, that we will be ready to begin construction no later than ten (10) calendar days after Notice to Proceed at locations directed by the City's Representative and will complete construction promptly at all locations, and for unit prices bid, during a period of twelve (12) months from date of Contract Notice to Proceed. The plant site is located at

(Location and Address)

AND, FURTHER, that after Notice of Award, we hereby accept this contract proposal as being complete and binding if timely notices and agreement are performed by the City of Decatur as hereinbefore described.

Witness our hand and seal, this ____ day of _____.

The Undersigned's Alabama CONTRACTOR'S License No. is _____ and the bid limitation classification is \$ _____.

Respectfully submitted:

Contractor

Signature

Title

SEAL - (If BID is by a Corporation)

Address

ATTEST: _____

Phone Number

Date