

## CITY OF SPRINGFIELD Public Works Department

Street · Sanitation · Vehicle Maintenance · Storm Water

2809 Clinard Drive, Springfield, TN 37172

Office: 615-384-2746, www.SpringfieldTN.Gov

### INVITATION TO BID Bid #1154

The City of Springfield Public Works Department is requesting bids for **96 Gallon**, **Rotational Molded**, **Wheeled Refuse Containers**. Any questions related to this proposal shall be directed to the City of Springfield Public Works Director, Clayton Moore, PE at 615-384-2746.

Bids for 96 Gallon, Rotational Molded, Wheeled Refuse Containers will be received by the City of Springfield at:

Office of the City Recorder City Hall 405 N. Main Street Springfield, Tennessee 37172 615-382-2200

<u>until 2:00 PM, Local Time, Tuesday, February 9, 2021,</u> at which time and place bids will be publicly opened and read aloud. Bids sent by mail should be directed to the **attention of the City Recorder.** 

Bid proposal may be downloaded at www.SpringfieldTN.Gov or obtained at the: Public Works Department 2809 Clinard Drive Springfield, Tennessee 37172 Monday through Friday, 7:30 a.m. until 4:30 p.m. 615-384-2746

No Telegraph/Fax bids will be considered.

Bid shall be enclosed in a sealed envelope with all applicable forms completed. Each envelope shall bear on the outside the following: <u>Bid 1154</u>, <u>Bidder's Name</u>, <u>address</u>, <u>the date and time of the bid opening and the bid name and/or contract number</u>. Failure to show these items on the outside of the envelope will result in the bid being returned to the Bidder unopened.

The City of Springfield reserves the right to reject any and/or all bids.

# 96 Gallon, Rotational Molded, Wheeled Refuse Containers Bid #1154

### **CONDITIONS:**

Units offered under this advertisement shall be new, standard production models of the latest design in current production.

Materials shall be of good commercial quality for the intended service and shall be produced by use of current manufacturing processes. Material shall be treated to resist rust, corrosion, and wear.

Bidders must submit with their bid a thorough and concise warranty on the proposed equipment, printed specifications and advertising literature on the unit they propose to furnish.

The bidder shall list on a separate sheet of paper any variations from, or exceptions to, the conditions and specifications of this bid. This sheet shall be labeled "Exception(s) to Bid Conditions and Specifications," and shall be attached to the bid.

The price or prices quoted shall include all transportation charges fully prepaid to City of Springfield, Public Works Department, 2809 Clinard Drive, Springfield, Tennessee 37172.

All quoted prices must be valid for 120 days after the date of the bid opening.

Awards will be made to the lowest responsible bidder. The quality of the articles to be supplied, their conformity with the specifications, their suitability to requirements, <u>delivery terms and guarantee clauses shall be taken into consideration</u>. Guarantee Clauses: Clauses requiring specific guarantees to cover parts delivery, parts repair, total repairs and resale value may be included.

The City of Springfield reserves the right to reject any or all bids, to waive any informality in bids, to accept in whole or in part such bid or bids as may be deemed to the best interest of the City.

The City of Springfield reserves the right to extend this purchase price for an additional twelve (12) months after the date of approval by the Board of Mayor and Aldermen with the mutual consent of both parties.

### 96 Gallon, Rotational Molded, Wheeled Refuse Containers BID #1154 Bid Opening: Tuesday, February 9, 2021, 2:00 PM CST

Item	Quantity	Each	Total
96 Gallon, Rotational Molded,	500		
Wheeled Refuse Containers			
Repair Parts	Minimum (	Qty	Each
Green Lids with Attachment Parts			
Black Lids with Attachment Parts			
and embossed with "Private			
Owner"			
Two (w) Wheels, Axle Assembly			
with Attachment Parts			
Lift Bar and Attachment Parts			
**************************************			
shall include freight FOB City of Spr y of the options. The repair part prices yard of bid.	ingfield. The (	City reser	ves the right
shall include freight FOB City of Spr y of the options. The repair part prices ard of bid.	ingfield. The (	City reser	ves the right

City, State Zip Email

Fax

Address

### **NOTICE TO BIDDERS**

### IRAN DIVESTMENT ACT NOTICE

Tenn. Code Ann. § 12-12-106 requires the chief procurement officer to publish, using credible information freely available to the public, a list of persons it determines engage in investment activities in Iran, as described in § 12-12-105.

For these purposes, the State intends to use the attached list of "Entities determined to be non-responsive bidders/offerors pursuant to the New York State Iran Divestment Act of 2012."

While inclusion on this list would make a person ineligible to contract with the state of Tennessee, if a person ceases its engagement in investment activities in Iran, it may be removed from the list.

If you feel as though you have been erroneously included on this list please contact the Central Procurement Office at <a href="mailto:CPO.Website@tn.gov">CPO.Website@tn.gov</a>.

List Date: April 15, 2020

Source: <a href="https://www.ogs.ny.gov/about/regs/docs/ListofEntities.pdf">https://www.ogs.ny.gov/about/regs/docs/ListofEntities.pdf</a>

1. Ak Makina, Ltd.

2. Amona

3. Bank Markazi Iran (Central Bank

of

Iran)

4. Bank Mellat

5. Bank Melli Iran

6. Bank Saderat Iran

7. Bank Sepah

8. Bank Tejarat

9. China Precision Machinery Import- Export Corporation

(CPMIEC)

10. ChinaOil (China National United

Oil

Corporation)

11. China National Offshore Oil Corporation (CNOOC)

12. China National Petroleum Corporation (CNPC)

13. Indian Oil Corporation

14. Kingdream PLC

15. Naftiran Intertrade Co. (NICO)

16. National Iranian Tanker Co.

(NITC)

17.Oil and Natural Gas Corporation (ONGC)

18. Oil India, Ltd.

19. Persia International Bank

20. Petroleos de Venezuela (PDVSA Petróleo, SA)

21.PetroChina Co., Ltd.

22. Petronet LNG, Ltd.

23. Sameh Afzar Tajak Co. (SATCO)

24. Shandong FIN CNC Machine

Co., Ltd.

25. Sinohydro Co., Ltd.

26. Sinopec Corp. (China

Petroleum & Chemical

Corporation)

27.SKS Ventures

28.SK Energy Co., Ltd.

29. Som Petrol AS

30. Unipec (China International

United Petroleum & Chemicals Co.,

Ltd.)

31. Zhuhai Zhenrong Co.

## IRAN DIVESTMENT ACT

"By the submission of this bid, each bidder and each person signing on behalf of any bidder certifies and in the case of a joint bid each thereto certifies as to its own organization, under penalty of perjury, that to the best of its knowledge and belief that each bidder is not a person included within the list created pursuant to § 12-12-106."

Signature:	
Date:	
Title:	

### **Specifications**

#### 96+/- Gallon Wheeled Refuse Container

**SCOPE:** These specifications will describe a plastic 96-gallon, rotational molded, wheeled refuse container to be compatible with the City's automated and semi-automated refuse collection system.

### I. DESIGN SPECIFICATIONS:

- A. General: Container body shall be manufactured by the advanced Rotational Molding Method. Containers shall be compatible with Type B (American semi-automated bar locking lifters) and Type G (Automated arm lifters.) The containers must meet these minimum specifications:
  - 1. Plastic Material: All plastic material must be 100% recyclable and repairable. Base plastic resin must be first quality linear density polyethylene supplied by a national petrochemical producer. Bidder must submit original technical data sheets from the resin producer which verify that the resin to be used in the container body and lid will meet the following minimum levels:

Resin Property	Test Method	<u>Units</u>	Acceptable Value Range
Density	ASTM D-4883	kg/c.m.	.09370940
•	D-1505	g/cu.cm	.09370940
Elongation	ASTM D-638	%	<u>≥</u> 1000
Environmental Stress Crack Resistance	ASTM-D		1693(B) hours

#### 2. Resin Additives:

- a. The plastic resin must be enhanced with color pigment and ultraviolet inhibitor which must be uniformly distributed throughout the finished container. To ensure thorough, uniform distribution of these additives, the resin and additives must be mixed in a molten state using a hot melt compounding process.
- b. Bidder must submit a statement that all of the plastic resin and additive will be hot-melt blended. Color pigment must be compounded at a minimum concentration of 1.5%, by weight. Ultra-violet inhibitors must be compounded at a minimum concentration of 0.5%, by weight.

- B. Container Body:
  - 1. The container lip shall have a reinforced, self-aligning, rain/insect-proof top rim to minimize warpage.
  - 2. The container bottom shall have thick, wear ribs molded into the container to prevent excessive wear. Screw-on, bolt-on, or pop-on pads are not acceptable.
  - 3. Container body shall have a handle molded as an integral part of the container body, not the container lid. Bolted-on handle mounts or handles are not acceptable.
  - 4. Container shall utilize a molded-in, sealed stop bar sleeves with 1" diameter rotating steel stop bar. Plastic stop bars are not acceptable. Stop bar must not be exposed to the garbage.
- C. Capacity: Container shall have a minimum capacity of 96 gallons. Bidder must include an independent test result, certified by an accredited professional engineer, showing the exact capacity of the cart body to the nearest 0.1 U.S. gallon.

(Body Capacity, Excluding Lid:	U.S. Gallons)
D. Container shall be designed to regular counds of waste material, excluding the permanent damage and distortion. Containe Z245.30 which limits maximum load rating the must submit its normal printed color sales product item bid and a corresponding load ration.	weight of the container, without r shall comply with ASNI Standard to 3.5 pounds per gallon. Bidder brochure which show the exact
(Published Load Rating:	Pounds)

E. Weight: The resin weight of the container shall be a minimum of 33 pounds and a maximum of 37 pounds, excluding wheels and hardware.

(Total Weight of Body Plus Lid:	F	Pounds)
---------------------------------	---	---------

- F. Dimensions: The dimensions of the container shall be such that they are compatible with existing Public Works rear loading units and with all automated loading units and shall not exceed the following:
  - 1. Depth: 36" approximately
  - Width: 30"
     Height: 47"
- G. Container Lid:
  - 1. Each container shall be furnished with a durable polyethylene lid.

- 2. Lids shall open 270 degrees to facilitate easy loading.
- 3. Lids shall be domed to minimize warpage, increase rigidity, and shed water.
- 4. Lid must overlap the container rim reinforcement
- 5. The lid shall be attached to the body without the use of a metal hinge or metal cable. Lids with a "living hinge" are not acceptable.
- 6. Lid shall not change shape or color under normal operating conditions.

### H. Wheel and Axle:

- 1. Wheel hubs shall be molded from high density polyethylene.
- 2. Wheels shall be 1.75" in width with a minimum diameter of 10".
- 3. Each wheel shall have a minimum load capacity of 200 pounds.
- 4. Axle shall be constructed of solid galvanized steel rods with a minimum diameter of 5/8". Axles must not be exposed to contents inside the container. Bolt-on or riveted axles are not acceptable.

### I. Markings:

- 1. The container shall have a list of "Do's" and "Do Not's" molded into the container lid in both English and Spanish.
- 2. White serial numbers, 1" in height, shall be hot stamped into the container body.
- 3. The City of Springfield shall be stamped into the side of the container in white lettering, min. of 2" letters.
- 4. A <u>white arrow</u> & language (English & Spanish) shall be hot stamped into the lid indicating correct placement of the cart in relationship to the street, 4" ht & 1" wide in height. Purchaser shall approve layout before manufacturing of carts.
- J. Color: Container shall have green body and green container lid.
- K. Finish: Container shall have a smooth interior, with no substantial recesses that will impair the emptying of the container.
- L. Stability: Container shall be stable and self-balancing when in the upright position, either loaded or unloaded. The container must be designed to withstand winds of up to 35 mph when unloaded. Containers which require the designing of a foot pedal at the rear base to act as a fulcrum in the "tilt to roll" process shall be deemed unsafe to operate and unacceptable.
- **II. DELIVERY:** Included in this delivery will be the 2/3 assembly (all except lids) of the containers, delivery of the containers to the City, list of all the serial numbers.

- **III. WARRANTY:** The complete container and all its sub parts must be warranted for a period of ten (10) years from date of delivery. Warranty shall be 100% replacement, not pro-rated. Bidder shall provide City with parts to repair minor problems.
- **IV. BIDDER CAPABILITIES:** Manufacturer must produce all substantial parts of the container in their own production facility. Bidder shall state location of nearest full-service location maintaining a complete inventory of parts and manned by trained personnel.

(Service Location:	)
--------------------	---

V. ADDITIONAL CARTS: Should the City elect to purchase additional carts within (90) days from the bid date, the bid price per cart shall remain in effect.

**LIABILITY INSURANCE:** Bidder shall attach a certificate of insurance, which indicates that a minimum of \$3,000,000 liability insurance applies to the equipment bid. Bidder shall provide a contact name and phone number for verification of coverage.

Agent's Name:	Phone:	