

Trail Mowing & Refuse Collection – Maps and Location Sites

23-DPR-ITBLW-354 Mowing & Refuse Collection ITB

Department of Parks and Recreation
Parks and Natural Resources Division

November 1, 2022



Custis Trail Section 27, Rosslyn Section Heading East to West


1. Trail from the GW foot bridge head West towards North Uhle Street. Just after crossing over I-66, the trail curves sharply (a 90 Degrees) to the right this is where this section ends.
2. There are 2 trash cans in this trail section.
 - a. Trash can #26 is located 300 ft west of the Teddy Roosevelt Island bridge connection.
 - b. Trash can #25 is located at the intersection of Langston Blvd & North Scott Street.
3. String trim along all sound walls bordering the paved trail and any bridge edging the trail uses to cross roadways.
4. Apply an approved herbicide to vegetation growing up through cracks in the paved trail.

CUSTIS TRAIL SECTION 27 – ROSSLYN SECTION (Heading East to West)

From George Washington Parkway Bridge to Lynn Street

The mowing area is defined by either a fence or by a wood/brush line.

The average width is approx. 30 feet and narrows further West.




The mowing area is defined by either a fence or by a wood/brush line.

The average width is approximately 15 feet and narrows further West.

CUSTIS TRAIL SECTION 27 - ROSSLYN SECTION – *Continued*




Mowing for the area is defined by the tree/shrub line.



This is an aerial view of the preceding pictures.

CUSTIS TRAIL SECTION 27 - ROSSLYN SECTION - *Continued*

Area between Lynn Street and Fort Meyer Drive.




Mow only the approximate 9-foot section of grass on the left side of the trail. Area is depicted in the green outlined area.

CUSTIS TRAIL SECTION 27 - ROSSLYN SECTION - *Continued*

Area between Fort Meyer Drive and North Nash Street.


Mow the grass on strip on the left and right sides of the trail.




Mow all green areas.

CUSTIS TRAIL SECTION 27 - ROSSLYN SECTION - *Continued*

Area between North Nash Street and North Oak Street.



Mow both sides of the trail from North Nash Street to North Oak Street.




This photo coming up on North Oak Street.



Aerial Picture of Trail

CUSTIS TRAIL SECTION 27 - ROSSLYN SECTION - *Continued*

Area between North Oak and North Quinn Street.



Area between North Oak and North Quinn Street.
Just Further West. Trim along the fence.




CUSTIS TRAIL SECTION 27 - ROSSLYN SECTION - *Continued*

Area between North Oak and North Quinn Street and farther West - *continued*



Mow on the right side of the trail to tree line.



Mow on both sides of the trail up to North Quinn Street.




CUSTIS TRAIL SECTION 27 - ROSSLYN SECTION - *Continued*

Area between North Quinn and North Scott Street.



Mow along the left side of the trail/sidewalk.



Mow on both sides of the trail to the tree lines up to North Scott Street.



CUSTIS TRAIL SECTION 27 - ROSSLYN SECTION – *Continued*

Area at the corner of North Scott Street



Mow area from corner to the older electric box (before bike rack-not shown). Also mow the strip between sidewalk and street.

CUSTIS TRAIL SECTION 27 - ROSSLYN SECTION - *Continued*



Continue to mow from corner of North Scott Street using tree line as mowing boundary.



Continue west on trail, mow both sides of the trail. See map on left for no mow area.



Rosslyn Section ends.



MOWING AND TRASH SERVICES ALONG DESIGNATED MULTI-USE TRAILS

Custis Trail Section 28, Lyon Village Section



ARLINGTON COUNTY DEPARTMENT OF PARKS AND NATURAL RESOURCES.
AREAS SHOWN ARE REPRESENTATIVE AND DO NOT DEPICT PRECISE BOUNDARIES.
ARLINGTON COUNTY MAINTAINS THIS DATA FOR REFERENCE PURPOSES ONLY

Custis Trail Section 28, Lyon Village Section

1. Trail from the end of section 27 heading West along I-66 and ends behind the Giant Food store at 3115 Langston Blvd, near the intersection of Spout Run Parkway and Langston Blvd (Route 29).
2. There is one spur in this section that needs mowing.
 - a. Veitch Street Spur. This is the same spur that houses trash can #23. Mow all the way up the hill to the trail head.
3. There is 1 trash can in this trail section.
 - a. Trash Can #23 is at the North Veitch Street Spur to the Custis Trail.
4. String Trim along all sound walls that border the trail asphalt pavement and any bridge edging the trail uses to cross roadways.
5. Apply an approved herbicide to vegetation growing through cracks in the paved trail.


CUSTIS TRAIL SECTION 28 – LYON VILLAGE SECTION (EAST TO WEST)

This is the start of the Lyon Village Section and the end of the Rosslyn Section



The mowing/trimming area for the start of this section is depicted in green on the aerial picture. Then proceed on the trail heading west. Mow and trim under and around railings to tree line.

CUSTIS TRAIL SECTION 28 – LYON VILLAGE SECTION - *Continued*




Proceeding from the starting area westward, mow both sides and under and around railings to tree line.

CUSTIS TRAIL SECTION 28 – LYON VILLAGE SECTION - *Continued*



Veitch Street Spur. Mow both sides of the spur heading south under railings to tree line.



Veitch Street Spur looking south. Mow both sides of the trail spur up to the yellow bollard and rocks.



CUSTIS TRAIL SECTION 28 – LYON VILLAGE SECTION - *Continued*

North Adams Street Spur. Mow under railings to brush line.



West of North Adams Spur, mow under the railings on the left side of the trail.


From North Veitch Street Spur to North Adams Street Spur there is nothing to mow.




CUSTIS TRAIL SECTION 28 – LYON VILLAGE SECTION - *Continued*



West of North Adams Street
approaching North Calvert Street.
Mow on the left side of the trail to
tree line.




Calvert Street Spur. Mow both side of
the trail down the hill and to the left
stopping at the fence.



Continuing west, mow on both sides of the trail. On the left side, mow to tree line.

CUSTIS TRAIL SECTION 28 – LYON VILLAGE SECTION - *Continued*

Between Calvert Street and Spout Run Parkway, there is nothing to mow for approximately 850 feet.



Mow on the right side of the trail to the green signage on the left of the trail.



Custis Trail Section 28 - Lyon Village Section ends here
(behind the Giant Grocery Store).

Custis Trail Section 23, Cherrydale Section

1. Trail from the end of section 28 heading West and ends at North Glebe Road.
2. There are 5 Trail Spurs in the trail section
 - a. Langston Blvd Spur. This spur is located at Trash can #22 and goes all the way down the hill to Langston Blvd. this section would need mowing
 - b. North Monroe Street Spur. There is a spur on the East Side and the West side of North Monroe Street that will need to be mowed.
 - c. North Quincy Street Spur. This spur is in the same location as Trash can 17 and yellow marker 20 and runs up to North Quincy Street.
 - d. 15th Street North Spur. This spur is just West of Trash Can #16 and North Stafford Street.
 - e. North Quincy Street Spur. This spur is just after North Vernon Street the trail turns left over I-66 off ramp. The spur continues straight up to North Quincy Street.



Custis Trail Section 23, Cherrydale Section - Continued

3. There are 7 trash cans in this trail section
 - a. Trash Can #22 Langston Spur to the Custis Trail at Trail Marker Yellow 12.
 - b. Trash Can # 20 Johnson Street & 18th Street at Trail Marker Yellow 14.
 - c. Trash Can #19 North Monroe Street Spur Trail Marker Yellow 15.
 - d. Trash Can #18 Cherry Valley Park & North Nelson Street near Trail Marker Yellow 16.
 - e. Trash Can #17 Custis Trail to Quincy Spur near Trail Marker Yellow 20.
 - f. Trash Can #16 Trail Runs under North Stafford Street. Can is in the underpass.
 - g. Trash Can #15 Can Between North Wakefield and North Vernon Street.
4. String Trim along all sound walls bordering the paved trail and any bridge edging the trail uses to cross roadways.
5. Apply an approved herbicide to vegetation growing through cracks in the paved trail pavement.

CUSTIS TRAIL SECTION 23 – CHERRYDALE SECTION (East to West)

Area behind the Lyon Village Shopping Center.

Continue west from last section. Mow/trim on the right side of the trail.



Mow/trim on both sides of the trail.


CUSTIS TRAIL SECTION 23 – CHERRYDALE SECTION - *Continued*



Continue west (approaching the Trail S-curve). Mow/trim on both sides of the trail.



In the trail S-curve, trim under the railings on the trail. There are railings on both sides of trail throughout the S-curve.



Top of S-curve towards North Irving Street. Mow/Trim on the right of the trail.

CUSTIS TRAIL SECTION 23 – CHERRYDALE SECTION - *Continued*




Aerial picture of the trail section.

CUSTIS TRAIL SECTION 23 – CHERRYDALE SECTION - *Continued*



Custis Trail West approaching the Langton Blvd Spur, mow/trim on both sides of the trail.




Langston Blvd spur. Mow/trim on both sides of the trail to Langston Blvd.






This area is west of Langston Blvd Spur. Mow/trim on both sides of trail.




This area is west of the cutoff to the 20th street spur. Mow/trim on left side of the trail.




Aerial view of the photo area. No mowing responsibility on 20th Street North spur or on the North Johnson Street spur.




CUSTIS TRAIL SECTION 23 – CHERRYDALE SECTION - *Continued*



From the 18th Street North spur to Lincoln/Monroe Street Spur. Mow/trim on left side of the trail to the fence line and on the right side to the tree line.




Mow/trim the left side of trail to fence line and the right side to the tree line and continue under Monroe overpass. The Lincoln/Monroe spur is shown on the right. Mow/trim on both sides of the spur trail up to Monroe Street.




Aerial view of this trail section.

CUSTIS TRAIL SECTION 23 – CHERRYDALE SECTION - *Continued*



Mow/trim on both sides of the trail to the fence line or the tree line.




Mow/Trim on both side of the trail to the tree line and trim under railings.




Aerial view of this trail section.

CUSTIS TRAIL SECTION 23 – CHERRYDALE SECTION - *Continued*



Monroe Street Spur - Mow/trim on both sides of the trail to the tree line and under the railings to North Lincoln Street.



Aerial view of the spur trail section.

CUSTIS TRAIL SECTION 23 – CHERRYDALE SECTION - *Continued*

This area is after the North Monroe/Lincoln overpass





Mow field on the southside of trail and mow around the tree line up to the fence line and the water/pond line.



Mowing area is inside the oval.


CUSTIS TRAIL SECTION 23 – CHERRYDALE SECTION - *Continued*

Area through Cherry Valley Park



Mow/trim 4 feet from the trail unless the wood line is closer and trim under railings.

CUSTIS TRAIL SECTION 23 – CHERRYDALE SECTION - *Continued*




Mow/trim 4 foot on either side of the trail unless there is a wood line. Please ensure to trim under and around the railings.


CUSTIS TRAIL SECTION 23 – CHERRYDALE SECTION - *Continued*




Quincy Street Spur - mow/trim on both sides of the trail up to Quincy Street.



Mow/trim on both sides of the trail



CUSTIS TRAIL SECTION 23 – CHERRYDALE SECTION - *Continued*



Mow/trim on both sides of the trail from Quincy Street to North Stafford Street overpass.

Caution: After a heavy rain, this area may become extremely wet making the ground very soft which can cause a mower to get stuck. The use of a string trimmer is recommended.

CUSTIS TRAIL SECTION 23 – CHERRYDALE SECTION - *Continued*

Mowing responsibility is after the 15th Street Spur.



No mowing responsibility in the red area.

Mow/trim on both sides of the trail up to the tree line.

CUSTIS TRAIL SECTION 23 – CHERRYDALE SECTION - *Continued*



Mow/trim on both sides of the trail up to the wood line from west of North Utah Street to Glebe Road.
See aerial picture of the area on the next slide/page.

CUSTIS TRAIL SECTION 23 – CHERRYDALE SECTION - *Continued*

Aerial picture between North Utah street and North Glebe Road.



The Cherrydale section ends at North Glebe Road.

Custis Trail Section 17, Bon Air/Westover Section

1. Trail starts were section 28 ends which is just East of North Glebe Road and ends at the Custis Trail & W&OD intersection.
2. There are 3 Trail spurs in this section
 - a. North Fairfax Drive Spur. This spur turns south at trash can #13, crosses over I-66, passes by Beaver Pond and ends at the intersection of Fairfax Drive and North Wakefield Street.
 - b. North George Mason Spur. This spur is about 100 yards West Trash Can #13 and the spur to George Mason is the trail to the right when heading West.
 - c. North Harrison Spur. This spur is about 200 yards West of North Frederick Street and trash can #11.

Custis Trail Section 17, Bon Air/Westover Section - Continued

3. There are 6 trash cans in this trail section:
 - a. Trash Can #14 Dead end of North Abingdon Street.
 - b. Trash Can #13 Spur that turns south and goes around Beaver Pond ending at North Fairfax and North Wakefield Drive.
 - c. Trash Can #12 Custis Trail and Bluemont Junction Trail intersection at Fairfax Drive.
 - d. Trash Can #11 Dead End of North Frederick Street.
 - e. Trash Can #10 Custis Trail to Westover Spur.
 - f. Trash Can #09 Custis Trail & Washington & Old Dominion Trail intersection in Bon Air Park.
4. String Trim along all sound walls that boarder the paved trail and any bridge edging the trail uses to cross roadways.
5. Apply an approved herbicide to vegetation growing through cracks in the trail pavement.

CUSTIS TRAIL SECTION 17 – WESTOVER/BON AIR SECTION (EAST TO WEST)


Section 17 starts at the North Vernon Street Overpass and crosses over I-66.



Trim any vegetation growing through the fencing on the overpass.




At the bottom of the bridge, mow/trim on the right side of the trail.



CUSTIS TRAIL SECTION 17 – WESTOVER/BON AIR SECTION - *Continued*



Mow/trim along right side of the trail.



Mow/trim grass on both sides of the trail.



Green area included in mowing responsibility.

CUSTIS TRAIL SECTION 17 – WESTOVER/BON AIR SECTION - *Continued*

There is NO mowing or trimming responsibility on the right side of trail from Washington Blvd to just past North Aberdeen St. (Heading East to West)




No Mow Area



CUSTIS TRAIL SECTION 17 – WESTOVER/BON AIR SECTION - *Continued*

From the Aberdeen/Washington Blvd Overpass Spur to 11th Street Spur.


On the right side of trail, mow/trim to tree line. For the left side, mow/trim to sound wall.




CUSTIS TRAIL SECTION 17 – WESTOVER/BON AIR SECTION - *Continued*

11th Street Spur to the Ballston Pond/Fairfax Drive spur

Mow/trim on the right side of the trail up to the wood line




Mow/trim on both sides of the trail. On the right side of the trail mow to the fence line




CUSTIS TRAIL SECTION 17 – WESTOVER/BON AIR SECTION - *Continued*

Ballston Pond/Fairfax Drive spur.



Mow/trim on both sides of the trail. Right side is to fence line and left side to sound wall tree line.



Mow/trim both side of trail to tree line.





Mow the area in green.

CUSTIS TRAIL SECTION 17 – WESTOVER/BON AIR SECTION - *Continued*

The Ballston Pond/Fairfax Drive spur toward Fairfax Drive.

Heading toward Fairfax Drive, mow/trim on both sides of the trail.



Mow/trim on both sides of the trail until intersecting with the Bluemont Junction Trail (West of North Wakefield Street).

See next slide for aerial photo of the trail.


CUSTIS TRAIL SECTION 17 – WESTOVER/BON AIR SECTION - *Continued*

Aerial picture of the Ballston Pond/Fairfax Drive Spur




CUSTIS TRAIL SECTION 17 – WESTOVER/BON AIR SECTION - *Continued*


West of Ballston Pond Spur to George Mason Drive Spur



George Mason spur to the right. Mow/trim both sides of the trail to the tree line.




George Mason Spur. Mow/trim on both sides of the trail to the wood line up to George Mason Drive.




The George Mason spur is the top yellow line of the fork shown.

CUSTIS TRAIL SECTION 17 – WESTOVER/BON AIR SECTION - *Continued*

West of George Mason Spur to 10th street spur.



Mow/trim on the right side of the trail to the wood line.



10th street spur, mow 2 foot off the trail. See photo on right for No Mow area.




There is no mowing responsibility for red outlined area.

CUSTIS TRAIL SECTION 17 – WESTOVER/BON AIR SECTION - *Continued*


This section is West of 10th street spur approaching the Fredrick Street spur.



Mowing/trimming on the right side of the trail up to the tree line



Mowing/trimming on the left side of the trail to the sound wall and on the right side to the wood line.



Aerial photo of this section.

CUSTIS TRAIL SECTION 17 – WESTOVER/BON AIR SECTION - *Continued*


This section is from the Fredrick Street Spur to just West of the spur.




Mow/trim to the sound wall on the left and to the tree line on the right.



Mow/trim on left to sound wall and on the right to the wood or fence line.



Mow/trim on the right side of the trail. Trim under and around the guard rail.



Mow inside the green area.

CUSTIS TRAIL SECTION 17 – WESTOVER/BON AIR SECTION - *Continued*

This section is West of the Fredrick Street Spur to Harrison Street spur.



Mow/trim on the right side of the trail up to the wood line.




Mow/trim on both sides of the trail all the way up to N. Harrison Street.



Aerial view of the section.

CUSTIS TRAIL SECTION 17 – WESTOVER/BON AIR SECTION - *Continued*

From the North Harrison Street Spur Junction to west of Harrison Street overpass.




Mow/trim on the right side of the trail to the wood line.

CUSTIS TRAIL SECTION 17 – WESTOVER/BON AIR SECTION - *Continued*

This area is west of the N Harrison Street overpass.

Mow/trim on the left side of trail to the sound wall and on the right side of the trail to the wood line.





Mow/trim on the right side of the trail to the tree line. On the left side, mow to the culvert that is just before the sound wall.



CUSTIS TRAIL SECTION 17 – WESTOVER/BON AIR SECTION - *Continued*


West of the N Harrison Street overpass

Mow on the left side of the trail to the sound wall. On the right side of the trail, mow to the wood line. For the spur, mow both sides of the trail to the wood line.



Mow/trim on both sides of the trail. Left side to the sound wall and the right side to the tree line. Section ends at the beginning of the overpass of I-66 near N Kennebec St.

End of this section




Custis Trail Section 21, Highland Section

1. This section of the Custis trail is on the north side of I-66 and is a stand-alone section of trail. It begins at McKinley Road, traveling west and ends at North Quantico Street.
2. There are three spurs in this section of trail that need mowing:
 - a. Spur leading to North 14th Street cul-de-sac
 - b. Spur leading to North Powhatan cul-de-sac
 - c. Spur leading to North Potomac Street
3. There are 2 trash cans in this trail section.
 - a. Trash can # 01 North Pocomoke Street & North Potomac Street
 - b. Trash can #02 Custis Trail north side of I-66 at Highland Park off Ohio Street.
4. String Trim along all sound walls bordering the paved trail and bridge edging the trail uses to cross roadways.
5. Apply an approved herbicide to vegetation growing through cracks in the trail pavement

CONTINUATION OF THE CUSTIS TRAIL CUSTIS TRAIL SECTION 21 – HIGHLAND PARK SECTION

The Highland Park section of the Custis Trail is shown in yellow.
The pink trail is the Washington and Old Dominion Trail - Madison Manor Section.



CUSTIS TRAIL SECTION 21 – HIGHLAND SECTION – HEADING EAST TO WEST

From North McKinley Road to east of North Ohio Street Overpass



Mow/trim on the left side of the trail to the tree line. On the right side, mow about 30 feet - just short of the neighbors' house.

See below for reference.



Mow/trim on both sides of the trail about 2 feet off the trail.



Mow/trim on both sides of the trail to the wood line.



Aerial view of this portion of the section.

CUSTIS TRAIL SECTION 21 – HIGHLAND SECTION - *Continued*

From North Ohio Street overpass to North Ohio Street spur Junction



Mow/trim on both sides of the trail as needed.



Trim on the left side of the trail to the sound wall and on the right side of the trail to the wood line.



CUSTIS TRAIL SECTION 21 – HIGHLAND SECTION - *Continued*


From Ohio Street Spur heading West



Mow/trim the grass island with the can and along both sides of the trail to the wood line.



Mow/trim on right side of trail to wood line and on left side to sound wall as needed.



The areas in green are to be mowed along the trail to the wood line. The area in red is mowed by another contractor. No mowing responsibility above the junction to the north.

CUSTIS TRAIL SECTION 21 – HIGHLAND SECTION - *Continued*

From North Ohio Street Spur heading west past the North Powhatan Street Spur



Mow/trim on the left side of trail to sound wall and on the right side to the tree line. The Powhatan Street spur.



Mow/trim on the right side of trail 2 feet of the wood line. The left side is mowed by another contractor



CUSTIS TRAIL SECTION 21 – HIGHLAND SECTION - *Continued*

From North Powhatan to the North Pocomoke Steet & North Potomac Street Spur



This section of trail is mowed by other contractors.



This section up to the intersection is mowed by other contractors.



The section in red is mowed by other contractors.

CUSTIS TRAIL SECTION 21 – HIGHLAND SECTION - *Continued*

From N Pocomoke Street & N Potomac Street Spur to N 18th Street & N Quantico Street



Mow/trim on the left side of the trail to the sound wall and on the right trim to the bush line.



Mow/trim on the left side to the sound wall and on the right of the trail mow to the raised hump on the ground.



CUSTIS TRAIL SECTION 21 – HIGHLAND SECTION - *Continued*

From N Pocomoke Street & N Potomac Street spur to 18th St N & N Quantico Street



Mow/trim on left side of the trail to the sound wall and follow the wood line around.



Mow/trim on right side of trail to the tree line. Mow the left and right side of the trail up to the street.




Mow the areas in green.

Washington & Old Dominion Trail Section 20, Madison Manor Section

1. This section of trail starts at the end of North Roosevelt Street and runs east to the North Potomac Street pedestrian overpass
2. There are 2 trash cans on this section of trail
 - a. Trash can #6 is located east of the Quintana Street spur and just the exit to the North Potomac Street pedestrian overpass near yellow marker 59.
 - b. Trash can #5 is located about 200 yards along the Washington & Old Dominion Trail just off Roosevelt Street heading east just past the 90-degree right turn.
3. String Trim along all sound walls that boarder the trail asphalt pavement as well as any bridge edging that the trail uses to cross any roadways.
4. Apply an approved herbicide to vegetation that is growing up through cracks in the paved trail.

From the Custis Trail at I-66 Overpass, near Westover Park, to the Potomac Pedestrian Bridge junction on the Washington and Old Dominion Trail, there is no mowing responsibility.



W&OD TRAIL SECTION 20 - MADISON MANOR SECTION - HEADING EAST TO WEST

From Potomac Street Pedestrian Bridge heading West towards North Roosevelt Street.



Mow/trim on both sides of the trail up to the fence line going up the trail.



Mow/trim on the right side of the trail to the sound wall. On the left side, mow two feet off the trail.



W&OD TRAIL SECTION 20 - MADISON MANOR SECTION - *Continued*


From the North Quintana Street spur heading west through the turn toward North Roosevelt Street.



Mow/trim on right side of the trail to the sound wall. On the left side, mow to the tree line.



Mow/trim on the right side of trail to the sound wall and on the left side to the tree line.



Mow/trim on the right side to the sound wall and on the left to the tree line. Mow/trim through the turn toward North Roosevelt Street which is the end of this section.

W&OD TRAIL SECTION 20 - MADISON MANOR SECTION - *Continued*


North Quintana Street spur heading west through the turn toward North Roosevelt Street.

Stop Here



MOWING AND TRASH SERVICES ALONG DESIGNATED MULTI-USE TRAILS

Four Mile Run Trail Section 10, Bluemont Section



ARLINGTON COUNTY DEPARTMENT OF PARKS AND NATURAL RESOURCES.
AREAS SHOWN ARE REPRESENTATIVE AND DO NOT DEPICT PRECISE BOUNDARIES.
ARLINGTON COUNTY MAINTAINS THIS DATA FOR REFERENCE PURPOSES ONLY



Four Mile Run Trail Section 10, Bluemont Section

1. This section of trail is on the south side of the Washington & Old Dominion Trail and starts at North Arlington Mill Drive and ends at the intersection of North Arlington Mill Drive and North Madison Street
2. There is 1 trash can in the section of trail
 - a. Trash can #7A is at the trail head at N. Madison Street and North Four Mile Run Drive.
3. There is no Mowing or trimming in this section

Four Mile Run Trail Section 32, Madison Manor Section

1. This section of trail is south of the Washington & Old Dominion Trail and starts at North Ohio Street and runs to where it intersects with the Washington & Old Dominion Trail just east of North Quintana Street.
2. There is 1 trash can on this section of trail
 - a. Trash can #7 is located behind Madison Manor Park just over the stream ford at yellow marker #58
3. String trim along all sound walls bordering the paved trail and any bridge edging the trail uses to cross roadways.
4. Apply an approved herbicide to vegetation growing through cracks in the trail pavement.

End of Trail Mowing and Refuse Collection.