

THREE DEWATERING PUMPS		
ADDENDUM #2		
DATE	May 1, 2024	
BID NUMBER	2024-DC-07	
BID OPENING DATE	Tuesday, May 7, 2024	
PRE-BID MEETING DATE Wednesday, April 24, 2024		

ADDENDUM MUST BE SIGNED AND INCLUDED IN YOUR RESPONSE TO THE RFB.

REVISIONS:

- 1. Revise Division 4 Section 2 Equipment Specifications page 4-2.2. Revisions include updates to line item 26, revisions are highlighted in yellow and provided with this addendum.
- 2. Revise Division 4 Section 2 Equipment Specifications page 4-2.4. Revisions include updates to line item 26, revisions are highlighted in yellow and provided with this addendum.

QUESTIONS:

1. Regarding the *One Four Inch (4") Dri-Prime Silent Pump* for line item # 26. The request is for 20 ft of 4 inch by 50 ft layflat hose. -Which length of hose is being requested 20 ft or 50 ft -or- should this line item be 4-inch by 20 ft suction hose?

Answer:

See revision number 1

2. Regarding the *One Six Inch (6") Dri-Prime Silent Pump* for line item #26. The request is for 20 ft of 4-inch suction hose. -Should this be a 6-inch suction hose to match the 6-inch suction on the pump end?

Answer:

See revision number 2.

3. What type of connection is preferred on the suction and discharge hoses?

Answer:

Camlock / Bauer connection



THREE DEWATERING PUMPS		
ADDENDUM #2		
DATE	May 1, 2024	
BID NUMBER	2024-DC-07	
BID OPENING DATE	Tuesday, May 7, 2024	
PRE-BID MEETING DATE Wednesday, April 24, 2024		

ADDENDUM MUST BE SIGNED AND INCLUDED IN YOUR RESPONSE TO THE RFB.

4. Can you please confirm that equal pump manufacturers will be accepted? Do we need to seek approval before the bid due date?

Answer:

Equal manufacturers will be accepted.

5. Also, page 10 states "The time for completion of the work is stated in the Bid Form. Failure to complete the work within this period shall result in payment to the CCWA of liquidated damages in an amount provided for by contract for each calendar day in excess of the contract time." - Can you please let us know when the completion time would be and how the liquidated damages will be calculated?

<u>Answer:</u>

This instruction pertains to services rendered. Since equipment will be delivered, services will not be required, eliminating the need for time completion references. Please refer to Division 3, Section 1 - Agreement for Single Purchase of Goods, Item 3 - Delivery of Goods for further clarification.

Acknowledgment of receipt of this addendum must be signed and included in your bid response.			
COMPANY NAME			
SIGNATURE			
DATE			

Three (3) Dewatering Pumps: One (1) Four Inch (4") Dri-Prime Silent Pump, One (1) Six Inch (6") Dri-Prime Silent Pump, and One (1) Four Inch (4") Dri-Prime Pump

Division 4	Specifications
Section 2: Equipment Specifications	-
2.1 One Four Inch (4") Dri-Prime Silent Pump	
SPECIFICATIONS FOR ONE (1) FOUR INCH (4")	Meet Specs?
DDI DDIME CII ENT DI IMD	VEO NO

DRI-PRIME SILENT PUMP	YES	NO
20. The Pump has sight glass and measuring stick added to monitor level and quality of mechanical seal oil.		
21. The Pump is a silent pump.		
22. The Pump's sound attenuated enclosure noise is at 7 m(23ft) or less.		
23. The Pump is able to automatically prime to 28 ft (8.5 m) of suction lift.		
24. The Pump has automatic or manual starting/stopping available with mounted control panel or optional wireless remote access.		
25. The Pump takes Diesel fuel only.		
26. The Pump includes 20 ft. of 4 inch by 50 ft lay flat hose.		
26. The Pump includes a 4" x 20' Black Water Suction Hose with Cam & Groove Fittings.		
27. The Pump includes a 4" x 50' Heavy Duty Orange Layflat Hose with Cam & Groove Fittings		
28. The Pump includes at least 500 ft of 4 inch by 50 ft of lay flat hose.		

Note- Determination of equivalent equipment is solely at the discretion of CCWA.

Company:			
Signature:			
Title:			

Three (3) Dewatering Pumps: One (1) Four Inch (4") Dri-Prime Silent Pump, One (1) Six Inch (6") Dri-Prime Silent Pump, and One (1) Four Inch (4") Dri-Prime Pump

Division 4	Specifications

Section 2: Equipment Specifications

2.2 One Six Inch (6") Dri-Prime Silent Pump

SPECIFICATIONS FOR ONE (1) SIX INCH (6") DRI-		Meet Specs?	
PRIME SILENT PUMP		NO	
21. The Pump is a silent pump.			
22. The Pump's sound attenuated enclosure noise is at 7 m(23ft) or less.			
23. The Pump is able to automatically prime to 28 ft (8.5 m) of suction lift.			
24. The Pump has automatic or manual starting/stopping available with mounted control panel or optional wireless remote access.			
25. Pump takes Diesel fuel only.			
26. The Pump includes a 20 ft of 4 inch suction hose.			
26. The Pump includes a 6" x 20' Black Water Suction Hose with Bauer Connection.			
27. The Pump includes at least 500' of <mark>6</mark> " Heavy Duty Orange Lay flat Hose			

Note- Determination of equivalent equipment is solely at the discretion of CCWA.

Company: _		
Signature: _		
Title:		