

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

PERMITTEE NAME: Lake City, City of ADDRESS: 205 North Marion Avenue Lake City, FL 32055 FACILITY: St. Margaret WWTF LOCATION: 527 SW St Margaret St Lake City, FL 32025 COUNTY: COLUMBIA	PERMIT NUMBER: FLA113956 LIMIT: FINAL REPORT: Annually FACILITY TYPE: DW GROUP: Domestic MONITORING GROUP: PRT-E DESCRIPTION: Effluent, immediately following disinfection (EFA-1) MONITORING PERIOD: From: 01/01/2017 To: 12/31/2017
--	--

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
pH PARM Code 00400 1 Mon. Site: PRT-E	Sample Measurement				7.7		7.7		0	1 Annually	Grab
	Permit Requirement				Report (Minimum)		Report (Maximum)	s.u.		(1 Annually)	(Grab)
Oil And Grease, Hexane Extr Method PARM Code 00552 1 Mon. Site: PRT-E	Sample Measurement				< 2.2		< 2.2		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)		Report (Maximum)	mg/L		(1 Annually)	(Grab)
Benzene PARM Code 34030 1 Mon. Site: PRT-E	Sample Measurement				< 0.21		< 0.21		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)		Report (Maximum)	ug/L		(1 Annually)	(Grab)
Bromoform PARM Code 32104 1 Mon. Site: PRT-E	Sample Measurement				< 0.62		< 0.62		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)		Report (Maximum)	ug/L		(1 Annually)	(Grab)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Carbon tetrachloride PARM Code 32102 1 Mon. Site: PRT-E	Sample Measurement				< 0.24	<0.24		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
Chlorobenzene PARM Code 34301 1 Mon. Site: PRT-E	Sample Measurement				< 0.23	< 0.23		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
Chlorodibromomethane PARM Code 34306 1 Mon. Site: PRT-E	Sample Measurement				< 0.33	<0.33		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
Chloroethane PARM Code 85811 1 Mon. Site: PRT-E	Sample Measurement				<0.58	< 0.58		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
2-chloroethyl vinyl ether (mixed) PARM Code 34576 1 Mon. Site: PRT-E	Sample Measurement				< 0.26	< 0.26		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Chloroform PARM Code 32106 1 Mon. Site: PRT-E	Sample Measurement				14	14		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
Dichlorobromomethane PARM Code 32101 1 Mon. Site: PRT-E	Sample Measurement				< 0.26	<0.26		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,2-dichlorobenzene PARM Code 34536 1 Mon. Site: PRT-E	Sample Measurement				< 0.36	<0.36		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,3-dichlorobenzene PARM Code 34566 1 Mon. Site: PRT-E	Sample Measurement				<0.31	<0.31		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,4-dichlorobenzene PARM Code 34571 1 Mon. Site: PRT-E	Sample Measurement				< 0.37	<0.37		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
1,1-dichloroethane PARM Code 34496 1 Mon. Site: PRT-E	Sample Measurement				<0.21	< 0.21		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,2-dichloroethane PARM Code 32103 1 Mon. Site: PRT-E	Sample Measurement				<0.29	<0.29		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,1-dichloroethylene PARM Code 34501 1 Mon. Site: PRT-E	Sample Measurement				< 0.29	<.029		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,2-dichloropropane PARM Code 34541 1 Mon. Site: PRT-E	Sample Measurement				<0.29	< 0.29		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,3-dichloropropene PARM Code 77163 1 Mon. Site: PRT-E	Sample Measurement				<0.29	< 0.29		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Ethylbenzene PARM Code 34371 1 Mon. Site: PRT-E	Sample Measurement				<0.24	< 0.24		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
Methyl bromide PARM Code 34413 1 Mon. Site: PRT-E	Sample Measurement				< 0.26	<0.26		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
Methyl chloride PARM Code 34418 1 Mon. Site: PRT-E	Sample Measurement				<0.32	<0.32		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
Methylene chloride PARM Code 34423 1 Mon. Site: PRT-E	Sample Measurement				< 0.32	< 0.32		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,1,2,2-tetrachloroethane PARM Code 34516 1 Mon. Site: PRT-E	Sample Measurement				< 0.48	< 0.48		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Tetrachloroethylene PARM Code 34475 1 Mon. Site: PRT-E	Sample Measurement				<0.59	< 0.59		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
Toluene PARM Code 34010 1 Mon. Site: PRT-E	Sample Measurement				< 0.28	< 0.28		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,2-trans-dichloroethylene PARM Code 34546 1 Mon. Site: PRT-E	Sample Measurement				< 0.40	< 0.40		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,1,1-trichloroethane PARM Code 34506 1 Mon. Site: PRT-E	Sample Measurement				<0.29	< 0.29		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,1,2-trichloroethane PARM Code 34511 1 Mon. Site: PRT-E	Sample Measurement				< 0.33	< 0.33		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Trichloroethylene PARM Code 39180 1 Mon. Site: PRT-E	Sample Measurement				< 0.36	< 0.36		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
Vinyl chloride PARM Code 39175 1 Mon. Site: PRT-E	Sample Measurement				< 0.37	< 0.37		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
2-chlorophenol PARM Code 34586 1 Mon. Site: PRT-E	Sample Measurement				< 1.2	< 1.2		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
2,4-dichlorophenol PARM Code 34601 1 Mon. Site: PRT-E	Sample Measurement				< 0.90	< 0.90		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
2,4-dimethylphenol PARM Code 34606 1 Mon. Site: PRT-E	Sample Measurement				< 2.6	< 2.6		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
4,6-dinitro-o-cresol PARM Code 34657 1 Mon. Site: PRT-E	Sample Measurement				< 1.5	< 1.5		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
2,4-dinitrophenol PARM Code 34616 1 Mon. Site: PRT-E	Sample Measurement				< 0.62	< 0.62		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
2-nitrophenol PARM Code 34591 1 Mon. Site: PRT-E	Sample Measurement				< 0.63	< 0.63		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
4-nitrophenol PARM Code 34646 1 Mon. Site: PRT-E	Sample Measurement				< 0.62	< 0.62		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
P-Chloro-M-Cresol PARM Code 82627 1 Mon. Site: PRT-E	Sample Measurement				< 0.62	< 0.62		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Pentachlorophenol PARM Code 39032 1 Mon. Site: PRT-E	Sample Measurement				< 1.9	< 1.9		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Phenol, Single Compound PARM Code 34694 1 Mon. Site: PRT-E	Sample Measurement				<0.54	< 0.54		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
2,4,6-trichlorophenol PARM Code 34621 1 Mon. Site: PRT-E	Sample Measurement				<0.93	< 0.93		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Acenaphthene PARM Code 34205 1 Mon. Site: PRT-E	Sample Measurement				< 1.8	< 1.8		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Acenaphthylene PARM Code 34200 1 Mon. Site: PRT-E	Sample Measurement				<0.84	< 0.84		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Anthracene PARM Code 34220 1 Mon. Site: PRT-E	Sample Measurement				< 2.1	< 2.1		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Benzidine PARM Code 39120 1 Mon. Site: PRT-E	Sample Measurement				< 2.7	< 2.7		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Benzo(a)anthracene PARM Code 34526 1 Mon. Site: PRT-E	Sample Measurement				< 2.0	< 2.0		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Benzo(a)pyrene PARM Code 34247 1 Mon. Site: PRT-E	Sample Measurement				< 2.4	< 2.4		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Benzo(b)fluoranthene (3,4-benzo) PARM Code 79531 1 Mon. Site: PRT-E	Sample Measurement				< 2.4	< 2.4		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Benzo(ghi)perylene PARM Code 34521 1 Mon. Site: PRT-E	Sample Measurement				< 1.3	< 1.3		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Benzo(k)fluoranthene PARM Code 34242 1 Mon. Site: PRT-E	Sample Measurement				< 3.2	< 3.2		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Bis (2-chloroethoxy) methane PARM Code 34278 1 Mon. Site: PRT-E	Sample Measurement				< 1.2	< 1.2		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Bis (2-chloroethyl) ether PARM Code 34273 1 Mon. Site: PRT-E	Sample Measurement				< 1.5	< 1.5		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Bis (2-chloroisopropyl) ether PARM Code 34283 1 Mon. Site: PRT-E	Sample Measurement				< 1.4	< 1.4		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Bis (2-ethylhexyl) phthalate PARM Code 39100 1 Mon. Site: PRT-E	Sample Measurement				< 2.0	< 2.0		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
4-bromophenyl phenyl ether PARM Code 34636 1 Mon. Site: PRT-E	Sample Measurement				< 1.1	< 1.1		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Butyl benzyl phthalate PARM Code 34292 1 Mon. Site: PRT-E	Sample Measurement				< 1.1	< 1.1		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
2-chloronaphthalene PARM Code 34581 1 Mon. Site: PRT-E	Sample Measurement				< 3.7	< 3.7		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
4-chlorophenyl phenyl ether PARM Code 34641 1 Mon. Site: PRT-E	Sample Measurement				< 1.3	< 1.3		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Chrysene PARM Code 34320 1 Mon. Site: PRT-E	Sample Measurement				< 2.0	< 2.0		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Dibenzo (a,h) anthracene PARM Code 34556 1 Mon. Site: PRT-E	Sample Measurement				< 2.1	< 2.1		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
3,3'-dichlorobenzidine PARM Code 34631 1 Mon. Site: PRT-E	Sample Measurement				< 1.3	< 1.3		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Diethyl phthalate PARM Code 34336 1 Mon. Site: PRT-E	Sample Measurement				< 2.1	< 2.1		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Dimethyl phthalate PARM Code 34341 1 Mon. Site: PRT-E	Sample Measurement				< 1.8	< 1.8		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Di-n-butyl phthalate PARM Code 39110 1 Mon. Site: PRT-E	Sample Measurement				< 0.88	< 0.88		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
2,4-dinitrotoluene PARM Code 34611 1 Mon. Site: PRT-E	Sample Measurement				< 2.1	< 2.1		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
2,6-dinitrotoluene PARM Code 34626 1 Mon. Site: PRT-E	Sample Measurement				< 2.0	< 2.0		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Di-n-octyl phthalate PARM Code 34596 1 Mon. Site: PRT-E	Sample Measurement				< 1.2	< 1.2		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
1,2-diphenylhydrazine PARM Code 34346 1 Mon. Site: PRT-E	Sample Measurement				< 0.96	< 0.96		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Fluoranthene PARM Code 34376 1 Mon. Site: PRT-E	Sample Measurement				< 2.0	< 2.0		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Fluorene PARM Code 34381 1 Mon. Site: PRT-E	Sample Measurement				< 2.2	< 2.2		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Hexachlorobenzene PARM Code 39700 1 Mon. Site: PRT-E	Sample Measurement				< 1.8	< 1.8		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Hexachlorobutadiene PARM Code 39702 1 Mon. Site: PRT-E	Sample Measurement				< 1.3	< 1.3		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Hexachlorocyclopentadiene PARM Code 34386 1 Mon. Site: PRT-E	Sample Measurement				< 1.3	< 1.3		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Hexachloroethane PARM Code 34396 1 Mon. Site: PRT-E	Sample Measurement				< 1.2	< 1.2		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Indeno (1,2,3-Cd) pyrene PARM Code 34403 1 Mon. Site: PRT-E	Sample Measurement				< 1.1	< 1.1		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Isophorone PARM Code 34408 1 Mon. Site: PRT-E	Sample Measurement				< 1.1	< 1.1		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Naphthalene PARM Code 34696 1 Mon. Site: PRT-E	Sample Measurement				< 1.2	< 1.2		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Nitrobenzene PARM Code 34447 1 Mon. Site: PRT-E	Sample Measurement				< 1.1	< 1.1		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
N-nitrosodimethylamine PARM Code 34438 1 Mon. Site: PRT-E	Sample Measurement				<0.93	<0.93		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
N-nitrosodi-n-propylamine PARM Code 34428 1 Mon. Site: PRT-E	Sample Measurement				< 2.2	< 2.2		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
N-nitrosodiphenylamine PARM Code 34433 1 Mon. Site: PRT-E	Sample Measurement				< 2.1	< 2.1		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Phenanthrene PARM Code 34461 1 Mon. Site: PRT-E	Sample Measurement				< 2.4	< 2.4		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Pyrene PARM Code 34469 1 Mon. Site: PRT-E	Sample Measurement				<1.9	< 1.9		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
1,2,4-trichlorobenzene PARM Code 34551 1 Mon. Site: PRT-E	Sample Measurement				< 0.69	< 0.69		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Aldrin PARM Code 39330 1 Mon. Site: PRT-E	Sample Measurement				< 0.0095	< 0.0095		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Bhc-Alpha PARM Code 39336 1 Mon. Site: PRT-E	Sample Measurement				< 0.015	< 0.015		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
B-bhc-beta PARM Code 39338 1 Mon. Site: PRT-E	Sample Measurement				< 0.0094	< 0.0094		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Gamma BHC (Lindane) PARM Code 39782 1 Mon. Site: PRT-E	Sample Measurement				< 0.0092	< 0.0092		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Delta benzene hexachloride PARM Code 34259 1 Mon. Site: PRT-E	Sample Measurement				<0.0043	<0.0043		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Chlordane (tech mix. and metabolites) PARM Code 39350 1 Mon. Site: PRT-E	Sample Measurement				< 0.26	< 0.26		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
4,4'-DDT (p,p'-DDT) PARM Code 39300 1 Mon. Site: PRT-E	Sample Measurement				<0.011	< 0.011		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
4,4'-DDE (p,p'-DDE) PARM Code 39320 1 Mon. Site: PRT-E	Sample Measurement				< 0.019	<0.019		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
4,4'-DDD (p,p'-DDD) PARM Code 39310 1 Mon. Site: PRT-E	Sample Measurement				<0.0082	<0.0082		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Dieldrin PARM Code 39380 1 Mon. Site: PRT-E	Sample Measurement				<0.0055	< 0.0055		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
A-endosulfan-alpha PARM Code 34361 1 Mon. Site: PRT-E	Sample Measurement				< 0.015	< 0.015		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
B-endosulfan-beta PARM Code 34356 1 Mon. Site: PRT-E	Sample Measurement				< 0.013	< 0.013		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Endosulfan Sulfate PARM Code 34351 1 Mon. Site: PRT-E	Sample Measurement				<0.016	< 0.016		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Endrin PARM Code 39390 1 Mon. Site: PRT-E	Sample Measurement				<0.0084	< 0.0084		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Endrin aldehyde PARM Code 34366 1 Mon. Site: PRT-E	Sample Measurement				< 0.013	< 0.013		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Heptachlor PARM Code 39410 1 Mon. Site: PRT-E	Sample Measurement				< 0.017	< 0.017		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Heptachlor epoxide PARM Code 39420 1 Mon. Site: PRT-E	Sample Measurement				< 0.0083	< 0.0083		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
PCB-1242 (Arochlor 1242) PARM Code 39496 1 Mon. Site: PRT-E	Sample Measurement				< 0.48	< 0.48		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
PCB-1254 (Arochlor 1254) PARM Code 39504 1 Mon. Site: PRT-E	Sample Measurement				< 0.26	< 0.26		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
PCB-1221 (Arochlor 1221) PARM Code 39488 1 Mon. Site: PRT-E	Sample Measurement				< 0.55	< 0.55		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
PCB-1232 (Arochlor 1232) PARM Code 39492 1 Mon. Site: PRT-E	Sample Measurement				< 0.48	< 0.48		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
PCB-1248 (Arochlor 1248) PARM Code 39500 1 Mon. Site: PRT-E	Sample Measurement				< 0.34	< 0.34		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
PCB-1260 (Arochlor 1260) PARM Code 39508 1 Mon. Site: PRT-E	Sample Measurement				< 0.40	< 0.40		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
PCB-1016 (Arochlor 1016) PARM Code 34671 1 Mon. Site: PRT-E	Sample Measurement				< 0.32	< 0.32		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Toxaphene PARM Code 39400 1 Mon. Site: PRT-E	Sample Measurement				< 0.60	< 0.60		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Antimony, Total Recoverable PARM Code 01268 1 Mon. Site: PRT-E	Sample Measurement				< 19	< 19		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Arsenic, Total Recoverable PARM Code 00978 1 Mon. Site: PRT-E	Sample Measurement				< 9.0	< 9.0		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Beryllium, Total Recoverable PARM Code 00998 1 Mon. Site: PRT-E	Sample Measurement				< 0.40	< 0.40		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Cadmium, Total Recoverable PARM Code 01113 1 Mon. Site: PRT-E	Sample Measurement				< 0.45	< 0.45		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Chromium, Total Recoverable PARM Code 01118 1 Mon. Site: PRT-E	Sample Measurement				2.0	2.0		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Copper, Total Recoverable PARM Code 01119 1 Mon. Site: PRT-E	Sample Measurement				3.6	3.6		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Lead, Total Recoverable PARM Code 01114 1 Mon. Site: PRT-E	Sample Measurement				< 2.9	< 2.9		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Mercury, Total Recoverable PARM Code 71901 1 Mon. Site: PRT-E	Sample Measurement				0.015	0.015		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
Nickel, Total Recoverable PARM Code 01074 1 Mon. Site: PRT-E	Sample Measurement				< 6.0	< 6.0		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Selenium, Total Recoverable PARM Code 00981 1 Mon. Site: PRT-E	Sample Measurement				< 33	< 33		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Silver, Total Recoverable PARM Code 01079 1 Mon. Site: PRT-E	Sample Measurement				< 9.6	< 9.6		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Thallium, Total Recoverable PARM Code 00982 1 Mon. Site: PRT-E	Sample Measurement				< 19	< 19		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Zinc, Total Recoverable PARM Code 01094 1 Mon. Site: PRT-E	Sample Measurement				52	52		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Cyanide, Total Recoverable PARM Code 78248 1 Mon. Site: PRT-E	Sample Measurement				< 4.8	< 4.8		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
		Phenolic Compounds, Total Recoverable	Sample Measurement				<0.0043	<0.0043		0
PARM Code 70029 1 Mon. Site: PRT-E	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Cody Eugene Pridgeon	I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHERED AND EVALUATED THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.					SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Electronically Signed			TELEPHONE (346) 758-5452	SUBMITTED ON 01/22/2018

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

PERMITTEE NAME: Lake City, City of ADDRESS: 205 North Marion Avenue Lake City, FL 32055 FACILITY: St. Margaret WWTF LOCATION: 527 SW St Margaret St Lake City, FL 32025 COUNTY: COLUMBIA	PERMIT NUMBER: FLA113956 LIMIT: FINAL REPORT: Annually FACILITY TYPE: DW GROUP: Domestic MONITORING GROUP: PRT-I DESCRIPTION: Influent, prior to biological treatment. (INF-1) MONITORING PERIOD: From: 01/01/2017 To: 12/31/2017
--	--

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
pH PARM Code 00400 G Mon. Site: PRT-I	Sample Measurement				7.6		7.6		0	1 Annually	Grab
	Permit Requirement				Report (Minimum)		Report (Maximum)	s.u.		(1 Annually)	(Grab)
Oil And Grease, Hexane Extr Method PARM Code 00552 G Mon. Site: PRT-I	Sample Measurement					10	10		0	1 Annually	Grab
	Permit Requirement					Report (Annl Avg)	Report (Maximum)	mg/L		(1 Annually)	(Grab)
Benzene PARM Code 34030 G Mon. Site: PRT-I	Sample Measurement					< 0.42	< 0.42		0	1 Annually	Grab
	Permit Requirement					Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
Bromoform PARM Code 32104 G Mon. Site: PRT-I	Sample Measurement					< 1.2	< 1.2		0	1 Annually	Grab
	Permit Requirement					Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Carbon tetrachloride PARM Code 32102 G Mon. Site: PRT-I	Sample Measurement				< 0.48	< 0.48		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
Chlorobenzene PARM Code 34301 G Mon. Site: PRT-I	Sample Measurement				< 0.46	< 0.46		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
Chlorodibromomethane PARM Code 34306 G Mon. Site: PRT-I	Sample Measurement				< 0.66	< 0.66		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
Chloroethane PARM Code 85811 G Mon. Site: PRT-I	Sample Measurement				< 1.2	< 1.2		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
2-chloroethyl vinyl ether (mixed) PARM Code 34576 G Mon. Site: PRT-I	Sample Measurement				< 0.52	< .052		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Chloroform PARM Code 32106 G Mon. Site: PRT-I	Sample Measurement				14	14		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
Dichlorobromomethane PARM Code 32101 G Mon. Site: PRT-I	Sample Measurement				< 0.52	< 0.52		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,2-dichlorobenzene PARM Code 34536 G Mon. Site: PRT-I	Sample Measurement				< 0.72	< 0.72		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,3-dichlorobenzene PARM Code 34566 G Mon. Site: PRT-I	Sample Measurement				< 0.62	< .062		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,4-dichlorobenzene PARM Code 34571 G Mon. Site: PRT-I	Sample Measurement				< 0.74	< 0.74		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
1,1-dichloroethane PARM Code 34496 G Mon. Site: PRT-I	Sample Measurement				< 0.42	< 0.42		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,2-dichloroethane PARM Code 32103 G Mon. Site: PRT-I	Sample Measurement				< 0.58	< 0.58		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,1-dichloroethylene PARM Code 34501 G Mon. Site: PRT-I	Sample Measurement				< 0.58	< 0.58		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,2-dichloropropane PARM Code 34541 G Mon. Site: PRT-I	Sample Measurement				< 0.58	< 0.58		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,3-dichloropropene PARM Code 77163 G Mon. Site: PRT-I	Sample Measurement				< 0.58	< 0.58		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Ethylbenzene PARM Code 34371 G Mon. Site: PRT-I	Sample Measurement				< 0.48	< 0.48		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
Methyl bromide PARM Code 34413 G Mon. Site: PRT-I	Sample Measurement				<0.52	< 0.52		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
Methyl chloride PARM Code 34418 G Mon. Site: PRT-I	Sample Measurement				<0.58	< 0.58		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
Methylene chloride PARM Code 34423 G Mon. Site: PRT-I	Sample Measurement				2.2	2.2		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,1,2,2-tetrachloroethane PARM Code 34516 G Mon. Site: PRT-I	Sample Measurement				<0.96	0.96		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Tetrachloroethylene PARM Code 34475 G Mon. Site: PRT-I	Sample Measurement				< 1.2	< 1.2		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
Toluene PARM Code 34010 G Mon. Site: PRT-I	Sample Measurement				1.5	1.5		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,2-trans-dichloroethylene PARM Code 34546 G Mon. Site: PRT-I	Sample Measurement				< 0.80	< 0.80		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,1,1-trichloroethane PARM Code 34506 G Mon. Site: PRT-I	Sample Measurement				< 0.58	< 0.58		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,1,2-trichloroethane PARM Code 34511 G Mon. Site: PRT-I	Sample Measurement				< 0.66	< 0.66		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Trichloroethylene PARM Code 39180 G Mon. Site: PRT-I	Sample Measurement				< 0.72	< 0.72		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
Vinyl chloride PARM Code 39175 G Mon. Site: PRT-I	Sample Measurement				< 0.74	< 0.74		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
2-chlorophenol PARM Code 34586 G Mon. Site: PRT-I	Sample Measurement				< 1.2	< 1.2		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
2,4-dichlorophenol PARM Code 34601 G Mon. Site: PRT-I	Sample Measurement				< 0.90	< 0.90		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
2,4-dimethylphenol PARM Code 34606 G Mon. Site: PRT-I	Sample Measurement				< 2.6	< 2.6		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
4,6-dinitro-o-cresol PARM Code 34657 G Mon. Site: PRT-I	Sample Measurement				< 1.5	< 1.5		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
2,4-dinitrophenol PARM Code 34616 G Mon. Site: PRT-I	Sample Measurement				< 0.62	< 0.62		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
2-nitrophenol PARM Code 34591 G Mon. Site: PRT-I	Sample Measurement				< 0.63	< 0.63		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
4-nitrophenol PARM Code 34646 G Mon. Site: PRT-I	Sample Measurement				< 0.62	< 0.62		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
P-Chloro-M-Cresol PARM Code 82627 G Mon. Site: PRT-I	Sample Measurement				< 0.62	< 0.62		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Pentachlorophenol PARM Code 39032 G Mon. Site: PRT-I	Sample Measurement				< 1.9	< 1.9		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Phenol, Single Compound PARM Code 34694 G Mon. Site: PRT-I	Sample Measurement				< 0.54	< 0.54		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
2,4,6-trichlorophenol PARM Code 34621 G Mon. Site: PRT-I	Sample Measurement				< 0.93	< 0.93		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Acenaphthene PARM Code 34205 G Mon. Site: PRT-I	Sample Measurement				< 1.8	< 1.8		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Acenaphthylene PARM Code 34200 G Mon. Site: PRT-I	Sample Measurement				< 0.84	< 0.84		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Anthracene PARM Code 34220 G Mon. Site: PRT-I	Sample Measurement				< 2.1	< 2.1		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Benzidine PARM Code 39120 G Mon. Site: PRT-I	Sample Measurement				< 2.7	< 2.7		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Benzo(a)anthracene PARM Code 34526 G Mon. Site: PRT-I	Sample Measurement				< 2.0	< 2.0		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Benzo(a)pyrene PARM Code 34247 G Mon. Site: PRT-I	Sample Measurement				< 2.4	< 2.4		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Benzo(b)fluoranthene (3,4-benzo) PARM Code 79531 G Mon. Site: PRT-I	Sample Measurement				< 2.4	< 2.4		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Benzo(ghi)perylene PARM Code 34521 G Mon. Site: PRT-I	Sample Measurement				< 1.3	< 1.3		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Benzo(k)fluoranthene PARM Code 34242 G Mon. Site: PRT-I	Sample Measurement				< 3.2	< 3.2		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Bis (2-chloroethoxy) methane PARM Code 34278 G Mon. Site: PRT-I	Sample Measurement				< 1.2	< 1.2		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Bis (2-chloroethyl) ether PARM Code 34273 G Mon. Site: PRT-I	Sample Measurement				< 1.5	< 1.5		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Bis (2-chloroisopropyl) ether PARM Code 34283 G Mon. Site: PRT-I	Sample Measurement				< 1.4	< 1.4		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Bis (2-ethylhexyl) phthalate PARM Code 39100 G Mon. Site: PRT-I	Sample Measurement				< 2.0	< 2.0		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
4-bromophenyl phenyl ether PARM Code 34636 G Mon. Site: PRT-I	Sample Measurement				< 1.1	< 1.1		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Butyl benzyl phthalate PARM Code 34292 G Mon. Site: PRT-I	Sample Measurement				< 1.1	< 1.1		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
2-chloronaphthalene PARM Code 34581 G Mon. Site: PRT-I	Sample Measurement				< 3.7	< 3.7		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
4-chlorophenyl phenyl ether PARM Code 34641 G Mon. Site: PRT-I	Sample Measurement				< 1.3	< 1.3		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Chrysene PARM Code 34320 G Mon. Site: PRT-I	Sample Measurement				<2.0	< 2.0		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Dibenzo (a,h) anthracene PARM Code 34556 G Mon. Site: PRT-I	Sample Measurement				< 2.1	< 2.1		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
3,3'-dichlorobenzidine PARM Code 34631 G Mon. Site: PRT-I	Sample Measurement				< 1.3	< 1.3		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Diethyl phthalate PARM Code 34336 G Mon. Site: PRT-I	Sample Measurement				< 2.1	< 2.1		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Dimethyl phthalate PARM Code 34341 G Mon. Site: PRT-I	Sample Measurement				< 1.8	< 1.8		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Di-n-butyl phthalate PARM Code 39110 G Mon. Site: PRT-I	Sample Measurement				< 0.88	< 0.88		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
2,4-dinitrotoluene PARM Code 34611 G Mon. Site: PRT-I	Sample Measurement				< 2.1	< 2.1		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
2,6-dinitrotoluene PARM Code 34626 G Mon. Site: PRT-I	Sample Measurement				< 2.0	< 2.0		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Di-n-octyl phthalate PARM Code 34596 G Mon. Site: PRT-I	Sample Measurement				< 1.2	< 1.2		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
1,2-diphenylhydrazine PARM Code 34346 G Mon. Site: PRT-I	Sample Measurement				< 0.96	< 0.96		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Fluoranthene PARM Code 34376 G Mon. Site: PRT-I	Sample Measurement				< 2.0	< 2.0		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Fluorene PARM Code 34381 G Mon. Site: PRT-I	Sample Measurement				< 2.2	< 2.2		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Hexachlorobenzene PARM Code 39700 G Mon. Site: PRT-I	Sample Measurement				< 1.8	< 1.8		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Hexachlorobutadiene PARM Code 39702 G Mon. Site: PRT-I	Sample Measurement				< 1.3	< 1.3		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Hexachlorocyclopentadiene PARM Code 34386 G Mon. Site: PRT-I	Sample Measurement				< 1.3	< 1.3		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Hexachloroethane PARM Code 34396 G Mon. Site: PRT-I	Sample Measurement				< 1.2	< 1.2		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Indeno (1,2,3-Cd) pyrene PARM Code 34403 G Mon. Site: PRT-I	Sample Measurement				< 1.1	< 1.1		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Isophorone PARM Code 34408 G Mon. Site: PRT-I	Sample Measurement				< 1.1	< 1.1		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Naphthalene PARM Code 34696 G Mon. Site: PRT-I	Sample Measurement				< 1.2	< 1.2		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Nitrobenzene PARM Code 34447 G Mon. Site: PRT-I	Sample Measurement				< 1.1	< 1.1		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
N-nitrosodimethylamine PARM Code 34438 G Mon. Site: PRT-I	Sample Measurement				< 0.93	< 0.93		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
N-nitrosodi-n-propylamine PARM Code 34428 G Mon. Site: PRT-I	Sample Measurement				< 2.2	< 2.2		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
N-nitrosodiphenylamine PARM Code 34433 G Mon. Site: PRT-I	Sample Measurement				< 2.1	< 2.1		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Phenanthrene PARM Code 34461 G Mon. Site: PRT-I	Sample Measurement				< 2.4	< 2.4		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Pyrene PARM Code 34469 G Mon. Site: PRT-I	Sample Measurement				< 1.9	< 1.9		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
1,2,4-trichlorobenzene PARM Code 34551 G Mon. Site: PRT-I	Sample Measurement				< 0.69	< 0.69		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Aldrin PARM Code 39330 G Mon. Site: PRT-I	Sample Measurement				< 0.019	< 0.019		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Bhc-Alpha PARM Code 39336 G Mon. Site: PRT-I	Sample Measurement				<0.030	< 0.030		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
B-bhc-beta PARM Code 39338 G Mon. Site: PRT-I	Sample Measurement				<0.019	< 0.019		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Gamma BHC (Lindane) PARM Code 39782 G Mon. Site: PRT-I	Sample Measurement				< 0.018	< 0.018		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Delta benzene hexachloride PARM Code 34259 G Mon. Site: PRT-I	Sample Measurement				<0.0086	<0.0086		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Chlordane (tech mix. and metabolites) PARM Code 39350 G Mon. Site: PRT-I	Sample Measurement				< 0.53	< 0.53		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
4,4'-DDT (p,p'-DDT) PARM Code 39300 G Mon. Site: PRT-I	Sample Measurement				< 0.021	< 0.021		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
4,4'-DDE (p,p'-DDE) PARM Code 39320 G Mon. Site: PRT-I	Sample Measurement				<0.037	< 0.037		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
4,4'-DDD (p,p'-DDD) PARM Code 39310 G Mon. Site: PRT-I	Sample Measurement				< 0.016	< 0.016		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Dieldrin PARM Code 39380 G Mon. Site: PRT-I	Sample Measurement				< 0.011	< 0.011		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
A-endosulfan-alpha PARM Code 34361 G Mon. Site: PRT-I	Sample Measurement				< 0.031	< 0.031		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
B-endosulfan-beta PARM Code 34356 G Mon. Site: PRT-I	Sample Measurement				< 0.026	< 0.026		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Endosulfan Sulfate PARM Code 34351 G Mon. Site: PRT-I	Sample Measurement				< 0.032	< 0.032		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Endrin PARM Code 39390 G Mon. Site: PRT-I	Sample Measurement				< 0.0117	< 0.0117		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Endrin aldehyde PARM Code 34366 G Mon. Site: PRT-I	Sample Measurement				< 0.025	< 0.025		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Heptachlor PARM Code 39410 G Mon. Site: PRT-I	Sample Measurement				< 0.035	< 0.035		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Heptachlor epoxide PARM Code 39420 G Mon. Site: PRT-I	Sample Measurement				< 0.017	< 0.017		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
PCB-1242 (Arochlor 1242) PARM Code 39496 G Mon. Site: PRT-I	Sample Measurement				< 0.96	< 0.96		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
PCB-1254 (Arochlor 1254) PARM Code 39504 G Mon. Site: PRT-I	Sample Measurement				< 0.51	< 0.51		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
PCB-1221 (Arochlor 1221) PARM Code 39488 G Mon. Site: PRT-I	Sample Measurement				< 1.1	< 1.1		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
PCB-1232 (Arochlor 1232) PARM Code 39492 G Mon. Site: PRT-I	Sample Measurement				< 0.97	< 0.97		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
PCB-1248 (Arochlor 1248) PARM Code 39500 G Mon. Site: PRT-I	Sample Measurement				< 0.67	< 0.67		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
PCB-1260 (Arochlor 1260) PARM Code 39508 G Mon. Site: PRT-I	Sample Measurement				< 0.80	< 0.80		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
PCB-1016 (Arochlor 1016) PARM Code 34671 G Mon. Site: PRT-I	Sample Measurement				< 0.65	< 0.65		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Toxaphene PARM Code 39400 G Mon. Site: PRT-I	Sample Measurement				< 1.2	< 1.2		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Antimony, Total Recoverable PARM Code 01268 G Mon. Site: PRT-I	Sample Measurement				< 19	< 19		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Arsenic, Total Recoverable PARM Code 00978 G Mon. Site: PRT-I	Sample Measurement				< 9.0	< 9.0		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Beryllium, Total Recoverable PARM Code 00998 G Mon. Site: PRT-I	Sample Measurement				< 0.40	< 0.40		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Cadmium, Total Recoverable PARM Code 01113 G Mon. Site: PRT-I	Sample Measurement				< 0.45	< 0.45		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Chromium, Total Recoverable PARM Code 01118 G Mon. Site: PRT-I	Sample Measurement				2.2	2.2		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Copper, Total Recoverable PARM Code 01119 G Mon. Site: PRT-I	Sample Measurement				75	75		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Lead, Total Recoverable PARM Code 01114 G Mon. Site: PRT-I	Sample Measurement				< 2.9	< 2.9		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Mercury, Total Recoverable PARM Code 71901 G Mon. Site: PRT-I	Sample Measurement				0.11	0.11		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
Nickel, Total Recoverable PARM Code 01074 G Mon. Site: PRT-I	Sample Measurement				< 6.0	< 6.0		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Selenium, Total Recoverable PARM Code 00981 G Mon. Site: PRT-I	Sample Measurement				< 33	< 33		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Silver, Total Recoverable PARM Code 01079 G Mon. Site: PRT-I	Sample Measurement				< 9.6	< 9.6		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Thallium, Total Recoverable PARM Code 00982 G Mon. Site: PRT-I	Sample Measurement				21	21		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Zinc, Total Recoverable PARM Code 01094 G Mon. Site: PRT-I	Sample Measurement				110	110		0	1 Annually	24-hr Flow Proportioned Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Cyanide, Total Recoverable PARM Code 78248 G Mon. Site: PRT-I	Sample Measurement				< 4.8	< 4.8		0	1 Annually	Grab
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
		Phenolic Compounds, Total Recoverable	Sample Measurement				<0.0043	< 0.043		0
PARM Code 70029 G Mon. Site: PRT-I	Permit Requirement				Report (Annl Avg)	Report (Maximum)	ug/L		(1 Annually)	(Grab)
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Cody Eugene Pridgeon	I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHERED AND EVALUATED THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.					SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Electronically Signed			TELEPHONE (346) 758-5452	SUBMITTED ON 01/22/2018

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

PERMITTEE NAME: Lake City, City of	PERMIT NUMBER: FLA113956
ADDRESS: 205 North Marion Avenue Lake City, FL 32055	LIMIT: FINAL REPORT: Annually FACILITY TYPE: DW GROUP: Domestic MONITORING GROUP: PRT-R
FACILITY: St. Margaret WWTF	DESCRIPTION: Biosolids, after final treatment prior to land application (RMP-B)
LOCATION: 527 SW St Margaret St Lake City, FL 32025	
COUNTY: COLUMBIA	MONITORING PERIOD: From: 01/01/2017 To: 12/31/2017

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Arsenic Total, Dry Weight, Sludge PARM Code 49565 + Mon. Site: PRT-R	Sample Measurement				< 0.22	< 0.22		0	1 Annually	Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	mg/kg		(1 Annually)	(Composite)
Cadmium, Sludge, Tot, Dry Weight (as Cd) PARM Code 78476 + Mon. Site: PRT-R	Sample Measurement				0.14	0.14		0	1 Annually	Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	mg/kg		(1 Annually)	(Composite)
Copper, Sludge, Tot, Dry Wt. (as Cu) PARM Code 78475 + Mon. Site: PRT-R	Sample Measurement				49	49		0	1 Annually	Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	mg/kg		(1 Annually)	(Composite)
Lead, Dry Weight, Sludge PARM Code 78468 + Mon. Site: PRT-R	Sample Measurement				1.3	1.3		0	1 Annually	Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	mg/kg		(1 Annually)	(Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Mercury, Dry Weight, Sludge PARM Code 78471 + Mon. Site: PRT-R	Sample Measurement				0.10	0.10		0	1 Annually	Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	mg/kg		(1 Annually)	(Composite)
Molybdenum, Dry Weight, Sludge PARM Code 78465 + Mon. Site: PRT-R	Sample Measurement				0.70	0.70		0	1 Annually	Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	mg/kg		(1 Annually)	(Composite)
Nickel, Dry Weight, Sludge PARM Code 78469 + Mon. Site: PRT-R	Sample Measurement				1.1	1.1		0	1 Annually	Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	mg/kg		(1 Annually)	(Composite)
Selenium Sludge Solid PARM Code 61518 + Mon. Site: PRT-R	Sample Measurement				< 0.56	<0.56		0	1 Annually	Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	mg/kg		(1 Annually)	(Composite)
Zinc, Dry Weight, Sludge PARM Code 78467 + Mon. Site: PRT-R	Sample Measurement				54	54		0	1 Annually	Composite
	Permit Requirement				Report (Annl Avg)	Report (Maximum)	mg/kg		(1 Annually)	(Composite)
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Cody Eugene Pridgeon	I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHERED AND EVALUATED THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.					SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Electronically Signed			TELEPHONE (346) 758-5452	SUBMITTED ON 01/22/2018

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

PERMITTEE NAME: Lake City, City of	PERMIT NUMBER: FLA113956
ADDRESS: 205 North Marion Avenue Lake City, FL 32055	LIMIT: FINAL REPORT: Annually
	FACILITY TYPE: DW GROUP: Domestic
FACILITY: St. Margaret WWTF	MONITORING GROUP: RWS-A
LOCATION: 527 SW St Margaret St Lake City, FL 32025	DESCRIPTION: Annual Reclaimed Water or Effluent Analysis
COUNTY: COLUMBIA	MONITORING PERIOD: From: 01/01/2017 To: 12/31/2017

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Antimony, Total Recoverable	Sample Measurement						NOD	0	NOD	NOD
PARM Code 01268 P Mon. Site: RWS-A	Permit Requirement						Report (Maximum)	ug/L	(1 Annually)	(24-hr Flow Proportioned Composite)
Arsenic, Total Recoverable	Sample Measurement						NOD	0	NOD	NOD
PARM Code 00978 P Mon. Site: RWS-A	Permit Requirement						Report (Maximum)	ug/L	(1 Annually)	(24-hr Flow Proportioned Composite)
Barium, Total Recoverable	Sample Measurement						NOD	0	NOD	NOD
PARM Code 01009 P Mon. Site: RWS-A	Permit Requirement						Report (Maximum)	ug/L	(1 Annually)	(24-hr Flow Proportioned Composite)
Beryllium, Total Recoverable	Sample Measurement						NOD	0	NOD	NOD
PARM Code 00998 P Mon. Site: RWS-A	Permit Requirement						Report (Maximum)	ug/L	(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
Cadmium, Total Recoverable PARM Code 01113 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Chromium, Total Recoverable PARM Code 01118 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Cyanide, Free (amen. to chlorination) PARM Code 00722 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(Grab)
Fluoride, Total (as F) PARM Code 00951 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	mg/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Lead, Total Recoverable PARM Code 01114 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
Mercury, Total Recoverable PARM Code 71901 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Nickel, Total Recoverable PARM Code 01074 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Nitrogen, Nitrate, Total (as N) PARM Code 00620 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	mg/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Nitrogen, Nitrite, Total (as N) PARM Code 00615 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	mg/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Nitrite plus Nitrate, Total 1 det. (as N) PARM Code 00630 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	mg/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
Selenium, Total Recoverable PARM Code 00981 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Sodium, Total Recoverable PARM Code 00923 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	mg/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Thallium, Total Recoverable PARM Code 00982 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
1,1-dichloroethylene PARM Code 34501 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,1,1-trichloroethane PARM Code 34506 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(Grab)

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
1,1,2-trichloroethane PARM Code 34511 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,2-dichloroethane PARM Code 32103 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,2-dichloropropane PARM Code 34541 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,2,4-trichlorobenzene PARM Code 34551 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Benzene PARM Code 34030 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(Grab)

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
Carbon tetrachloride PARM Code 32102 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(Grab)
Cis-1,2-dichloroethene, Whole Water PARM Code 81686 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(Grab)
Dichloromethane (methylene chloride) PARM Code 03821 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(Grab)
Ethylbenzene PARM Code 34371 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(Grab)
Monochlorobenzenes PARM Code 34031 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(Grab)

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
1,2-dichlorobenzene PARM Code 34536 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(Grab)
1,4-dichlorobenzene PARM Code 34571 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(Grab)
Styrene, Total PARM Code 77128 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(Grab)
Tetrachloroethylene PARM Code 34475 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(Grab)
Toluene PARM Code 34010 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(Grab)

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
1,2-trans-dichloroethylene PARM Code 34546 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(Grab)
Trichloroethylene PARM Code 39180 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(Grab)
Vinyl chloride PARM Code 39175 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(Grab)
Xylene PARM Code 81551 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(Grab)
2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) PARM Code 34675 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
2,4-dichlorophenoxyacetic acid PARM Code 39730 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Silvex PARM Code 39760 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Alachlor PARM Code 39161 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Atrazine PARM Code 39033 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Benzo(a)pyrene PARM Code 34247 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
Carbofuran PARM Code 81405 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Chlordane (tech mix. and metabolites) PARM Code 39350 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Dalapon PARM Code 38432 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Bis(2-ethylhexyl)adipate PARM Code 77903 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Bis (2-ethylhexyl) phthalate PARM Code 39100 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
Dibromochloropropane (DBCP) PARM Code 82625 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(Grab)
Dinoseb, Whole Water, Recoverable PARM Code 30191 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Diquat PARM Code 04443 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Endothall PARM Code 38926 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Endrin PARM Code 39390 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
Ethylene dibromide (1,2-dibromoethane) PARM Code 77651 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(Grab)
Glyphosate PARM Code 79743 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	mg/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Heptachlor PARM Code 39410 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Heptachlor epoxide PARM Code 39420 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Hexachlorobenzene PARM Code 39700 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
Hexachlorocyclopentadiene PARM Code 34386 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Gamma BHC (Lindane) PARM Code 39782 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Methoxychlor PARM Code 39480 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Oxamyl (vydate) PARM Code 38865 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Pentachlorophenol PARM Code 39032 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
Picloram in Whole Water Sample	Sample Measurement						NOD		0	NOD	NOD
PARM Code 39720 P Mon. Site: RWS-A	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Polychlorinated Biphenyls (PCBs)	Sample Measurement						NOD		0	NOD	NOD
PARM Code 39516 P Mon. Site: RWS-A	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Simazine in Whole Water	Sample Measurement						NOD		0	NOD	NOD
PARM Code 39055 P Mon. Site: RWS-A	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Toxaphene	Sample Measurement						NOD		0	NOD	NOD
PARM Code 39400 P Mon. Site: RWS-A	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Trihalomethane, Total by summation	Sample Measurement						NOD		0	NOD	NOD
PARM Code 82080 P Mon. Site: RWS-A	Permit Requirement						Report (Maximum)	mg/L		(1 Annually)	(Grab)

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
Radium 226 + Radium 228, Total PARM Code 11503 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	pCi/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Alpha, Gross Particle Activity PARM Code 80045 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	pCi/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Aluminum, Total Recoverable PARM Code 01104 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	mg/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Chloride (as Cl) PARM Code 00940 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	mg/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Iron, Total Recoverable PARM Code 00980 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	mg/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
Copper, Total Recoverable PARM Code 01119 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Manganese, Total Recoverable PARM Code 11123 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Silver, Total Recoverable PARM Code 01079 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Sulfate, Total PARM Code 00945 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	mg/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Zinc, Total Recoverable PARM Code 01094 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	ug/L		(1 Annually)	(24-hr Flow Proportioned Composite)

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
pH PARM Code 00400 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	s.u.		(1 Annually)	(Grab)
Solids, Total Dissolved (TDS) PARM Code 70295 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	mg/L		(1 Annually)	(24-hr Flow Proportioned Composite)
Foaming Agents PARM Code 01288 P Mon. Site: RWS-A	Sample Measurement						NOD		0	NOD	NOD
	Permit Requirement						Report (Maximum)	mg/L		(1 Annually)	(24-hr Flow Proportioned Composite)
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Cody Eugene Pridgeon	I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHERED AND EVALUATED THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.						SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Electronically Signed			TELEPHONE (346) 758-5452	SUBMITTED ON 01/22/2018
<input type="checkbox"/> NO NEW NON-DOMESTIC WASTEWATER DISCHARGERS HAVE BEEN ADDED TO THE COLLECTION SYSTEM SINCE THE LAST RECLAIMED WATER OR EFFLUENT ANALYSIS WAS CONDUCTED.											