



---

**RFP #18-0002 ADDENDUM NO.1**  
**Structured Cabling System**  
**Date of Addendum: February 5, 2018**

## **NOTICE TO ALL POTENTIAL RESPONDENTS**

The Request for Proposals are modified as set forth in this Addendum. The original RFP documents and previously issued addenda remain in full force and effect, except as modified by this Addendum, which is hereby made part of the RFP. Respondent shall take this Addendum into consideration with preparing and submitting its Proposal.

## **SCOPE OF PROJECT MODIFICATION**

### **ATTACHMENT 1A**

Provides a modified scope and updated list of MDF and IDF port requirements by school site.

### **ATTACHMENT 1B**

Provides a modified scope of port count by location and estimated cable lengths grouped by IDF/MDF. An updated total of the sum of all total estimated cable lengths is also provided.

### **ATTACHMENT 1C**

Provides updated instructions.

## **NOTICE TO ALL POTENTIAL RESPONDENTS**

The Request for Proposals (RFP)'s are modified as set forth in this Addendum. The original RFP Documents and any previously issued addenda remain in full force and effect, except as modified by this Addendum, which is hereby made part of the RFP. Respondent shall take this Addendum into consideration when preparing and submitting their Proposal.

**ATTACHMENT 1A**

Site	MDF required number of ports	Number of IDF and ports required	Approximate Length in feet per site	Address
Condor Elementary School	240	IDF6-RM9A=96		2551 Condor Rd., Twentynine Palms, CA 92277
Friendly Hills Elementary School	264			7252 Sunny Vista Rd, Joshua Tree, CA 92252
Landers Elementary School	288			56450 Reche Rd, Landers, CA 92285
Morongo Valley Elementary School	120	IDF1-RM101=168 IDF2-Custodial=48 IDF4-RM109=72		10951 Hess Blvd., Morongo Valley 92256
Oasis Elementary School	96	IDF2-RM14BK=120 IDF3-RM4BK=96 IDF4-RM17BK=120 IDF5-RM7BK =120 IDF6-KINDER=72		73175 El Paseo Dr, Twentynine Palms, CA 92277
Onaga Elementary School	216	IDF1-RM118=168 IDF2-RM117=120 IDF3-RM110=144 IDF4-RM101=120 IDF5-KINDER=72		58001 Onaga Tr, Yucca Valley, CA 92284
Palm Vista Elementary School	96	IDF1-RM122=144 IDF2-RM101=96 IDF3-ACRoom=168 IDF5-RM107Conf=120		74350 Baseline, Twentynine Palms, CA 92277
Twentynine Palms Elementary School	168	IDF1-RM1ELEC=96 IDF4-RM17Storage=120 IDF5-RM12BK=96 IDF6-RM16BK=120 IDF7-KINDER=48		74350 Playa Vista, Twentynine Palms, CA 92277
Yucca Mesa Elementary School	360	IDF1-RM12=168		3380 Avalon, Yucca Valley, CA 92284
Yucca Valley Elementary School	168	IDF1-OLDOFFICE=48 IDF2-RM16=144		7601 Hopi Tr, Yucca Valley, CA 92284

Site	MDF required number of ports	Number of IDF and ports required	Approximate Length in feet per site	Address
		IDF4-RM21=168 IDF5-RM8STAIRS=120		
Black Rock High School	216	NO IDFs		59273 Sunnyslope Drive, Yucca Valley, CA 92284
Twentynine Junior High School	72	IDF1-OFFICE=192 IDF2-RM16=72 IDF5-CUSTSCIENCE=120 IDF6-LIBRARY=216 IDF7-RM27MECH=96		5798 Utah Tr, Twentynine Palms, CA 92277
La Contenta Middle School	96	IDF1-NURSE=72 IDF2-RM19=312 IDF3-RM42=144 IDF4-RM50=18 IDF6-MPR=48 IDF7-RM30=168		7050 La Contenta Rd, Yucca Valley, CA 92284
Twentynine Palms High School	96	IDF1-RM40STAFFWRK=120 IDF3-OLDOFFICE=72 IDF5-MPR=72 IDF6-RM106=216 IDF8-STUSTORE=120 IDF9-60MECHAN=192 IDF10-90sROOMS=72 IDF11-70SBUILD=120		72750 Wildcat Way, Twentynine Palms, CA 92277
Yucca Valley High School	336	IDF1-OFFICE=96 IDF2-RMH3=72 IDF3-STUSTORE=48 IDF4-RMD2=168 IDF5-QWING=240 IDF6-RMF4=240 IDF7-RMM4=96 IDF9-SBUILDING=168 IDF12-RMC4=96		7600 Sage Ave, Yucca Valley, CA 92284

**ATTACHMENT 1B**

SITE		# of Ports	Cable Length
<b>ONES</b>			
<b>ONES-CORE-MDF-1</b>			
Video Cameras	200	20	4000
IP Clocks	200	20	4000
Principal Office	150	6	900
Secretary Stations -1	150	4	600
Secretary Stations -2	150	4	600
Secretary Stations -3	150	4	600
Assistant Principal Office	180	6	1080
Nurse	145	4	580
Mail Room	180	4	720
Conference Room	145	6	870
Custodian Office	200	4	800
Teacher Phone Room	180	4	720
Staff Lounge	200	4	800
Intervention	70	4	280
Speech EL	110	32	3520
Media Center	50	4	200
Computer Lab	180	38	6840
Library	80	8	640
MPR	254	4	1016
Food Services	229	4	916
<b>ONES-IDFRM118-1</b>			
Room 118	85	18	1530
Room 119	110	18	1980
Room 120	195	18	3510
Room 121	165	18	2970
Room 122	270	18	4860

SITE			# of Ports	Cable Length
Room 123	280		18	5040
Room 124	275		18	4950
Room 125	299		18	5382
<b>ONES-IDFRM117-1</b>				
Room 111	177		18	3186
Room 112	187		18	3366
Room 113	269		18	4842
Room 114	260		18	4680
Room 115	167		18	3006
Room 116	157		18	2826
<b>ONES-IDFRM110-1</b>				
Room 104	147		18	2646
Room 105	172		18	3096
Room 106	289		18	5202
Room 107	289		18	5202
Room 108	198		18	3564
Room 109	182		18	3276
Room 110	46		18	828
<b>ONES-IDFRM101-1</b>				
Room 101	85		18	1530
Room 102	162		18	2916
Room 103	238		18	4284
<b>ONES-IDF-KINDER</b>				
Room K1	148		18	2664
Room K2	85		18	1530
Room K3	105		18	1890
WorkRoom	100		4	400
<b>ONES Total # of Terminations</b>				

SITE			# of Ports	Cable Length
<b>LES</b>				
<b>LES-CORE-MDF-1</b>				
Video Cameras	200		20	4000
IP Clocks	200		20	4000
Secretary	151		4	604
Principal	101		6	606
Nurse	175		4	700
Library	130		10	1300
Custodian	79		4	316
MPR	133		4	532
Food Services	180		4	720
Staff Work Room	100		4	400
Staff Lounge	80		4	320
Stage	180		2	360
Activity Center 1	220		4	880
Room 101	212		18	3816
Room 102	237		18	4266
Room 103	207		18	3726
Room 104	190		18	3420
Activity Center 2	280		4	1120
Room 105/Room 106	250		60	15000
Room 107	295		18	5310
Room 108	190		18	3420
Conference Room	91		6	546
Room 109	154		18	2772
<b>LES Total # of Terminations</b>				

SITE			# of Ports	Cable Length
<b>MVES</b>				
<b>MVES-CORE-MDF-1</b>				
Video Cameras	200		20	4000
IP Clocks	200		20	4000
Office	178		8	1424
Principal	168		6	1008
Nurse	66		4	264
Library	207		10	2070
MPR	274		4	1096
Food Services	112		4	448
Staff Work Room	65		4	260
Staff Lounge	100		4	400
Stage	250		4	1000
<b>MVES-IDFRM101-1</b>				
Room 101	111		18	1998
Room 102	101		18	1818
Room 103	116		18	2088
Room 104	157		18	2826
Room 105	152		18	2736
Room 106	182		18	3276
Room 107	162		18	2916
Room 108	192		18	3456
Activity Center 1	55		4	220
Activity Center 2	140		4	560
<b>MVES-IDFCUSTOFF-1</b>				
Custodian	25		4	100
Room 115	76		18	1368
Room 116	81		18	1458
<b>MVES-IDFRM109</b>				



SITE			# of Ports	Cable Length
Rm109	60		18	1080
Rm110	111		18	1998
Rm111	147		18	2646
<b>MVES Total # of Terminations</b>				

SITE			# of Ports	Cable Length
<b>BRHS</b>				
<b>BHRS MDF</b>				
Video Cameras	200		14	2800
IP Clocks	200		10	2000
Office	100		8	800
Principal	50		6	300
Staff Lounge	50		4	200
Copy Room	30		4	120
Nurse	85		4	340
Security	85		4	340
Kitchen	205		4	820
Rm104	85		18	1530
Rm105	95		18	1710
Rm106	120		18	2160
Rm107	143		18	2574
Rm108	151		18	2718
Rm109	122		18	2196
Rm110	120		18	2160
Kitchen	205		4	820
<b>BRHS Total # of Terminations</b>				

SITE			# of Ports	Cable Length
<b>YMES</b>				
<b>YMES-CORE-MDF-1</b>				
Video Cameras	200		20	4000
IP Clocks	200		20	4000
Office	75		8	600
Principal	60		6	360
Nurse	160		4	640
Conference Room	160		6	960
Library	80		8	640
Custodian	140		4	560
Kitchen	185		4	740
Staff Work Room	50		4	200
Staff Lounge	60		4	240
Stage	185		2	370
Cust. Closet	160		4	640
Cust. Office	178		4	712
CA. Children Services	190		8	1520
Activity Center 1	170		4	680
Room 1	155		18	2790
Room 2	115		18	2070
Room 3	167		18	3006
Room 4	155		18	2790
Activity Center 2	200		4	800
Room 5	185		18	3330
Room 6	170		18	3060
Room 7	205		18	3690
Room 8	205		18	3690
Room 21	195		18	3510
Room 20	175		18	3150

SITE			# of Ports	Cable Length
Room 17	190		18	3420
Room 19	288		18	5184
<b>YMES-IDFRM12-1</b>				
Activity Center 3	80		4	320
Room 9	113		18	2034
Room 10	120		18	2160
Room 11	110		18	1980
Room 12	90		18	1620
Activity Center 4	150		4	600
Room 13	125		18	2250
Room 14	155		18	2790
Room 15	140		18	2520
Room 16	157		18	2826
<b>YMES Total # of Terminations</b>				

SITE			# of Ports	Cable Length
<b>FHES</b>				
<b>FHES-CORE-MDF-1</b>				
Video Cameras	200		20	4000
IP Clocks	200		20	4000
Principal	85		6	510
Library	130		8	1040
MPR/kitchen	208		12	2496
Nurse	95		4	380
Secretary	105		8	840
Conference Room	85		6	510
Kindergarten	183		18	3294
Room 1	180		18	3240
Room 2	170		18	3060
Room 3	258		18	4644
Room 4	250		18	4500
Room 5	200		18	3600
Room 6	256		18	4608
Room 7	240		18	4320
Room 8	269		18	4842
<b>FHES Total # of Terminations</b>				

SITE			# of Ports	Cable Length
<b>CES</b>				
<b>CES-CORE-MDF-1</b>				
Video Cameras	200		20	4000
IP Clocks	200		20	4000
MPR	154		4	616
Library	213		8	1704
Office	135		8	1080
Principal	175		6	1050
Asst. Principal	173		6	1038
Health Office	158		4	632
Room 9	155		18	2790
Room 8	264		18	4752
Room 7	267		18	4806
Room 5/6	305		18	5490
Room 4	188		18	3384
Room 3	216		18	3888
Room 2	276		18	4968
Room 1	267		18	4806
<b>CES-IDFRM9A-1</b>	80		18	1440
<b>CES Total # of Terminations</b>				

SITE		# of Ports	Cable Length
<b>PVES</b>			
<b>PVES-CORE-MDF-1</b>	<b>66</b>		
Video Cameras	200	20	4000
IP Clocks	200	10	2000
Library	75	12	900
Principal	82	6	492
Nurse	70	4	280
Asst. Principal	61	6	366
Nurse Station	71	4	284
Workroom	61	4	244
<b>PVES-IDFRM122-1</b>			
Room 122 Clab	75	40	3000
Room 121	120	18	2160
Room 120	193	18	3474
Room 119	192	18	3456
Conference	67	6	402
Custodian	45	4	180
Kitchen	140	4	560
MPR	240	4	960
<b>PVES-IDFRM101-1</b>			
Room 101	75	18	1350
Room 102/103	95	18	1710
Room 104	111	18	1998
Room 105	134	18	2412
<b>PVES-IDFACROOM-1</b>			
Room 111	168	18	3024
Room 112	177	18	3186
Room 113	165	18	2970
Room 114	159	18	2862

SITE			# of Ports	Cable Length
Room 115	113		18	2034
Room 116	93		18	1674
Room 117	107		18	1926
Room 118	142		18	2556
<b>PVES-IDFCNFRMBY107-1</b>				
Room 106	188		18	3384
Room 107	95		18	1710
Room 108	113		18	2034
Room 109	123		18	2214
Room 110	153		18	2754
<b>PVES Total # of Terminations</b>				



SITE			# of Ports	Cable Length
<b>TPES</b>				
<b>TPES-CORE-MDF-1</b>				
Video Cameras	200		20	4000
IP Clocks	200		20	4000
T1	179		18	3222
T2	267		18	4806
Room 5	111		18	1998
Room 6	138		18	2484
Room 7	173		18	3114
Room 8	207		18	3726
<b>TPES-IDFELECRM1-1</b>				
Office 1	154		4	616
Office 2	107		4	428
Office 3	92		4	368
Open Area	137		4	548
Custodian	124		4	496
Library	92		10	920
Lounge	90		4	360
Room 3	120		18	2160
Room 4	163		18	2934
<b>TPES-IDFSTORAGERM17-1</b>				
Room 17 Clab	68		48	3264
Room 18 Clab	113		48	5424
<b>TPES-IDFRM12BCK-1</b>				
MPR	250		4	1000
Kitchen	261		4	1044
Workroom	135		4	540
Room 9	139		18	2502
Room 10	118		18	2124

SITE			# of Ports	Cable Length
Room 11	71		18	1278
Room 12	43		18	774
<b>TPES-IDRM16BCK-1</b>				
T8	128		18	2304
T9	193		18	3474
Room 13	153		18	2754
Room 14	112		18	2016
Room 15	76		18	1368
Room 16	49		18	882
<b>TPES-IDFKINDER-1</b>				
K-A	123		18	2214
K-B	116		18	2088
<b>TPES Total # of Terminations</b>				

SITE			# of Ports	Cable Length
<b>TPHS</b>				
<b>TPHS-CORE-MDF-1</b>				
Video Cameras	200		30	6000
IP Clocks	200		20	4000
Library	150		6	900
St. Computers	169		12	2028
AD Office	31		4	124
Custodian	122		4	488
<b>TPHS-IDF40SSTFWRKRM-1</b>				
Workroom	45		8	360
Room 41	102		18	1836
Room 42	180		18	3240
Room 43	167		18	3006
Room 44	142		18	2556
Room 45	76		18	1368
<b>TPHS-IDFOFFICE-1</b>				
Testing/computer	75		48	3600
<b>TPHS-IDFMPR-1</b>				
Kitchen	92		4	368
Room 81	168		18	3024
Room 82	173		18	3114
Room 83	147		18	2646
<b>TPHS-IDFRM106-1</b>				
Room 109	112		18	2016
Room 110/111	198		75	14850
Room 112	120		18	2160
Room 113	178		18	3204
Room 114	102		18	1836
Room 115	75		18	1350

SITE			# of Ports	Cable Length
Room 116	75		18	1350
Room 117	97		18	1746
<b>TPHS-IDFSTUSTORE-1</b>				
Room 31	117		18	2106
Room 32	141		18	2538
Room 33	131		18	2358
Room 34	167		18	3006
Room 35	146		18	2628
<b>TPHS-IDF60SMECHRM-1</b>				
Room 61	172		18	3096
Room 62	131		18	2358
Room 63	120		18	2160
Room 64	153		18	2754
Room 65	167		18	3006
Room 66	177		18	3186
<b>TPHS-IDF90SRMS-1</b>				
Room 91	187		18	3366
Room 92	180		18	3240
Room 93	92		18	1656
<b>TPHS-IDF70SBUILD-1</b>				
Room 71	220		18	3960
Room 72	120		18	2160
Room 73	82		18	1476
Room 74	142		18	2556
Room 76	75		18	1350
<b>TPHS-MAINOFFICE-1</b>				
<b>TPHS Total # of Terminations</b>				

SITE			# of Ports	Cable Length
<b>TPJHS</b>				
<b>TPJHS-IDFOFFICE-1</b>				
Video Cameras	200		30	6000
IP Clocks	200		20	4000
Principal	102		6	612
Admin Asst	66		4	264
Asst. Principal	76		6	456
Nurse	81		4	324
Psyc/Speech	81		4	324
Stu Store	102		4	408
Student Services	66		4	264
Counselor	60		4	240
Server Room	40		4	160
Copy Room	81		8	648
Room 3 Clab	187		28	5236
Room 4	243		18	4374
Room 5	259		18	4662
MPR	350		4	1400
Staff Lounge	384		4	1536
Kitchen	384		4	1536
<b>TPJHS-CORE-MDF-1</b>				
Room 30	162		18	2916
Room 31	200		18	3600
Room 32	100		18	1800
<b>TPJHS-IDFRM6-1</b>				
Work room	107		4	428
Room 6	92		18	1656
Room 7 Comp Lab	153		42	6426
<b>TPJHS-IDFCUSTSCIWING-1</b>				

SITE			# of Ports	Cable Length
Room 41	120		18	2160
Room 43	151		18	2718
Room 45	127		18	2286
RTI	100		4	400
<b>TPJHS-IDFLIB-1</b>				
Room 8	140		18	2520
Room 9	130		18	2340
Room 20	137		18	2466
Room 21	157		18	2826
Computer Lab	122		48	5856
Room 24	100		18	1800
Library	140		47	6580
<b>TPJHS-IDFMECHCLSTRM27-1</b>				
Room 25	193		18	3474
Room 26	163		18	2934
Room 27	100		27	2700
Room 28	147		18	2646
<b>TPJHS Total # of Terminations</b>				

SITE		# of Ports	Cable Length
<b>YVES</b>			
<b>YVES-CORE-MDF-1</b>			
Video Cameras	200	20	4000
IP Clocks	200	20	4000
Room K1	97	18	1746
Room 1	248	18	4464
Room 2	208	18	3744
Room 3	172	18	3096
Room 4	142	18	2556
Kindy Office	166	4	664
<b>YVES-IDFOLDOFFICE-1</b>			
BK ROOM	137	4	548
KITCHEN	163	4	652
MPR	160	4	640
OFFICE 1	60	4	240
OFFICE 2	60	4	240
OFFICE 3	75	4	300
SECRETARY	50	4	200
STAGE	300	2	600
CUST	71	4	284
ITINERANT OFFICE	60	4	240
<b>YVES-IDFRM16-1</b>			
Room 11	248	18	4464
Room 12	243	18	4374
Room 13	198	18	3564
Room 14	187	18	3366
Room 15	198	18	3564
Room 16	106	18	1908
Library	173	12	2076
<b>YVES-IDFRM24-1</b>			
Room K2	238	18	4284
Room K3	193	18	3474
Room 24 Clab	71	40	2840
Room 25	117	18	2106
Room 26	127	18	2286
Room 27	218	18	3924

SITE			# of Ports	Cable Length
Room 29	386		18	6948
<b>YVES-IDFRM21-1</b>				
Room 17	258		18	4644
Room 18	248		18	4464
Room 19	223		18	4014
Room 20	187		18	3366
Room 21 Clab	121		46	5566
Room 30	260		18	4680
Room 31	295		18	5310
<b>YVES-IDFSTAIRSRM8-1</b>				
Room 5	254		18	4572
Room 6	203		18	3654
Room 7	177		18	3186
Room 8	152		18	2736
Room 9	213		18	3834
Room 10	259		18	4662
<b>YVES Total # of Terminations</b>				



SITE		# of Ports	Cable Length
<b>OES</b>			
<b>OES-CORE-MDF-1</b>			
Video Cameras	200	20	4000
IP Clocks	200	20	4000
ASSISTANT PRINCIPAL	172	6	1032
OFFICE WS 1	112	4	448
OFFICE WS 2	119	4	476
OFFICE	107	4	428
NURSE	90	4	360
PRINCIPAL	80	6	480
KITCHEN	117	4	468
POS FOOD	188	2	376
STAGE	328	2	656
<b>OES-IDFRM14BCK-1</b>			
ROOM 11	177	18	3186
ROOM 12	167	18	3006
ROOM 13	95	18	1710
ROOM 14	120	18	2160
ROOM 15	152	18	2736
MED	132	4	528
<b>OES-IDFRM4BCK-1</b>			
ROOM 1	234	18	4212
ROOM 2	147	18	2646
ROOM 3	134	18	2412
ROOM 4	182	18	3276
ROOM 5	208	18	3744
<b>OES-IDFBCK17-1</b>			
Room 16	132	18	2376
ROOM 17	106	18	1908
LIBRARY	152	12	1824
<b>OES-IDFRM7BCK-1</b>			
ROOM 6	182	18	3276
ROOM 7A	126	18	2268
ROOM 7B	66	18	1188
ROOM 8	162	18	2916
ROOM 9	193	18	3474

SITE			# of Ports	Cable Length
ROOM 10	269		18	4842
<b>OES-IDFKINDER</b>				
K1	150		18	2700
K2	150		18	2700
K3	150		18	2700
<b>OES Total # of Terminations</b>				

SITE		# of Ports	Cable Length
<b>LCMS</b>			
<b>LCMS-CORE-MDF-1</b>			
Video Cameras	200	30	6000
IP Clocks	200	20	4000
Counselor 1	110	4	440
Counselor 2	121	4	484
Counselor Office	86	12	1032
Library	188	10	1880
<b>LCMS-IDFNURSE-1</b>			
Nurse	153	4	612
AP	127	4	508
Off Tech	102	4	408
Office	60	4	240
Lounge	97	8	776
Principal	140	6	840
Room 9	191	18	3438
<b>LCMS-IDFRM19-1</b>			
Room 10	188	18	3384
Room 11	208	18	3744
Room 12	244	18	4392
Room 13	275	18	4950
Room 14	306	18	5508
Room 19	60	18	1080
Room 20	107	18	1926
Room 21	147	18	2646
Room 22	188	18	3384
Room 23	76	18	1368
Room 24	107	18	1926
Room 25	173	18	3114
Room 26 Clab/27	249	84	20916
<b>LCMS-IDFRM42-1</b>			
Room 40 Clab	122	45	5490
Room 41	91	18	1638
Room 42	50	18	900
Room 43	198	40	7920
<b>LCMS-IDFRM50-1</b>			

SITE			# of Ports	Cable Length
Room 50	75		18	1350
<b>LCMS-IDFMPR-1</b>				
Conference	133		6	798
Cafeteria	140		8	1120
MPR	145		4	580
Room 2	250		18	4500
<b>LCMS-IDFRM30-1</b>				
Room 30 ASB Stu Store	40		4	160
Room 31	81		18	1458
Room 32	102		18	1836
Room 33 Clab	90		90	8100
Room 34 Clab	112		90	10080
Room 35	142		18	2556
<b>LCMS Total # of Terminations</b>				

SITE		# of Ports	Cable Length
<b>YVHS</b>			
<b>MDF</b>		0	
Video Cameras	200		6000
IP Clocks	200		4000
Library	244		1952
Office 1	244		976
Office2	244		976
Office 3	244		976
Office 4	244		976
Rec	244		976
Lab 1	244		8540
Lab 2	244		7320
Career Center	244		3660
G1	122		2196
G2	81		1458
G3	107		1926
G4	153		2754
G5	198		3564
G6	198		3564
G7	178		3204
G8	192		3456
<b>YVHS-IDFOFFICE-1</b>			
Principal	97		582
Principal Sec	96		384
Reception	76		304
Reception	76		304
Couns. Secretary	86		344
Attendance 1	117		468
Attendance 2	117		468
Couns. McClean	158		632
Couns. Hovey	158		632
Couns. Vallo	158		632
Nurse	137		548
Gail	97		388
Conf Small	117		702
Registrar	117		468

SITE			# of Ports	Cable Length
AP	127		4	508
Athletic	127		4	508
?Office	61		4	244
AP Testing	No Phone		6	
Main Conference	137		6	822
<b>YVHS-IDFRMH3-1</b>				
Food Services	538		4	2152
H1	192		18	3456
H3	102		18	1836
H5	188		18	3384
<b>YVHS-IDFSTUSTOR-1</b>			0	
Kim	172		4	688
ASB	102		18	1836
PO	92		4	368
Security	141		4	564
<b>YVHS-IDFRMD2-1</b>				
D1	154		46	7084
D2	110		45	4950
D3	40		4	160
V1	178		18	3204
V2	173		18	3114
V3	235		18	4230
<b>YVHS-IDFQWING-1</b>				
Q1	75		18	1350
Q2	97		48	4656
Q3	132		48	6336
Q4	154		48	7392
Q5	132		48	6336
<b>YVHS-IDFRMF4-1</b>				
F1A	173		18	3114
F1	220		18	3960
F2	172		18	3096
F3	152		18	2736
F4	75		18	1350
F5	100		18	1800
F6	86		18	1548

SITE			# of Ports	Cable Length
F7	100		18	1800
F8	130		18	2340
F9	167		18	3006
F10	270		18	4860
F11	271		18	4878
<b>YVHS-IDFRMM4-1</b>				
M1	66		18	1188
M2	124		18	2232
M3	132		18	2376
M4	75		18	1350
<b>YVHS-IDFSBUILD-1</b>				
S1	183		18	3294
S2	120		18	2160
S3	147		18	2646
S4	132		18	2376
T1	285		18	5130
T2	255		18	4590
T3	259		18	4662
T4	265		18	4770
<b>YVHS-IDFRMC4</b>				
C1	186		18	3348
C3	112		18	2016
C5	80		18	1440
C6	153		18	2754
<b>YVHS Total # of Terminations</b>				
				1314148

## **ATTACHMENT 1C**

Pricing breakdown should be provided by site and then broken down by IDF location or MDF.

Stranded indoor cabling is acceptable for indoor applications. In areas where cabling is ran through underground conduit or exposed to potential environmental damages, the vendor must provide the proper cable type to protect it from environmental damage.

Classroom ports dedicated to Wi-Fi access points will be installed above the classroom ceilings. The IT Department will be using patch cables to connect the access points that will be mounted to ceiling tiles.

All vendors are required to submit the Item 21 attachment in Excel format with their bid submission.

Due to the changes in the job scope the District is extending the due date to **March 6, 2018** to allow all vendors the necessary time to make any required changes.

Updated dates are provided below:

**Proposal opening:  
2:00 pm PST**

**March 6, 2018, at**

**Award of Proposal:  
the BOE Meeting**

**March 27, 2018, at**