PROJECT SPECIFICATIONS

Project #2020-1721

Summary of Work:

Nordhoff High School (PROJ# 2020-1721) 1401 Maricopa Hwy, Ojai, CA 93023

Minor renovation of all student restrooms at Nordhoff High School. Including, but not limited to: drywall, painting, tile work, fixtures, etc.

1. Building A:

a: Girls Restroom-

- 1. Remove wall tile
- 2. Patch & repair all cracks or holes. Install new drywall where needed
- 3. Provide & install new 4' x 8' FRP panels and base molding. FRP to be 8' in height around restroom to match district spec
- 4. Paint drywall & doors to match district spec
- 5. Provide & install new light covers.
- 6. Provide & install new stainless steel electrical & switch plates covers.
- 7. Replace damaged signage and install with tamper-proof hardware
- 8. Install district provided stall accessories (waste baskets, toilet paper dispenser, etc).
- 9. Install district provided door closers.
- 10. Install (1) district provided soap dispenser.
- 11. Install (2) district provided hand dryers.
- 12. Provide & install (4) mirrors (2 full length) to match district spec.
- 13. Provide & install (6) backpack hooks, minimum 15" spacing

2. Building B:

a: Girls Restroom-

- 1. Repair & replace any missing or damaged tile
- 2. Clean all tile & grout with alkaline cleaner. Such as Prosoco Stand Off Grout & Tile Cleaner or comparable district approved product.
- 3. Seal all grout with penetrating sealer based on contractor submittal
- 4. Patch & repair all drywall cracks or holes. Install new drywall where needed
- 5. Paint drywall & doors to match district spec
- 6. Provide & install new light covers.
- 7. Provide & install new stainless steel electrical & switch plates covers.
- 8. Replace damaged signage and install with tamper-proof hardware
- 9. Install district provided stall accessories (waste baskets, toilet paper dispenser, etc).
- 10. Install district provided door closers.
- 11. Install (2) district provided soap dispensers.
- 12. Install (2) district provided hand dryers.
- 13. Provide & install (4) mirrors (1 full length) to match district spec
- 14. Provide & install (6) backpack hooks, minimum 15" spacing

b: Boys Restroom-

- 1. Repair & replace missing wall tile
- 2. Clean all tile & grout with alkaline cleaner. Such as Prosoco Stand Off Grout & Tile Cleaner or comparable district approved product.
- 3. Seal all grout with penetrating sealer based on contractor submittal
- 4. Patch & repair all drywall cracks or holes. Install new drywall where needed
- 5. Paint drywall & doors to match district spec
- 6. Provide & install new light covers.
- 7. Provide & install new stainless steel electrical & switch plates covers.
- 8. Replace damaged signage and install with tamper-proof hardware
- 9. Install district provided stall accessories (waste baskets, toilet paper dispenser, etc).
- 10. Install district provided door closers.
- 11. Install district provided soap dispenser.
- 12. Install (2) district provided hand dryers.
- 13. Provide & install (2) mirrors to match district spec
- 14. Provide & install new ADA handrails in ADA stall.

3. Building D:

a: Girls Restroom-

- 1. Remove wall tile
- 2. Patch & repair all cracks or holes. Provide & install new drywall where needed
- 3. Provide & install new 4' x 8' FRP panels and base molding. FRP to be 8' in height around restroom to match district spec
- 4. Paint drywall & doors to match district spec
- 5. Provide & install new light covers.
- 6. Provide & install new stainless steel electrical & switch plates covers.
- 7. Replace damaged signage and install with tamper-proof hardware
- 8. Install district provided stall accessories (waste baskets, toilet paper dispenser, etc).
- 9. Install district provided door closer.
- 10. Install (2) district provided soap dispensers.
- 11. Install (2) district provided hand dryers.
- 12. Provide & install (4) mirrors (1 full length) to match district spec
- 13. Provide & install (6) backpack hooks, minimum 15" spacing
- 14. Provide & install (3) sinks, faucets, & plumbing hardware (including angle stops) to match district spec
- 15. Provide & install new ADA handrails in ADA stall.

b: Boys Restroom-

- 1. Remove wall tile
- 2. Patch & repair all cracks or holes. Provide & install new drywall where needed
- 3. Provide & install new 4' x 8' FRP panels and base molding. FRP to be 8' in height around restroom to match district spec
- 4. Paint drywall & doors to match district spec
- 5. Provide & install new light covers.
- 6. Provide & install new stainless steel electrical & switch plates covers.
- 7. Replace damaged signage and install with tamper-proof hardware
- 8. Install district provided stall accessories (waste baskets, toilet paper dispenser, etc).
- 9. Install district provided door closer.

- 10. Install (2) district provided soap dispensers.
- 11. Install (2) district provided hand dryers.
- 12. Provide & install (4) mirrors (1 full length) to match district spec
- 13. Provide & install (4) sinks, faucets, & plumbing hardware (including angle stops) to match district spec
- 14. Provide & install new ADA handrails in ADA stall.

4. Building H:

a: (2) Private Restrooms-

- 1. Remove wall tile
- 2. Patch & repair all cracks or holes. Provide & install new drywall where needed
- 3. Provide & install new 4' x 8' FRP panels and base molding. FRP to be 8' in height around restroom to match district spec
- 4. Paint drywall & doors to match district spec
- 5. Provide & install new light covers.
- 6. Paint flooring with non-slip floor paint to match district spec.
- 7. Provide & install new stainless steel electrical & switch plates covers.
- 8. Replace damaged signage and install with tamper-proof hardware
- 9. Install district provided stall accessories (waste baskets, toilet paper dispenser, etc).
- 10. Install (1) district provided soap dispensers.
- 11. Provide & install (1) mirrors to match district spec
- 12. Provide & install (1) backpack hook

5. Band Building:

a: Girls Restroom-

- 1. Repair & replace any missing or damaged tile
- 2. Clean all tile & grout with alkaline cleaner. Such as Prosoco Stand Off Grout & Tile Cleaner or comparable district approved product.
- 3. Seal all grout with penetrating sealer based on contractor submittal
- 4. Patch & repair all drywall cracks or holes. Provide & install new drywall where needed
- 5. Paint drywall & doors to match district spec
- 6. Provide & install new light covers.
- 7. Provide & install new stainless steel electrical & switch plates covers.
- 8. Replace damaged signage and install with tamper-proof hardware
- 9. Install district provided stall accessories (waste baskets, toilet paper dispenser, etc).
- 10. Install (2) district provided soap dispensers.
- 11. Provide & install (3) mirrors (1 full length) to match district spec
- 12. Provide & install three new sink faucets to match district spec
- 13. Install (6) backpack hooks, minimum 15" spacing

b: Boys Restroom-

- 1. Repair & replace any missing or damaged tile
- 2. Clean all tile & grout with alkaline cleaner. Such as Prosoco Stand Off Grout & Tile Cleaner or comparable district approved product.
- 3. Seal all grout with penetrating sealer based on contractor submittal

- 4. Patch & repair all drywall cracks or holes. Provide & install new drywall where needed
- 5. Paint drywall & doors to match district spec
- 6. Provide & install new light covers.
- 7. Provide & install new stainless steel electrical & switch plates covers.
- 8. Replace damaged signage and install with tamper-proof hardware
- 9. Install district provided stall accessories (waste baskets, toilet paper dispenser, etc).
- 10. Provide & install (3) mirrors to match district spec

6. Gym Public Restrooms:

a: Girls Restroom-

- 1. Repair & replace any missing or damaged tile
- 2. Clean all tile & grout with alkaline cleaner. Such as Prosoco Stand Off Grout & Tile Cleaner or comparable district approved product.
- 3. Seal all grout with penetrating sealer based on contractor submittal
- 4. Patch & repair all drywall cracks or holes. Provide & install new drywall where needed
- 5. Paint drywall & doors to match district spec
- 6. Provide & install new light covers.
- 7. Provide & install new stainless steel electrical & switch plates covers.
- 8. Replace damaged signage and install with tamper-proof hardware
- 9. Install district provided stall accessories (waste baskets, toilet paper dispenser, etc).
- 10. Install (1) district provided soap dispensers.
- 11. Install (2) district provided hand dryers.
- 12. Provide & install (3) mirrors (1 full length) to match district spec
- 13. Install (6) backpack hooks, minimum 15" spacing

b: Boys Restroom-

- 1. Repair & replace any missing or damaged tile
- 2. Clean all tile & grout with alkaline cleaner. Such as Prosoco Stand Off Grout & Tile Cleaner or comparable district approved product.
- 3. Seal all grout with penetrating sealer based on contractor submittal
- 4. Patch & repair all drywall cracks or holes. Provide & install new drywall where needed
- 5. Paint drywall & doors to match district spec
- 6. Provide & install new light covers.
- 7. Provide & install new stainless steel electrical & switch plates covers.
- 8. Replace damaged signage and install with tamper-proof hardware
- 9. Install (1) district provided soap dispensers.
- 10. Install (2) district provided hand dryers.
- 11. Provide & install (2) mirrors to match district spec

District Material Specifications

Finishes: Match District-standard paint manufacturer and colors as indicated below:

- 1. COLOR 1: Sherwin Williams- Color TBD
- 2. FRP: .09" x 4' x 8' Embossed, Medium Gray

Mirrors:

1. Mirrors: B-165 Series Channel-Frame Mirror. Cut sheet attached

Plumbing:

- 1. Faucets: Chicago Faucets: Part Number 857-E2805-665PSHAB. Spec sheet attached.
- 2. Sink: American Standard Lucerne 0355.012. Cut sheet attached.

Fixtures:

- 1. Hand Dryers: XLERATOR® HAND DRYER. Model XI- SB. Cut sheet attached.
- 2. Soap Dispenser: WAXIE NICE TOUCH MANUAL SOAP DISPENSER BLACK 800 ML Manufacturer Item:9033-12-BCE00
- 3. Door Closers: USCAN 4000 Series, Aluminum