



ADDENDUM NO. 1

ADDENDUM

PROJECT: FAIRFIELD MIDDLE SCHOOL, COURT YARDS, STOREFRONT WINDOWS &
DOORS INSTALLATION
IFB 2223-10

DATE: April 13, 2023

The content of this addendum is hereby issued with the purpose to modify or interpret the documents by use of additions, deletions, clarifications, and/or corrections. All information herein supersedes or supplements any portion of the drawings and specifications wherever there is a conflict. This Addendum shall become a part of the contract documents.

Failure to acknowledge this addendum on the bid form may result in the bid being deemed non-responsive.

Storefront Doors

Storefront doors shall be 3' 0"x7' 0" commercial type aluminum with medium stiles (3 1/2") and tie rod construction as manufactured by Comanche or equal. Doors shall open into the court yard and be furnished with a push bar on the corridor side and offset pull handle on the court yard side. Doors shall have 3 ea. 4 1/2" heavy duty stainless steel ball bearing hinges, Bommer or equal. Doors shall include an aluminum threshold and bottom sweep. Swing shall match that of existing doors.

Door Hardware shall include:

LCN 4040 door closer

Corbin Russwin DL 4112 double cylinder, mortise lock with removable D2, 6 pin, 0 bitted cores. Finish shall be #630 stainless steel.

End of Addendum