

U ED BINDING ш U ш $\mathbf{\Omega}$

ш U ш






SEALANT AT ALL INSIDE CORNERS. COLOR TO MATCH WINDOW.


METAL LINTEL: 1. SCRAPE LOOSE MATERI 2. PRIME WITH RUST INHIBITOR, AS SPECIFIED 3. PAINT, AS SPECIFIED —		#10 SS PANHEAD SCREW
PERIMETER SEALANT AS SPECIFIED. NO SEALANT AT SILL. ————		WITH NEOPRENE GASKET
window sash ———		
EXISTING ALUM. WINDOW TO BE REINSTALLED		
EXISTING PRECAST CONC. SILL. PRIME AND PAINT AS SPECIFIED		
NO SEALANT AT JOINT BETWEEN SILL TRIM AND PRECAST CONC. SILL		

2 ALT. - WINDOW ELEVATION




4 ALT. - WINDOW D HEAD DETAIL (A701) 3'' = 1'-0''

EXISTING PRECAST CONC. SILL BELOW SEALANT EXISTING PROFILE. VIF. NON-EXPANDING FOAM INSULATION AS SPECIFIED SELF-ADHERED FLASHING EXISTING WINDOW TRIM TO BE REINSTALLED -EXISTING WINDOW FRAME TO BE REINSTALLED. CLOSED CELL FOAM INSULATION EXISTING MOUNTING BRACKETS TO BE REINSTALLED. MOUNT IN KIND OF EXISTING. EXISTING SNAP ON TRIM TO BE REINSTALLED NEW PT PLASTER GROUND. THICKNESS TO MATCH EXISTING PLASTER NEW 1x4 TRIM -



- EXISTING PRECAST CONC. SILL BELOW EXISTING BRICK – SEALANT NEW PT 2x8. CHAMFER EDGE AS NEEDED. NON-EXPANDING FOAM INSULATION AS SPECIFIED SELF-ADHERED FLASHING NEW PT 1x4 EXISTING WINDOW TRIM TO BE REINSTALLED EXISTING WINDOW FRAME TO BE REINSTALLED. ALUM ANGLE. COVER FASTENERS WITH SELF-ADHERING FLASHING EXISTING MOUNTING BRACKETS TO BE REINSTALLED. MOUNT IN KIND OF EXISTING ----- NEW SILL BELOW - EXISTING METAL SHOWER LINER EXISTING SNAP ON TRIM TO BE REINSTALLED - EXISTING PLASTER. PATCH AND REPAIR NEW PT PLASTER GROUND. THICKNESS IN KIND AS REQ. TO MATCH EXISTING PLASTER NEW 1x4 PVC TRIM AND PERIMETER SEALANT. TYP.

7 ALT. - WINDOW JAMB DETAIL @ D \A701/



9 ALT. - WINDOW D SILL DETAIL (A701) 3'' = 1'-0'

