



**PARKING AND
EXTERIOR ELEVATIONS ENHANCEMENTS
LAGRANGE POLICE DEPARTMENT
FOR
CITY OF LAGRANGE**


**100 WEST HARALSON STREET
LAGRANGE, GEORGIA**

(ARCHITECTURAL)

PROJECT NUMBER 21-16

FOR BID AND PERMIT

26 JULY 2021



- KEYNOTES**
- ① 6' HIGH MOVABLE CHAIN LINK FENCE WITH WIND SCREEN
 - ② REMOVE 16' LINEAR FEET OF EXISTING 3'-0" HIGH RETAINING WALL AND CURB. RE-GRADE TO CREATE TEMPORARY DRIVEWAY TO TEMPORARY PARKING.
 - ③ REMOVE EXISTING TOP SOIL AND STOCKPILE. PROOF ROLL DESIGNATED AREA WITH LOADED DUMPTRUCK. INSTALL 6" DEEP G.A.B. OVER ENTIRE AREA OF TEMPORARY PARKING.
 - ④ EXISTING ASPHALT TO BE CLEANED AT END OF PROJECT AND SEAL COATED AND STRIPED.



SMITH DESIGN GROUP, INC.
 206 WEST HARALSON STREET
 LAGRANGE, GEORGIA 30240
 706-882-5511

REVISIONS	
Δ	DESCRIPTION

PROJECT:
PARKING AND EXTERIOR ENHANCEMENTS LAGRANGE POLICE
 100 WEST HARALSON STREET LAGRANGE, GEORGIA

TITLE:
SITE PLAN CONSTRUCTION STAGING


MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: 26 JULY 2021	SHEET: G-3

NOTE:
 THESE DRAWINGS ARE FOR REPRESENTATION ONLY.
 ACTUAL DESIGN WILL VARY.



SITE PLAN - CONSTRUCTION STAGING
 SCALE: 1" = 30'-0"

1
G-3




EAST HARALSON STREET

N

1 100 LEVEL - EXISTING

Scale: 1/16" = 1'-0"



EAST HARALSON STREET

N

2 200 LEVEL - EXISTING

Scale: 1/16" = 1'-0"



SMITH DESIGN GROUP, INC.
 206 WEST HARALSON STREET
 LAGRANGE, GEORGIA 30240
 706-882-5511

LEGEND

— EW —	EXISTING WATER
— EG —	EXISTING GAS
— ES —	EXISTING SANITARY SEWER

REVISIONS

Δ	DATE	DESCRIPTION

PROJECT:

**PARKING AND EXTERIOR ENHANCEMENTS
LAGRANGE POLICE**

100 WEST HARALSON STREET
LAGRANGE, GEORGIA


TITLE:

OVERALL PLANS

MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: FOR BID AND PERMIT 26 JULY 2021	SHEET: G-4



SMITH DESIGN GROUP, INC.
 206 WEST HARALSON STREET
 LAGRANGE, GEORGIA 30240
 706-882-5511




1
 G-5 300 LEVEL - EXISTING Scale: 1/16" = 1'-0"

REVISIONS	
DATE	DESCRIPTION

PROJECT:
**PARKING AND EXTERIOR ENHANCEMENTS
 LAGRANGE POLICE**
 100 WEST HARALSON STREET
 LAGRANGE, GEORGIA

TITLE:
OVERALL PLANS

MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: FOR BID AND PERMIT 26 JULY 2021	SHEET: G-5



SMITH DESIGN GROUP, INC.
 206 WEST HARALSON STREET
 LAGRANGE, GEORGIA 30240
 706-882-5511

REVISIONS	
DATE	DESCRIPTION

PROJECT:
PARKING AND EXTERIOR ENHANCEMENTS
LAGRANGE POLICE
 100 WEST HARALSON STREET
 LAGRANGE, GEORGIA

TITLE:
SITE PARKING
EXISTING

MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: 26 JULY 2021	SHEET: SD-1

1
 SD-1
SITE PARKING - EXISTING
 SCALE: 1" = 20'-0"



Signature

SMITH DESIGN GROUP, INC.

206 WEST HARALSON STREET
LAGRANGE, GEORGIA 30240
706-882-5511

KEYNOTES

- 1 MILL DOWN EXISTING 3" OF ASPHALT DOWN TO EXISTING CONCRETE PAVING UNDER EXISTING ASPHALT. APPLY PRIMER TO EXISTING CONCRETE PAVING AND THEN 1" BINDER COURSE OF ASPHALT AND 2" ASPHALT TOPPING. STRIPE PARKING LOT AS SHOWN. (PROVIDE GEOTECH FABRIC OVER EXISTING CONCRETE TO MINIMIZE CRACKING)
- 2 SAWCUT AND REMOVE EXISTING 3" OF ASPHALT AND 10" THICK CONCRETE PAVING IN ITS ENTIRETY FROM THE SITE. INSTALL NEW 10" THICK 4000 PSI CONCRETE WITH #4'S @ 18" O.C. ON 8" COMPACTED BACKFILL AND 1" BINDER ASPHALT AND 2" ASPHALT TOPPING. DOWEL INTO EXISTING CONCRETE WITH NO. 3 DOWELS 18" LONG @ 18" O.C. AROUND ENTIRE PATCH PERIMETER.

REVISIONS

DATE	DESCRIPTION

PROJECT:

PARKING AND EXTERIOR ENHANCEMENTS LAGRANGE POLICE

100 WEST HARALSON STREET LAGRANGE, GEORGIA

TITLE:


SITE PARKING EXISTING

MODIFIED DATE: JOB NO:


21-16

ISSUED DATE: SHEET:

FOR BID AND PERMIT 26 JULY 2021 **SD-2**



SITE PARKING - EXISTING / DEMOLITION
SCALE: 1" = 10'-0"




- KEYNOTES**
- ① DETECTABLE WARNING PAVERS - SEE DETAIL 1/SD-5.
 - ② ACCESSIBLE PARKING SIGN - SEE DETAIL 2/SD-5.
 - ③ ACCESSIBLE PARKING LOGO - SEE DETAIL 4/SD-5.
 - ④ ACCESSIBLE DIRECTION SIGN - SEE DETAIL 3/SD-5. MOUNT ON EXISTING BRICK WALL. VERIFY EXACT LOCATION WITH ARCHITECT.
 - ⑤ 12' HIGH BLACK DECORATIVE ACORN FIXTURES - PRICE SEPARATELY (VERIFY EXACT LOCATIONS WITH ARCHITECT)
 - ⑥ LOW CONCRETE RETAINING WALL WITH BRICK VENER - SEE DETAIL 1/SD-8. WALL TO BE 72" HIGH. VERIFY EXACT LOCATION WITH ARCHITECT IN FIELD.
 - ⑦ NEW DUMPSTER SCREEN, GATES, PAD - SEE DETAILS ON SHEET SD-7.
 - ⑧ ADD 4 (FOUR) GROUND MOUNTED LED SIGN LIGHTS ON 18" PEDESTALS TO LIGHT EXISTING SIGN. TIE INTO EXISTING PHOTOCELL AND TIME CLOCK.

LEGEND

4" THICK CONCRETE SIDEWALK WITH WWF, 3000 PSI CONCRETE. SLOPE AWAY FROM BUILDING

**CALL BEFORE YOU DIG.
811
AND VERIFY UNDERGROUND
UTILITIES WITH OWNER
PRIOR TO DIGGING.**

**NOTE:
CITY OF LAGRANGE TO PROVIDE AND INSTALL
ALL LANDSCAPING.**



1
SD-3 **SITE PARKING - PROPOSED**
SCALE: 1" = 20'-0"



SMITH DESIGN GROUP, INC.
206 WEST HARALSON STREET
LAGRANGE, GEORGIA 30240
706-882-5511

REVISIONS	
Δ	DESCRIPTION

PROJECT:
**PARKING AND
EXTERIOR ENHANCEMENTS
LAGRANGE POLICE**
100 WEST HARALSON STREET
LAGRANGE, GEORGIA

TITLE:
**SITE PARKING
PROPOSED**

MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: FOR BID AND PERMIT 26 JULY 2021	SHEET: SD-3

EXISTING PARKING SPACES = 44
 PROPOSED PARKING SPACES = 56
 GAIN PARKING SPACES = 12

GENERAL CONTRACTOR TO INCLUDE A COMPLETELY FUNCTIONING IRRIGATION SYSTEM IN ALL LANDSCAPE AREAS (SEE CASH ALLOWANCE). GENERAL CONTRACTOR TO PROVIDE (3) THREE FEET OF SUITABLE TOPSOIL IN ALL LANDSCAPE AREAS. CITY WILL PROVIDE ALL LANDSCAPING AND LANDSCAPING INSTALLATION.



SMITH DESIGN GROUP, INC.
 206 WEST HARALSON STREET
 LAGRANGE, GEORGIA 30240
 706-882-5511

- KEYNOTES**
- MILL DOWN EXISTING 3" OF ASPHALT DOWN TO EXISTING CONCRETE PAVING UNDER EXISTING ASPHALT. APPLY PRIMER TO EXISTING CONCRETE PAVING AND THEN 1" BINDER COURSE OF ASPHALT AND 2" ASPHALT TOPPING. STRIPE PARKING LOT AS SHOWN. (PROVIDE GEOTEX FABRIC OVER EXISTING CONCRETE TO MINIMIZE CRACKING)
 - GRADE AREA THEN 100% STANDARD PROCTOR COMPACTION, 8" G.A.B., 1" BINDER AND 2" ASPHALT TOPPING
 - DUMPSTER ON PAD 10' X 40' X 8" 4000 PSI BLACK CONCRETE SLAB WITH #5 E.W. @ 16" O.C.
 - NEW 2X2' MASONRY CATCH BASIN WITH 12" HDPE PIPE TYING INTO EXISTING STORM DRAIN W/ HEAVY DUTY TRAFFIC GRATE - REMOVABLE. REWORK GRADES AS NEEDED AROUND DRAIN FOR POSITIVE DRAINAGE.
 - 12" HIGH BLACK DECORATIVE ACORN FIXTURES - PRICE SEPARATELY (VERIFY EXACT LOCATIONS WITH ARCHITECT) SEE SHEETS E-1, 2 AND 3 FOR SPEC ON LIGHT POST WA-3
 - 4" THICK CONCRETE FLUME 48" WIDE WITH 8" CURBS SLOPED TO DRAIN
 - 2'-0" WIDE TACTILE PAVERS SET IN CONCRETE FLUSH CURB ON RADIUS. SEE DETAIL 1/SD-5.
 - EXISTING SAND BAG RETAINING WALL. RECOAT WITH 3-4" THICK GUNITE TOPPING WITH NEW STEEL REINFORCEMENT. COLOR "CHARCOAL". PREPARE EXISTING GUNITE TO RECEIVE NEW GUNITE PER MANUFACTURER'S RECOMMENDATIONS. EXTEND OUT EXISTING PVC WEEP HOLES. GUNITE FINISH TO BE A SMOOTH SURFACE.
 - LANDSCAPE AREA - REMOVE 3'-0" OF EXISTING SOIL AND INSTALL 3'-0" OF TOPSOIL FOR NEW LANDSCAPE AREA.
 - 12"W X 48"L X 12" DEEP TO 16" DEEP CONCRETE TRENCH DRAIN WITH REMOVABLE HEAVY DUTY TRAFFIC GATE. SLOPE TO EXISTING STORM DRAIN WITH 12" HDPE PIPE WITH 8"x6" CONCRETE BORDER ALL AROUND.
 - 2 - 6" PVC SLEEVE FOR IRRIGATION
 - PROVIDE 60" DIAMETER X 36" HIGH ROUND BACK PLANTERS WITH DRIP IRRIGATION. FINISH (SM MATTE). ADD DRAINAGE HOLES. DESIGN BASED ON MANUFACTURER FIBERGLASS PLANTERS AS MANUFACTURED BY "THEPARKCATALOG.COM"
 - DUMPSTER SCREEN AND GATES. SEE DETAILS ON SHEET SD-7.


REVISIONS

DATE	DESCRIPTION

PROJECT:
PARKING AND EXTERIOR ENHANCEMENTS LAGRANGE POLICE
 100 WEST HARALSON STREET
 LAGRANGE, GEORGIA

TITLE:
SITE PARKING PROPOSED

MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: 26 JULY 2021	SHEET: SD-4





Signature

SMITH DESIGN GROUP, INC.
 206 WEST HARALSON STREET
 LAGRANGE, GEORGIA 30240
 706-882-5511

SIGNATURE REQUIRED

REVISIONS	
DATE	DESCRIPTION

PROJECT:


PARKING AND EXTERIOR ENHANCEMENTS LAGRANGE POLICE

100 WEST HARALSON STREET LAGRANGE, GEORGIA

TITLE:


SITE DETAILS

MODIFIED DATE: 10 NOV 2014	JOB NO: 21-16
ISSUED DATE: FOR BID AND PERMIT 26 JULY 2021	SHEET: SD-7



DUMPSTER ENCLOSURE WALL SECTION
 SCALE: 3/4" = 1'-0"


3 SD-4



DUMPSTER ENCLOSURE WALL ELEVATION
 SCALE: 3/4" = 1'-0"


2 SD-4

* OTHER ELEVATIONS SIMILAR



DUMPSTER ENCLOSURE WALL AND GATE
 SCALE: 1/4" = 1'-0"

1 SD-4




DUMPSTER ENCLOSURE WALL AND GATE
 SCALE: 3/4" = 1'-0"

4 SD-4

NOTE: DETERMINE THE EXACT DIMENSIONS OF HINGES AND EXACT FIELD DIMENSION OF WIDTH BETWEEN SUPPORT POSTS TO DETERMINE ACTUAL GATE LEAF WIDTH. MAINTAIN 1 1/2" SPACE BETWEEN GATES

NOTE: PROVIDE AND INSTALL ALL HARDWARE (HINGES, LATCH, CANE BOLTS)

NOTE: ALL METAL TO BE PAINTED



DUMPSTER ENCLOSURE WALL AND GATE
 SCALE: 3/4" = 1'-0"


5 SD-4

* OTHER ELEVATIONS SIMILAR




[Signature]


SMITH DESIGN GROUP, INC.
 206 WEST HARALSON STREET
 LAGRANGE, GEORGIA 30240
 706-882-5511




1 **SD-8** **DETECTABLE WARNING PAVERS DETAIL**
 SCALE: 3/4" = 1'-0"



- NOTES:**
1. METAL POST TO BE POWDER COATED. ALL NUTS, BOLTS, WASHERS AND SCREWS MUST BE RUST PROOF.
 2. NOT USED.
 3. CONCRETE FOR FOOTING SHALL BE PORTLAND CEMENT AND HAVE A MINIMUM COMPRESSIVE STRENGTH OF 3000 PSI.
 4. SIGNS WILL BE FABRICATED BY USING REFLECTIVE COATING IN THE SYMBOL, MESSAGE AND BORDER APPLIED TO A SHEET ALUMINUM BACKING (.080) IN THICKNESS.
 5. MESSAGE LETTERING SHALL BE UPPERCASE (WHITE) (SERIES B) 2" HIGH IN ACCORDANCE WITH MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES.
 6. THE SYMBOL IS COMPOSED OF TWO ELEMENTS: A WHITE WHEELCHAIR FIGURE (WHICH SHOULD ALWAYS FACE RIGHT) ON A SQUARE BACKGROUND, INTERNATIONAL BLUE IN COLOR (FED. STD. 595a, COLOR #15180).
 7. SIGN POST SHALL BE 2'-0" CLEAR FROM BACK OF CURB.



3 **SD-8** **ACCESSIBLE PATHWAY SIGNAGE**
 SCALE: 1" = 1'-0"



4 **SD-8** **TYPICAL ACCESSIBLE PARKING DETAIL**
 SCALE: 1/4" = 1'-0"

REVISIONS	
DATE	DESCRIPTION

PROJECT:
PARKING AND EXTERIOR ENHANCEMENTS LAGRANGE POLICE
 100 WEST HARALSON STREET LAGRANGE, GEORGIA

TITLE:
SITE DETAILS

MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: FOR BID AND PERMIT 26 JULY 2021	SHEET: SD-8

2 **SD-8** **ACCESSIBLE SIGNAGE WITH BOLLARD**
 SCALE: 1" = 1'-0"






DRAIN INLET DIMENSIONS													
I.D. OF PIPE (INCHES)	H (MINIMUM)	NORMAL WIDTH		SKEWED WIDTH									
		W	W ₁	20°		30°		45°		60°		75°	
≤ 12	4'-4"	3'-0"	3'-0"	6'-0"	6'-0"	4'-0"	4'-0"	3'-0"	3'-0"	3'-0"	3'-0"	3'-0"	3'-0"
15	4'-7"	3'-0"	3'-0"	6'-8"	6'-8"	4'-0"	4'-0"	3'-0"	3'-0"	3'-0"	3'-0"	3'-0"	3'-0"
18	4'-10"	3'-0"	3'-0"	7'-5"	7'-5"	5'-0"	5'-0"	3'-0"	3'-0"	3'-0"	3'-0"	3'-0"	3'-0"
24	5'-6"	3'-0"	3'-0"	6'-6"	6'-6"	4'-6"	4'-6"	3'-3"	3'-3"	3'-3"	3'-3"	3'-0"	3'-0"
30	6'-2"	3'-7"	3'-7"			7'-8"	7'-8"	5'-3"	5'-3"	4'-2"	4'-2"	3'-7"	3'-7"
36	6'-10"	5'-0"	5'-0"			8'-10"	8'-10"	6'-11"	6'-11"	5'-0"	5'-0"	5'-0"	5'-0"
42	7'-4"	5'-6"	5'-6"			10'-0"	10'-0"	6'-11"	6'-11"	5'-6"	5'-6"	5'-6"	5'-6"
48	8'-0"	6'-2"	6'-2"			11'-2"	11'-2"	7'-9"	7'-9"	6'-2"	6'-2"	6'-2"	6'-2"
54	8'-6"	6'-6"	6'-6"			12'-4"	12'-4"	8'-7"	8'-7"	6'-10"	6'-10"	6'-8"	6'-8"
60	9'-2"	7'-4"	7'-4"			13'-6"	13'-6"	9'-6"	9'-6"	7'-6"	7'-6"	7'-4"	7'-4"

- NOTES:
1. THE MINIMUM "H" SHOWN APPLIES WHERE DEPTH OF PAVEMENT IS 12" OR LESS.
 2. MINIMUM "H" WILL BE CONTROLLED BY THE SIZE OF THE LARGEST CONNECTING PIPE.
 3. IT IS NOT NECESSARY THAT BOX ENCLOSURES BE CONSTRUCTED SQUARE. W & W₁ WILL VARY ACCORDING TO PIPE SIZE.

DRAIN INLET WALLS	
DEPTH	T (MINIMUM)
0' TO 10'	8"
10' TO 20'	12"
20' TO 30'	16"

DRAIN INLET BOTTOMS	
W & W ₁	Y
3'-0" THRU 4'-6"	6" NON-REINFORCED
4'-7" THRU 7'-9"	10" NON-REINFORCED
7'-10" THRU 13'-6"	12" NON-REINFORCED

SCHEDULE OF DRAIN INLETS					
D.I. NUMBER	DETERMINING PIPE SIZE	GRATE SIZE		ELEVATIONS	
		A	B	RIM	BOTTOM
1		24"	24"		
2		24"	24"		
3		24"	24"		



1
SD-9
DRAIN INLET DETAILS



SMITH DESIGN GROUP, INC.
206 WEST HARALSON STREET
LAGRANGE, GEORGIA 30240
706-882-5511

REVISIONS		
Δ	DATE	DESCRIPTION

PROJECT:
PARKING AND EXTERIOR ENHANCEMENTS LAGRANGE POLICE
100 WEST HARALSON STREET LAGRANGE, GEORGIA

TITLE:
SITE PARKING PROPOSED

MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: FOR BID AND PERMIT 26 JULY 2021	SHEET: SD-9




[Signature]


SMITH DESIGN GROUP, INC.

206 WEST HARALSON STREET
LAGRANGE, GEORGIA 30240


706-882-5511



1
SD-10
TYPICAL CURB RAMP DETAIL
SCALE: N.T.S.



PLAN



SECTION

2
SD-10
TYPICAL TREE PLANTER DETAIL
SCALE: 1/4" = 1'-0"

- NOTES:
- Remove all compacted soil from planting space and additional root grow area, including trenches
 - Tree soil base and all area under paver sidewalk to be backfilled with "Stalite PermaTill - Structural Soil for Urban Trees"
 - Planter area (6'x10') around tree root ball to be back filled with "Stalite PermaTill Soil Conditioner"
 - Stalite PermaTill info see, www.permatill.com, 1-877-737-6284.
 - Root barrier, Deep Root UB 48-2, panels 48" height, 24" width, install with 90° root deflecting rib immediately adjacent to bottom side of sidewalk paver.
 - Pervious pavers, "SF Rima" permeable concrete paving stone system, 7" square pavers, set with 1" joint, back fill joints with #8 granite aggregate (1/2" - 1/16"). "Slate" color. Blue Ridge Hardscape, 404-877-0091

REVISIONS	
Δ	DESCRIPTION

PROJECT:
PARKING AND EXTERIOR ENHANCEMENTS LAGRANGE POLICE
100 WEST HARALSON STREET LAGRANGE, GEORGIA

TITLE:
SITE DETAILS


MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: FOR BID AND PERMIT 26 JULY 2021	SHEET: SD-10




SMITH DESIGN GROUP, INC.

206 WEST HARALSON STREET
LAGRANGE, GEORGIA 30240

LEGEND 706-882-5511




1
SD-11
BOLLARD DETAIL
SCALE: 1" = 1'-0"




2
SD-11
TRUNCATED DOME INSTALLATION DETAIL
SCALE: 1 1/2" = 1'-0"


- NOTES:
1. MANUFACTURER: IDEAL SHIELD.
 2. PRODUCT NAME: 7/8" BOLLARD COVER
 3. COLOR NAME: OSHA YELLOW WITH RED REFLECTIVE STRIPE. MATERIAL TO BE 1/8" THICK POLYETHYLENE THERMOPLASTIC (HDPE).
 4. TRIM: DOME TOP PLASTIC CAP.
 5. INSTALLATION: INSTALL WITH MANUFACTURERS NEOPRENE ADHESIVE TAPE PER MANUFACTURERS INSTALLATION GUIDELINES.
- CONTRACTOR TO FIELD CUT BOLLARD COVERS AS REQUIRED TO FIT 48" HEIGHT BOLLARD.



5
SD-11
PLAN OF METER WALL
SCALE: NOT TO SCALE



3
SD-11
SECTION @ BRICK SCREEN WALL
SCALE: 1 1/2" = 1'-0"



4
SD-11
BRICK SCREEN WALL @ CAR WASH AREA
SCALE: 3/4" = 1'-0"

REMOVE AND REPLACE EXISTING SIDEWALK AS NEEDED

REVISIONS

DATE	DESCRIPTION

PROJECT:
PARKING AND EXTERIOR ENHANCEMENTS LAGRANGE POLICE
100 WEST HARALSON STREET
LAGRANGE, GEORGIA

TITLE:
SITE DETAILS

MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: FOR BID AND PERMIT 26 JULY 2021	SHEET: SD-11




Signature

SMITH DESIGN GROUP, INC.
 206 WEST HARALSON STREET
 LAGRANGE, GEORGIA 30240
 706-882-5511

- LEGEND**
- 6" X 18" STRAIGHT 4000 PSI CONCRETE CURB WITH TWO #5 CONTINUOUS.
 - 4" THICK 3000 PSI CONCRETE SIDEWALK WITH 8" TURNDOWN ON PERIMETER
 - EXISTING STORM DRAIN
G.C. FIELD VERIFY

MORGAN STREET



TO MORGAN STREET
 ↓ ↑

NOTE:
WALL IS NOT PERPENDICULAR

29' WIDE ROLLING DECORATIVE GATE
(PART OF ADD. ALT. NO.1)

NOTE:
WALL IS NOT PERPENDICULAR

DECORATIVE BRICK AND METAL RAILING FENCE
(PART OF ADD. ALT. NO.1)

ALIGN WITH PILASTER ON BUILDING

REVISIONS	
DATE	DESCRIPTION

PROJECT:
**PARKING AND EXTERIOR ENHANCEMENTS
 LAGRANGE POLICE**
 100 WEST HARALSON STREET
 LAGRANGE, GEORGIA

TITLE:
FENCE DETAILS

**DECORATIVE FENCE - DIMENSION PLAN
 (PART OF ADD. ALT. NO.1)**

1
SD-12


SCALE: 1/8" = 1'-0"

MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: FOR BID AND PERMIT 26 JULY 2021	SHEET: SD-12




[Signature]

SMITH DESIGN GROUP, INC.
 206 WEST HARALSON STREET
 LAGRANGE, GEORGIA 30240
 706-882-5511



1
 SD-13
DECORATIVE FENCE ELEVATION
 SCALE: 1/2" = 1'-0"



2
 SD-13
**DECORATIVE FENCE ELEVATION
 (PART OF ADD. ALT. NO.1)**
 SCALE: 1/2" = 1'-0"

REVISIONS		
Δ	DATE	DESCRIPTION

PROJECT:
**PARKING AND EXTERIOR ENHANCEMENTS
 LAGRANGE POLICE**
 100 WEST HARALSON STREET
 LAGRANGE, GEORGIA


TITLE:
FENCE DETAILS

MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: FOR BID AND PERMIT 26 JULY 2021	SHEET: SD-13




[Signature]


SMITH DESIGN GROUP, INC.
 206 WEST HARALSON STREET
 LAGRANGE, GEORGIA 30240
 706-882-5511



1
 SD-14 SECTION THROUGH FENCE
 SCALE: 3/4" = 1'-0"
 (PART OF ADD. ALT. NO.1)



2
 SD-14 SECTION THRU 24" X 24" CAST STONE PIER
 SCALE: 3/4" = 1'-0"
 (NOTE: 36" X 36" CAST STONE PIERS SIMILAR ON 4' X 4' X 12" FOOTING, 16" BELOW GRADE, MINIMUM)
 (PART OF ADD. ALT. NO.1)



3
 SD-14 PIER PLAN FOR 24" X 24" COLUMNS
 SCALE: 1 1/2" = 1'-0"
 NOTE: 36" X 36" COLUMN SIMILAR
 (PART OF ADD. ALT. NO.1)

REVISIONS	
DATE	DESCRIPTION

PROJECT:
PARKING AND EXTERIOR ENHANCEMENTS LAGRANGE POLICE
 100 WEST HARALSON STREET LAGRANGE, GEORGIA


TITLE:
FENCE DETAILS

MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: FOR BID AND PERMIT 26 JULY 2021	SHEET: SD-14




sg

SMITH DESIGN GROUP, INC.
 206 WEST HARALSON STREET
 LAGRANGE, GEORGIA 30240
 706-882-5511



1
SD-16
DECORATIVE FENCE ELEVATION
 SCALE: 3/32" = 1'-0"
 (PART OF ADD. ALT. NO.1)



2
SP-9
DECORATIVE FENCE ELEVATION
 SCALE: 1/4" = 1'-0"
 (PART OF ADD. ALT. NO.1)

REVISIONS	
DATE	DESCRIPTION

PROJECT:
**PARKING AND EXTERIOR ENHANCEMENTS
 LAGRANGE POLICE**
 100 WEST HARALSON STREET
 LAGRANGE, GEORGIA


TITLE:
FENCE DETAILS

MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: FOR BID AND PERMIT 26 JULY 2021	SHEET: SD-15




Signature

SMITH DESIGN GROUP, INC.
 206 WEST HARALSON STREET
 LAGRANGE, GEORGIA 30240
 706-882-5511



1
 SD-16
DECORATIVE FENCE ELEVATION
 SCALE: 1/4" = 1'-0"
 (PART OF ADD. ALT. NO.1)



2
 SD-16
DECORATIVE FENCE ELEVATION
 SCALE: 1/4" = 1'-0"
 (PART OF ADD. ALT. NO.1)

REVISIONS	
Δ	DESCRIPTION

PROJECT:
**PARKING AND EXTERIOR ENHANCEMENTS
 LAGRANGE POLICE**
 100 WEST HARALSON STREET
 LAGRANGE, GEORGIA


TITLE:
FENCE DETAILS

MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: FOR BID AND PERMIT 26 JULY 2021	SHEET: SD-16




[Signature]

SMITH DESIGN GROUP, INC.
 206 WEST HARALSON STREET
 LAGRANGE, GEORGIA 30240
 706-882-5511



1
 SD-17
DECORATIVE FENCE ELEVATION
 SCALE: 1/4" = 1'-0"
 (PART OF ADD. ALT. NO.1)



2
 SD-17
DECORATIVE FENCE ELEVATION
 SCALE: 1/4" = 1'-0"
 (PART OF ADD. ALT. NO.1)

REVISIONS	
Δ	DESCRIPTION

PROJECT:
**PARKING AND EXTERIOR ENHANCEMENTS
 LAGRANGE POLICE**
 100 WEST HARALSON STREET
 LAGRANGE, GEORGIA

TITLE:
FENCE DETAILS

MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: FOR BID AND PERMIT 26 JULY 2021	SHEET: SD-17

STALWART II

ANTI-RAM BARRIER + ORNAMENTAL FENCE

Stalwart II integrates the design features of a traditional ornamental iron fence with the resilience of the Stalwart anti-ram barrier. The ornamental picket design blends into its surroundings, not drawing attention to itself, but still maintaining the requirements of an anti-ram barrier.

Approved Chief, Dale- 10-30-2020

DESIGN INTEGRATION

The Stalwart II framework is a raceway for wiring, conduits, and/or security cabling required around the perimeter of a project. This integrated design eliminates the need for costly trenching and boring becoming a value added solution for perimeter security upgrades.

When installing these security elements use Stalwart II as a platform:

- Communication & Video Cables
- Intrusion Detection / Fiber Optic Cables
- Access Control Wiring
- Conduits
- Anti-Ram Cabling (Stalwart)

PRIMARY APPLICATIONS

- Airports
- Government Facilities
- Stadiums & Event Centers
- Schools & Universities
- Hospitals
- Water Treatment & Storage
- Power Plants & Substations
- Petroleum & Chemical Facilities

AMERISTAR FENCE PRODUCTS
ASSA ABLOY

AMERISTARFENCE.COM | 888-333-3422
Experience a safer and more open world.

ANTI-RAM + ORNAMENTAL FENCE
"STALWART II" DESIGN AND
MANUFACTURED BY
AMERISTAR FENCE.COM |
888-333-3422.
SEE ATTACHED
FOR DETAILS.
PART OF AMERISTAR
PRODUCT LINE

STALWART II

ANTI-RAM BARRIER + ORNAMENTAL FENCE

ORNAMENTAL PANEL | 2" x 2" x 11ga RAILS | 3" x 2.75" x 12ga I-BEAM POSTS

Bollard sizes & cable weights vary based on desired crash rating.

STYLE OPTIONS

CLASSIC

MAJESTIC

GENESIS

INVINCIBLE

FABRICATION & DESIGN

Stalwart II brings together traditional ornamental fencing and vehicle barrier into a single line of fence. The integration of these two systems decreases public awareness of the barrier thus drawing attention away from what it protects. The Stalwart II system is manufactured of high-tensile steel and is pre-galvanized inside and out for superior corrosion protection. Each component has been roll-formed into a unique profile that yields significant strength properties for long-lasting durability.

PERMACOAT™ PROTECTIVE FINISH

Ameristar's production facility uses a state-of-the-art polyester powder coating system that provides a durable and scratch resistant finish. This PermaCoat process has a dual-coat finish, which yields the best results for durability and weathering in the industry. These finished components can endure over 3,500 hours of salt spray testing; proving our claim of long-lasting durability.

CRASH RATINGS

Stalwart II offers multiple anti-ram ratings. Each installation can be designed with most the appropriate stand-off distance from the assets.

M50 M40 M30

PU60 PU50 PU30 K12 K8 K4

AMERISTAR FENCE PRODUCTS | TO PLACE YOUR ORDER CALL 888-333-3422 | VISIT AMERISTARFENCE.COM

ARCHITECT'S STAMP

STATE OF GEORGIA
OFFICIAL SEAL
7573
REGISTERED ARCHITECT

SIGNATURE REQUIRED

SMITH DESIGN GROUP, INC.

206 WEST HARALSON STREET
LAGRANGE, GEORGIA 30240

706-882-5511

REVISIONS		
Δ	DATE	DESCRIPTION

PROJECT:



**PARKING AND EXTERIOR ENHANCEMENTS
LAGRANGE POLICE**

100 WEST HARALSON STREET
LAGRANGE, GEORGIA

TITLE:



FENCE DETAILS

MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: FOR BID AND PERMIT 26 JULY 2021	SHEET: SD-18



EAST HARALSON STREET

1
A3-1 100 LEVEL - EXISTING
Scale: 1/16" = 1'-0"



EAST HARALSON STREET

2
A3-1 200 LEVEL - EXISTING
Scale: 1/16" = 1'-0"



SMITH DESIGN GROUP, INC.
206 WEST HARALSON STREET
LAGRANGE, GEORGIA 30240
706-882-5511

LEGEND

— EW —	EXISTING WATER
— EG —	EXISTING GAS
— ES —	EXISTING SANITARY SEWER

REVISIONS

Δ	DATE	DESCRIPTION

PROJECT:
**PARKING AND EXTERIOR ENHANCEMENTS
LAGRANGE POLICE**
100 WEST HARALSON STREET
LAGRANGE, GEORGIA

TITLE:
**ELEVATIONS
KEY PLANS**


MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: FOR BID AND PERMIT 26 JULY 2021	SHEET: A3-1



Signature

SMITH DESIGN GROUP, INC.
 206 WEST HARALSON STREET
 LAGRANGE, GEORGIA 30240
 706-882-5511

- KEYNOTES**
- 1 CLEAN EXISTING CAST STONE OR CONCRETE WITH SURE KLEEN 600. USE SOFT BRUSH; PRIME AND PAINT WITH TWO COATS OF PAINT. COLOR TO MATCH NEW ADDITION E.I.F.S.
 - 2 PAINT EXISTING E.I.F.S. WITH TWO COATS OF NEW PAINT.
 - 3 SCRAPE AND PRIME EXISTING METAL RAILINGS WITH RUST STOP AND TWO COATS OF FINISH PAINT.
 - 4 CLEAN AND PAINT EXISTING BRICK PILASTER WITH PRIMER AND TWO COATS OF PAINT.
 - 5 EXISTING BRICK TO BE CLEANED AND REMAIN UNPAINTED.
 - 6 PAINT EXISTING DOOR AND FRAME
 - 7 REMOVE EXISTING SECURITY GRILLE FROM EXISTING WINDOW. PATCH HOLES WITH DARK RED CAULK TO MATCH BRICK.
 - 8 PAINT EXISTING STEEL STAIR AND RAILING IN ITS ENTIRETY.
 - 9 PROVIDE \$2,000 CASH ALLOWANCE TO REPAIR SPALDING AREAS UNDER CONCRETE SOFFIT.
 - 10 REMOVE EXISTING RAZOR WIRE AND PAINT EXISTING CHAIN LINK FENCE, GATES AND SCREEN SLATS IN FLAT BLACK.
 - 11 CLEAN EXISTING METAL FASCIA TO REMOVE STAINS.
 - 12 FULLY ADHERE 1" EPS BOARD ON EXISTING BRICK AND INSTALL E.I.F.S. FINISH AND PAINT. JOINTS TO MATCH EXISTING.
 - 13 30" X 30" X 24" BLACK PLANTER WITH DRIP IRRIGATION BY GENERAL CONTRACTOR
 - 14 PRESSURE WASH EXISTING STEPS AND LANDING



FIRST FLOOR EXTERIOR ELEVATION - PROPOSED
 SCALE: 1/4" = 1'-0"

NOTE:
 ALL EXISTING CONSTRUCTION SHOWN ON THESE DRAWINGS ARE FOR REFERENCE ONLY. CONTRACTOR IS TO VERIFY CORRECTNESS OF ALL EXISTING CONSTRUCTION.


REVISIONS

Δ	DATE	DESCRIPTION


PROJECT:
PARKING AND EXTERIOR ENHANCEMENTS LAGRANGE POLICE
 100 WEST HARALSON STREET LAGRANGE, GEORGIA

TITLE:
PROPOSED ELEVATIONS

MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: FOR BID AND PERMIT 26 JULY 2021	SHEET: A3-2



FIRST FLOOR EXTERIOR ELEVATION - PROPOSED
 SCALE: 1/4" = 1'-0"






SMITH DESIGN GROUP, INC.
 206 WEST HARALSON STREET
 LAGRANGE, GEORGIA 30240
 706-882-5511

KEYNOTES

- ① CLEAN EXISTING CAST STONE OR CONCRETE WITH SURE KLEEN 600. USE SOFT BRUSH; PRIME AND PAINT WITH TWO COATS OF PAINT. COLOR TO MATCH NEW ADDITION E.I.F.S.
- ② PAINT EXISTING E.I.F.S. WITH TWO COATS OF NEW PAINT.
- ③ SCRAPE AND PRIME EXISTING METAL RAILINGS WITH RUST STOP AND TWO COATS OF FINISH PAINT.
- ④ CLEAN AND PAINT EXISTING BRICK PILASTER WITH PRIMER AND TWO COATS OF PAINT.
- ⑤ EXISTING BRICK TO BE CLEANED AND REMAIN UNPAINTED.
- ⑥ PAINT EXISTING DOOR AND FRAME
- ⑦ REMOVE EXISTING SECURITY GRILLE FROM EXISTING WINDOW. PATCH HOLES WITH DARK RED CAULK TO MATCH BRICK.
- ⑧ PAINT EXISTING STEEL STAIR AND RAILING IN ITS ENTIRETY.
- ⑨ PROVIDE \$2,000 CASH ALLOWANCE TO REPAIR SPALDING AREAS UNDER CONCRETE SOFFIT.
- ⑩ REMOVE EXISTING RAZOR WIRE AND PAINT EXISTING CHAIN LINK FENCE, GATES AND SCREEN SLATS IN FLAT BLACK.
- ⑪ CLEAN EXISTING METAL FASCIA TO REMOVE STAINS.
- ⑫ FULLY ADHERE 1" EPS BOARD ON EXISTING BRICK AND INSTALL E.I.F.S. FINISH AND PAINT. JOINTS TO MATCH EXISTING.
- ⑬ 30" X 30" X 24" BLACK PLANTER WITH DRIP IRRIGATION BY GENERAL CONTRACTOR
- ⑭ PRESSURE WASH EXISTING STEPS AND LANDING



1
A3-3 **EXTERIOR ELEVATION - PROPOSED**
 SCALE: 1/4" = 1'-0"


REVISIONS

Δ	DATE	DESCRIPTION

PROJECT:
PARKING AND EXTERIOR ENHANCEMENTS LAGRANGE POLICE
 100 WEST HARALSON STREET LAGRANGE, GEORGIA

TITLE:
PROPOSED ELEVATIONS

MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: FOR BID AND PERMIT 26 JULY 2021	SHEET: A3-3






Signature

SMITH DESIGN GROUP, INC.
 206 WEST HARALSON STREET
 LAGRANGE, GEORGIA 30240
 706-882-5511

- KEYNOTES**
- 1 CLEAN EXISTING CAST STONE OR CONCRETE WITH SURE KLEEN 600. USE SOFT BRUSH; PRIME AND PAINT WITH TWO COATS OF PAINT. COLOR TO MATCH NEW ADDITION E.I.F.S.
 - 2 PAINT EXISTING E.I.F.S. WITH TWO COATS OF NEW PAINT.
 - 3 SCRABE AND PRIME EXISTING METAL RAILINGS WITH RUST STOP AND TWO COATS OF FINISH PAINT.
 - 4 CLEAN AND PAINT EXISTING BRICK PILASTER WITH PRIMER AND TWO COATS OF PAINT.
 - 5 EXISTING BRICK TO BE CLEANED AND REMAIN UNPAINTED.
 - 6 PAINT EXISTING DOOR AND FRAME
 - 7 REMOVE EXISTING SECURITY GRILLE FROM EXISTING WINDOW. PATCH HOLES WITH DARK RED CAULK TO MATCH BRICK.
 - 8 PAINT EXISTING STEEL STAIR AND RAILING IN ITS ENTIRETY.
 - 9 PROVIDE \$2,000 CASH ALLOWANCE TO REPAIR SPALDING AREAS UNDER CONCRETE SOFFIT.
 - 10 REMOVE EXISTING RAZOR WIRE AND PAINT EXISTING CHAIN LINK FENCE, GATES AND SCREEN SLATS IN FLAT BLACK.
 - 11 CLEAN EXISTING METAL FASCIA TO REMOVE STAINS.
 - 12 FULLY ADHERE 1" EPS BOARD ON EXISTING BRICK AND INSTALL E.I.F.S. FINISH AND PAINT. JOINTS TO MATCH EXISTING.
 - 13 30" X 30" X 24" BLACK PLANTER WITH DRIP IRRIGATION BY GENERAL CONTRACTOR
 - 14 PRESSURE WASH EXISTING STEPS AND LANDING



EXTERIOR ELEVATION - PROPOSED
 SCALE: 1/4" = 1'-0"


REVISIONS

DATE	DESCRIPTION

PROJECT:
PARKING AND EXTERIOR ENHANCEMENTS LAGRANGE POLICE
 100 WEST HARALSON STREET LAGRANGE, GEORGIA

TITLE:
PROPOSED ELEVATIONS


MODIFIED DATE: 01 JAN 2025	JOB NO: 21-16
ISSUED DATE: 26 JULY 2021	SHEET: A3-4






[Signature]

SMITH DESIGN GROUP, INC.
 206 WEST HARALSON STREET
 LAGRANGE, GEORGIA 30240
 706-882-5511



1 EXTERIOR ELEVATION - PROPOSED
 A3-5 SCALE: 1/4" = 1'-0"

- KEYNOTES**
- 1 CLEAN EXISTING CAST STONE OR CONCRETE WITH SURE KLEEN 600. USE SOFT BRUSH. PRIME AND PAINT WITH TWO COATS OF PAINT. COLOR TO MATCH NEW ADDITION E.I.F.S.
 - 2 PAINT EXISTING E.I.F.S. WITH TWO COATS OF NEW PAINT.
 - 3 SCRAPE AND PRIME EXISTING METAL RAILINGS WITH RUST STOP AND TWO COATS OF FINISH PAINT.
 - 4 CLEAN AND PAINT EXISTING BRICK PILASTER WITH PRIMER AND TWO COATS OF PAINT.
 - 5 EXISTING BRICK TO BE CLEANED AND REMAIN UNPAINTED.
 - 6 PAINT EXISTING DOOR AND FRAME
 - 7 REMOVE EXISTING SECURITY GRILLE FROM EXISTING WINDOW. PATCH HOLES WITH DARK RED CAULK TO MATCH BRICK.
 - 8 PAINT EXISTING STEEL STAIR AND RAILING IN ITS ENTIRETY.
 - 9 PROVIDE \$2,000 CASH ALLOWANCE TO REPAIR SPALDING AREAS UNDER CONCRETE SOFFIT.
 - 10 REMOVE EXISTING RAZOR WIRE AND PAINT EXISTING CHAIN LINK FENCE, GATES AND SCREEN SLATS IN FLAT BLACK.
 - 11 CLEAN EXISTING METAL FASCIA TO REMOVE STAINS.
 - 12 FULLY ADHERE 1" EPS BOARD ON EXISTING BRICK AND INSTALL E.I.F.S. FINISH AND PAINT. JOINTS TO MATCH EXISTING.
 - 13 30" X 30" X 24" BLACK PLANTER WITH DRIP IRRIGATION BY GENERAL CONTRACTOR
 - 14 PRESSURE WASH EXISTING STEPS AND LANDING



REVISIONS	
Δ	DESCRIPTION

PROJECT:
PARKING AND EXTERIOR ENHANCEMENTS LAGRANGE POLICE
 100 WEST HARALSON STREET LAGRANGE, GEORGIA


TITLE:
PROPOSED ELEVATIONS

MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: FOR BID AND PERMIT 26 JULY 2021	SHEET: A3-5



[Signature]

SMITH DESIGN GROUP, INC.
 206 WEST HARALSON STREET
 LAGRANGE, GEORGIA 30240
 706-882-5511



1
A3-6 **EXTERIOR ELEVATION - PROPOSED**
 SCALE: 1/4" = 1'-0"

KEYNOTES

- 1 CLEAN EXISTING CAST STONE OR CONCRETE WITH SURE KLEEN 600. USE SOFT BRUSH; PRIME AND PAINT WITH TWO COATS OF PAINT. COLOR TO MATCH NEW ADDITION E.I.F.S.
- 2 PAINT EXISTING E.I.F.S. WITH TWO COATS OF NEW PAINT.
- 3 SCRAPE AND PRIME EXISTING METAL RAILINGS WITH RUST STOP AND TWO COATS OF FINISH PAINT.
- 4 CLEAN AND PAINT EXISTING BRICK PILASTER WITH PRIMER AND TWO COATS OF PAINT.
- 5 EXISTING BRICK TO BE CLEANED AND REMAIN UNPAINTED.
- 6 PAINT EXISTING DOOR AND FRAME
- 7 REMOVE EXISTING SECURITY GRILLE FROM EXISTING WINDOW. PATCH HOLES WITH DARK RED CAULK TO MATCH BRICK.
- 8 PAINT EXISTING STEEL STAIR AND RAILING IN ITS ENTIRETY.
- 9 PROVIDE \$2,000 CASH ALLOWANCE TO REPAIR SPALDING AREAS UNDER CONCRETE SOFFIT.
- 10 REMOVE EXISTING RAZOR WIRE AND PAINT EXISTING CHAIN LINK FENCE, GATES AND SCREEN SLATS IN FLAT BLACK.
- 11 CLEAN EXISTING METAL FASCIA TO REMOVE STAINS.
- 12 FULLY ADHERE 1" EPS BOARD ON EXISTING BRICK AND INSTALL E.I.F.S. FINISH AND PAINT. JOINTS TO MATCH EXISTING.
- 13 30" X 30" X 24" BLACK PLANTER WITH DRIP IRRIGATION BY GENERAL CONTRACTOR
- 14 PRESSURE WASH EXISTING STEPS AND LANDING

REVISIONS

DATE	DESCRIPTION

PROJECT:
PARKING AND EXTERIOR ENHANCEMENTS LAGRANGE POLICE
 100 WEST HARALSON STREET LAGRANGE, GEORGIA

TITLE:
PROPOSED ELEVATIONS

MODIFIED DATE:

JOB NO:


21-16

ISSUED DATE:

SHEET:

A3-6

FOR BID AND PERMIT
 26 JULY 2021






[Signature]

SMITH DESIGN GROUP, INC.
 206 WEST HARALSON STREET
 LAGRANGE, GEORGIA 30240
 706-882-5511

KEYNOTES

- 1 CLEAN EXISTING CAST STONE OR CONCRETE WITH SURE KLEEN 600. USE SOFT BRUSH; PRIME AND PAINT WITH TWO COATS OF PAINT. COLOR TO MATCH NEW ADDITION E.I.F.S.
- 2 PAINT EXISTING E.I.F.S. WITH TWO COATS OF NEW PAINT.
- 3 SCRAPE AND PRIME EXISTING METAL RAILINGS WITH RUST STOP AND TWO COATS OF FINISH PAINT.
- 4 CLEAN AND PAINT EXISTING BRICK PILASTER WITH PRIMER AND TWO COATS OF PAINT.
- 5 EXISTING BRICK TO BE CLEANED AND REMAIN UNPAINTED.
- 6 PAINT EXISTING DOOR AND FRAME
- 7 REMOVE EXISTING SECURITY GRILLE FROM EXISTING WINDOW. PATCH HOLES WITH DARK RED CAULK TO MATCH BRICK.
- 8 PAINT EXISTING STEEL STAIR AND RAILING IN ITS ENTIRETY.
- 9 PROVIDE \$2,000 CASH ALLOWANCE TO REPAIR SPALDING AREAS UNDER CONCRETE SOFFIT.
- 10 REMOVE EXISTING RAZOR WIRE AND PAINT EXISTING CHAIN LINK FENCE, GATES AND SCREEN SLATS IN FLAT BLACK.
- 11 CLEAN EXISTING METAL FASCIA TO REMOVE STAINS.
- 12 FULLY ADHERE 1" EPS BOARD ON EXISTING BRICK AND INSTALL E.I.F.S. FINISH AND PAINT. JOINTS TO MATCH EXISTING.
- 13 30" X 30" X 24" BLACK PLANTER WITH DRIP IRRIGATION BY GENERAL CONTRACTOR
- 14 PRESSURE WASH EXISTING STEPS AND LANDING



1
A3-7 **EXTERIOR ELEVATION - PROPOSED**
 SCALE: 1/4" = 1'-0"


REVISIONS

Δ	DATE	DESCRIPTION

PROJECT:
PARKING AND EXTERIOR ENHANCEMENTS LAGRANGE POLICE
 100 WEST HARALSON STREET LAGRANGE, GEORGIA

TITLE:
PROPOSED ELEVATIONS

MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: FOR BID AND PERMIT 26 JULY 2021	SHEET: A3-7





[Signature]

SMITH DESIGN GROUP, INC.
 206 WEST HARALSON STREET
 LAGRANGE, GEORGIA 30240
 706-882-5511

KEYNOTES

- 1 CLEAN EXISTING CAST STONE OR CONCRETE WITH SURE KLEEN 600. USE SOFT BRUSH; PRIME AND PAINT WITH TWO COATS OF PAINT. COLOR TO MATCH NEW ADDITION E.I.F.S.
- 2 PAINT EXISTING E.I.F.S. WITH TWO COATS OF NEW PAINT.
- 3 SCRAPE AND PRIME EXISTING METAL RAILINGS WITH RUST STOP AND TWO COATS OF FINISH PAINT.
- 4 CLEAN AND PAINT EXISTING BRICK PILASTER WITH PRIMER AND TWO COATS OF PAINT.
- 5 EXISTING BRICK TO BE CLEANED AND REMAIN UNPAINTED.
- 6 PAINT EXISTING DOOR AND FRAME
- 7 REMOVE EXISTING SECURITY GRILLE FROM EXISTING WINDOW. PATCH HOLES WITH DARK RED CAULK TO MATCH BRICK.
- 8 PAINT EXISTING STEEL STAIR AND RAILING IN ITS ENTIRETY.
- 9 PROVIDE \$2,000 CASH ALLOWANCE TO REPAIR SPALDING AREAS UNDER CONCRETE SOFFIT.
- 10 REMOVE EXISTING RAZOR WIRE AND PAINT EXISTING CHAIN LINK FENCE, GATES AND SCREEN SLATS IN FLAT BLACK.
- 11 CLEAN EXISTING METAL FASCIA TO REMOVE STAINS.
- 12 FULLY ADHERE 1" EPS BOARD ON EXISTING BRICK AND INSTALL E.I.F.S. FINISH AND PAINT. JOINTS TO MATCH EXISTING.
- 13 30" X 30" X 24" BLACK PLANTER WITH DRIP IRRIGATION BY GENERAL CONTRACTOR
- 14 PRESSURE WASH EXISTING STEPS AND LANDING


REVISIONS

Δ	DATE	DESCRIPTION


PROJECT:
PARKING AND EXTERIOR ENHANCEMENTS LAGRANGE POLICE
 100 WEST HARALSON STREET LAGRANGE, GEORGIA

TITLE:
PROPOSED ELEVATIONS


MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: FOR BID AND PERMIT 26 JULY 2021	SHEET: A3-8



1
A3-8 **EXTERIOR ELEVATION - PROPOSED**
 SCALE: 1/4" = 1'-0"



1
A3-8 **EXTERIOR ELEVATION - PROPOSED**
 SCALE: 1/4" = 1'-0"






[Signature]


SMITH DESIGN GROUP, INC.
 206 WEST HARALSON STREET
 LAGRANGE, GEORGIA 30240
 706-882-5511

KEYNOTES


- 1 CLEAN EXISTING CAST STONE OR CONCRETE WITH SURE KLEEN 600. USE SOFT BRUSH; PRIME AND PAINT WITH TWO COATS OF PAINT. COLOR TO MATCH NEW ADDITION E.I.F.S.
- 2 PAINT EXISTING E.I.F.S. WITH TWO COATS OF NEW PAINT.
- 3 SCRAPE AND PRIME EXISTING METAL RAILINGS WITH RUST STOP AND TWO COATS OF FINISH PAINT.
- 4 CLEAN AND PAINT EXISTING BRICK PILASTER WITH PRIMER AND TWO COATS OF PAINT.
- 5 EXISTING BRICK TO BE CLEANED AND REMAIN UNPAINTED.
- 6 PAINT EXISTING DOOR AND FRAME
- 7 REMOVE EXISTING SECURITY GRILLE FROM EXISTING WINDOW. PATCH HOLES WITH DARK RED CAULK TO MATCH BRICK.
- 8 PAINT EXISTING STEEL STAIR AND RAILING IN ITS ENTIRETY.
- 9 PROVIDE \$2,000 CASH ALLOWANCE TO REPAIR SPALDING AREAS UNDER CONCRETE SOFFIT.
- 10 REMOVE EXISTING RAZOR WIRE AND PAINT EXISTING CHAIN LINK FENCE, GATES AND SCREEN SLATS IN FLAT BLACK.
- 11 CLEAN EXISTING METAL FASCIA TO REMOVE STAINS.
- 12 FULLY ADHERE 1" EPS BOARD ON EXISTING BRICK AND INSTALL E.I.F.S. FINISH AND PAINT. JOINTS TO MATCH EXISTING.
- 13 30" X 30" X 24" BLACK PLANTER WITH DRIP IRRIGATION BY GENERAL CONTRACTOR
- 14 PRESSURE WASH EXISTING STEPS AND LANDING




1
A3-9
EXTERIOR ELEVATION - PROPOSED
 SCALE: 1/4" = 1'-0"



2
A3-9
EXTERIOR ELEVATION - PROPOSED
 SCALE: 1/4" = 1'-0"



3
A3-9
EXTERIOR ELEVATION - PROPOSED
 SCALE: 1/4" = 1'-0"



REVISIONS

Δ	DATE	DESCRIPTION

PROJECT:
PARKING AND EXTERIOR ENHANCEMENTS LAGRANGE POLICE
 100 WEST HARALSON STREET LAGRANGE, GEORGIA

TITLE:
PROPOSED ELEVATIONS

MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: FOR BID AND PERMIT 26 JULY 2021	SHEET: A3-9

DBA	Project: [REDACTED] Submitted By: DON BLACKBURN & ASSOC INC	Catalog Number: RGPL D 32LED 700MA 4K ARF R3 MVOLT ANBK	Type: WA3
Type	Manufacturer/Brand	Catalog Number	
WA3	ABL-Antique Street Lamps	RGPL D 32LED 700MA 4K ARF R3 MVOLT ANBK	
WA3	ABL-Antique Street Lamps	PX NY20 12 F5 FG-S ANBK	
WA3	ABL-Antique Street Lamps	BAC28 BACD5 24B4 ANBK	

Submit detailed shop drawing to architect for final approval of light fixtures prior to ordering

DBA	Project: [REDACTED] Submitted By: DON BLACKBURN & ASSOC INC	Catalog Number: RGPL D 32LED 700MA 4K ARF R3 MVOLT ANBK	Type: WA3
-----	--	---	-----------

ANTIQUE RG LED SERIES CLEAR TOP STREET LAMPS



This acorn styled luminaire consists of a decorative luminaire base with an integral globe holder/gear housing and an acorn shaped globe.

- Injection molded, refractive, clear acrylic or polycarbonate base with clear top
- Optional trim selection: Finials, Bands, Medallions
- Tool-less gear housing option
- Stainless steel hardware
- 9 Different styles of bases coordinate with this luminaire
- CSA listed and labeled as suitable for wet locations
- Powder coat finish
- 3" O.D. x 3" tall tenon required for mounting

Max EPCA: 1.52 sq feet	Max Height: 44-1/2" (113.0cm)	Max Width: 19-1/8" (48.5cm)	Max Weight: 30 lbs (13.6 kg)
------------------------	-------------------------------	-----------------------------	------------------------------


Listing: CSA listed for wet locations

Series	Decorative Base	LED/Driver	Color Temperature	Lens Options	Distribution Options	Voltage	Finial Options	Arm Options
RGPL	D	32LED 700MA	4K	ARF	R3	MVOLT	FPF	ARH
RGAL	A	AU ¹	32LED 525MA	3K	ARF	347	SMF	ARY
RGTL	D	E	32LED 700MA	4K	PRF	480	SFF	ARU
RGPL	K	M		5K			PDF	ARV
	N	W					GF	
	X						RF	
							SF	
							SAE	
							RPF	
							AMF	
							PGF	

Antique Street Lamps™ | 3825 Columbus Road | Granville, OH 43023 | Phone: 1-800-410-8899 | www.antiquestreetlamps.com
©2013 Acuity Brands Lighting, Inc. All Rights Reserved.

DBA	Project: [REDACTED] Submitted By: DON BLACKBURN & ASSOC INC	Catalog Number: RGPL D 32LED 700MA 4K ARF R3 MVOLT ANBK	Type: WA3
-----	--	---	-----------

ANTIQUE RG LED SERIES CLEAR TOP STREET LAMPS



Antique Street Lamps™ | 3825 Columbus Road | Granville, OH 43023 | Phone: 1-800-410-8899 | www.antiquestreetlamps.com
©2013 Acuity Brands Lighting, Inc. All Rights Reserved.

DBA	Project: [REDACTED] Submitted By: DON BLACKBURN & ASSOC INC	Catalog Number: RGPL D 32LED 700MA 4K ARF R3 MVOLT ANBK	Type: WA3
-----	--	---	-----------

LENS OPTIONS

SELECT YOUR OPTIONS FROM

ARF (Acrylic Refractor)

PRF (Polycarbonate Refractor)

DISTRIBUTION OPTIONS

SELECT YOUR OPTIONS FROM

R3 Type III (32 LEDs)

R5 Type V (32 LEDs)

VOLTAGE

SELECT YOUR OPTIONS FROM

MVOLT

347

480

FINIAL OPTIONS

SELECT YOUR OPTIONS FROM

FPF

SMF

SFF

PDF

GF

RF

FSF

SAF

RPF

AMF

PGF

ARM OPTIONS

SELECT YOUR OPTIONS FROM

ARH

ARY

ARU

ARV

Notes:
* Arm, medallion and band must be selected together.
None of these options can be selected alone.

Antique Street Lamps™ | 3825 Columbus Road | Granville, OH 43023 | Phone: 1-800-410-8899 | www.antiquestreetlamps.com
©2013 Acuity Brands Lighting, Inc. All Rights Reserved.

DBA	Project: [REDACTED] Submitted By: DON BLACKBURN & ASSOC INC	Catalog Number: RGPL D 32LED 700MA 4K ARF R3 MVOLT ANBK	Type: WA3
-----	--	---	-----------

MED OPTIONS

SELECT YOUR OPTIONS FROM

MD3

MD4

MD5

MD6

MD7

MD8

MD9

MD10

MD11

MD12

MD13

MD14

MD15

MD16

MD17

MD18

MD19

Notes:
* Arm, medallion and band must be selected together.
None of these options can be selected alone.

BAND OPTIONS

See Thru Designs

Solid Designs

SELECT YOUR OPTIONS FROM

BS1

BS2

BS3

BS4

BS5

BS6

BS7

BS8

BS9

BS10

BS11

BS12

BS13

BS14

BS15

BS16

BS17

BS18

BS19

BS20

BS21

BS22

BS23

BS24

BS25

BS26

BS27

BS28

BS29

BS30

BS31

BS32

BS33

BS34

BS35

BS36

BS37

BS38

BS39

BS40

BS41

BS42

BS43

BS44

BS45

BS46

BS47

BS48

BS49

BS50

BS51

BS52

BS53

BS54

BS55

BS56

BS57

BS58

BS59

BS60

BS61

BS62

BS63

BS64

BS65

BS66

BS67

BS68

BS69

BS70

BS71

BS72

BS73

BS74

BS75

BS76

BS77

BS78

BS79

BS80

BS81

BS82

BS83

BS84

BS85

BS86

BS87

BS88

BS89

BS90

BS91

BS92

BS93

BS94

BS95

BS96

BS97

BS98

BS99

BS100

Notes:
* Arm, medallion and band must be selected together.
None of these options can be selected alone.

PHOTOCONTROL OPTIONS

SELECT YOUR OPTIONS FROM

PEB1 Photoelectric Cell Button 120 volt

PEB2 Photoelectric Cell Button 208,240,277 volt

PE1 NEMA Twist & Lock PE 120,208,240 volt

PE3 NEMA Twist & Lock PE 347 volt

PE4 NEMA Twist & Lock PE 480 volt

PE7 NEMA Twist & Lock PE 277 volt

PER Twist-Lock Photocontrol Receptacle

Notes:
* Twist-lock photocontrol only available with AU and N bases.
* PER is required when PE1, PE3, PE4 or PE7 is used.

Antique Street Lamps™ | 3825 Columbus Road | Granville, OH 43023 | Phone: 1-800-410-8899 | www.antiquestreetlamps.com
©2013 Acuity Brands Lighting, Inc. All Rights Reserved.

DBA	Project: [REDACTED] Submitted By: DON BLACKBURN & ASSOC INC	Catalog Number: RGPL D 32LED 700MA 4K ARF R3 MVOLT ANBK	Type: WA3
-----	--	---	-----------

FUSE OPTIONS

SELECT YOUR OPTIONS FROM

SF Single Fuse

DF Double Fuse

FINISH

SELECT YOUR OPTIONS FROM

DBL Black

DDB Dark Bronze

DNA Natural Aluminum

DWH White

CS Custom Select (RAL colors)

CM Custom Match

ANBK ASL Black

ANDB ASL Dark Bronze

ANDG ASL Dark Green

ANVG ASL Verde Green

Notes:
* Consult factory for CM option.

Antique Street Lamps™ | 3825 Columbus Road | Granville, OH 43023 | Phone: 1-800-410-8899 | www.antiquestreetlamps.com
©2013 Acuity Brands Lighting, Inc. All Rights Reserved.



SMITH DESIGN GROUP, INC.
206 WEST HARALSON STREET
LAGRANGE, GEORGIA 30240
706-882-5511

REVISIONS

DATE	DESCRIPTION


PROJECT:
PARKING AND EXTERIOR ENHANCEMENTS LAGRANGE POLICE
100 WEST HARALSON STREET
LAGRANGE, GEORGIA

TITLE:
DETAILS

MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: 26 JULY 2021	SHEET: E-1

DBA	Project	Catalog Number	Type
	Submitted By DON BLACKBURN & ASSOC INC	PX NY20 12 F5 FG-S ANBK Notes LESS BANNER ARM	WA3

Post to be designed to accept banner arms



NOTE: PROVIDE 110V WEATHERPROOF OUTLET AT THE BASE OF ALL (4) POSTS

SPECIFICATIONS

DESCRIPTION The lighting post shall be all aluminum, one-piece construction, with a classic tapered and fluted base design. The shaft shall be... (rest of text obscured)

MATERIALS The base shall be heavy wall, copper free, cast aluminum produced from certified ASTM 5356... (rest of text obscured)

CONSTRUCTION The shaft shall be double welded to the base casting and finished as one piece for maximum structural integrity... (rest of text obscured)

ANTIQUE Street Lamps
2011 W. Sundberg Ln. • Austin, TX 78758 • ph(512) 977-8444 • fax(512) 977-9622

DBA	Project	Catalog Number	Type
	Submitted By DON BLACKBURN & ASSOC INC	PX NY20 12 F5 FG-S ANBK Notes LESS BANNER ARM	WA3

NEW YORK Series Cast Aluminum Posts

SHAFT TYPES

ORDERING INFORMATION

Choose the best base catalog nomenclature that best suits your needs and write it on the appropriate line:

Example: PX NY20 12 S5 ANBK Options

Post Series	Height	Finish
PX NY20	12	F5 ANBK

Shaft Type

S4	Smooth 4 1/2"
S5	Smooth 5 1/2"
F4	Fluted 4 1/2"
F5	Fluted 5 1/2"
T4	Tapered 4" x 3 1/2"
T5	Tapered 5" x 3 1/2"

Options

ANBK	Black
ANDB	Dark Bronze
ANDG	Dark Green
ANVG	Verde Green
ANPP	Prime Painted
CM	Custom Match
CS	Custom Select
	RAL colors

FG-S Options

	Receptacles
	Banner Arms
	Flagpole Holders
	Custom Logos
	Signage
	(see Signage & Accessories section in the catalog or contact Antique Street Lamps)

ANCHORAGE GUIDE

ANTIQUE Street Lamps
2011 W. Sundberg Ln. • Austin, TX 78758 • ph(512) 977-8444 • fax(512) 977-9622



SIGNATURE REQUIRED

SMITH DESIGN GROUP, INC.

206 WEST HARALSON STREET
LAGRANGE, GEORGIA 30240

706-882-5511

OLB LED Bullet Flood Light

LIGHTING FACTS

To see complete photometric reports or download .ies files for this product, visit www.lithoniaighting.com. Actual wattage may differ by +/- 8% when operating at 120V or 277V +/- 10%.

OLBF 8 30K DDB

Light Output (Lumens) 592
Watts 10.5
Lumens per Watt (Efficacy) 56

Color Accuracy 84
Color Rendering Index (CRI)

Light Color 3005 (Bright White)
Correlated Color Temperature (CCT)

OLBF 8 50K DDB

Light Output (Lumens) 839
Watts 11.3
Lumens per Watt (Efficacy) 74

Color Accuracy 66
Color Rendering Index (CRI)

Light Color 4756 (Daylight)
Correlated Color Temperature (CCT)

OLBS 8 30K DDB

Light Output (Lumens) 638
Watts 11.2
Lumens per Watt (Efficacy) 56

Color Accuracy 83
Color Rendering Index (CRI)

Light Color 2950 (Warm White)
Correlated Color Temperature (CCT)

OLBS 8 50K DDB

Light Output (Lumens) 832
Watts 10.9
Lumens per Watt (Efficacy) 76

Color Accuracy 66
Color Rendering Index (CRI)

Light Color 4688 (Daylight)
Correlated Color Temperature (CCT)

REVISIONS	
DATE	DESCRIPTION

PROJECT:

PARKING AND EXTERIOR ENHANCEMENTS LAGRANGE POLICE

100 WEST HARALSON STREET
LAGRANGE, GEORGIA

TITLE:

DETAILS

MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: FOR BID AND PERMIT 26 JULY 2021	SHEET: E-2




[Handwritten Signature]

SMITH DESIGN GROUP, INC.

206 WEST HARALSON STREET
LAGRANGE, GEORGIA 30240

706-882-5511



**NOTE:
FOR 4 POSTS IN PARKING LOT
EXTEND CONCRETE BASE
UP 48" ABOVE PAVEMENT ELEVATION.**

REVISIONS

DATE	DESCRIPTION

PROJECT:

PARKING AND
EXTERIOR ENHANCEMENTS
LAGRANGE POLICE

100 WEST HARALSON STREET
LAGRANGE, GEORGIA

TITLE:

DETAILS

MODIFIED DATE:

JOB NO:


21-16

ISSUED DATE:

FOR BID AND PERMIT
26 JULY 2021

SHEET:

E-3




KEYNOTES
 ① ADD 4 (FOUR) GROUND MOUNTED LED SIGN LIGHTS ON 18" PEDESTALS TO LIGHT EXISTING SIGN. TIE INTO EXISTING PHOTOCELL AND TIME CLOCK.

LEGEND
 [Pattern] 4" THICK CONCRETE SIDEWALK WITH WWF, 3000 PSI CONCRETE. SLOPE AWAY FROM BUILDING

**CALL BEFORE YOU DIG.
 811
 AND VERIFY UNDERGROUND
 UTILITIES WITH OWNER
 PRIOR TO DIGGING.**

**NOTE:
 CITY OF LAGRANGE TO PROVIDE AND INSTALL
 ALL LANDSCAPING.**



①
 E-4 **SITE PARKING - PROPOSED**
 SCALE: 1" = 20'-0"



[Signature]

SMITH DESIGN GROUP, INC.
 206 WEST HARALSON STREET
 LAGRANGE, GEORGIA 30240
 706-882-5511

REVISIONS	
Δ	DESCRIPTION

PROJECT:
**PARKING AND
 EXTERIOR ENHANCEMENTS
 LAGRANGE POLICE**
 100 WEST HARALSON STREET
 LAGRANGE, GEORGIA

TITLE:
**SITE PARKING
 ELECTRIC**

MODIFIED DATE:	JOB NO: 21-16
ISSUED DATE: 26 JULY 2021	SHEET: E-4

EAST HARALSON STREET

MORGAN STREET