

**FITNESS EQUIPMENT
BID FORM AND SPECIFICATIONS**

FOR THE
FOX VALLEY PARK DISTRICT



DATE: JANUARY 9, 2018

PREPARED FOR:
FOX VALLEY PARK DISTRICT
RECREATION DEPARTMENT
101 W. ILLINOIS AVE.
AURORA, IL 60506
PHONE: 630-897-0516

Notice to Bidders

Notice is hereby given that sealed bids will be received by the Fox Valley Park District, until the hour of 10:00 a.m., Tuesday, January 23, 2018 at the office of the Fox Valley Park District, Cole Administration Center, 101 W. Illinois Ave., Aurora, Illinois 60506 to provide Fitness Equipment for the Prisco Community Center, in accordance with instructions to bidders and specifications attached. Proposal specifications and instructions may be accessed from <https://www.foxvalleyparkdistrict.org/our-mission/bids-rfps-results/>

Bids will be opened at 10:00 a.m., Tuesday, January 23, 2018 in the Cole Administration Center (101 W. Illinois Ave., Aurora, IL 60506) at which time and place the bids will be publicly read.

Bids should be submitted, as per instructions, on the appropriate bid form.

The District reserves the right to reject any or all bids, to waive or not to waive any informality therein or to accept the bid considered to be in the best interest of the Fox Valley Park District

Dated this 9th day of January 2018.



Fox Valley Park District
101 W. Illinois Avenue
Aurora, IL 60506
(630) 897-0516

www.foxvalleyparkdistrict.org

FITNESS EQUIPMENT BID FORM AND SPECIFICATIONS

January 9, 2018

Overview

The Fox Valley Park District was established in April 1947. The Park District owns and maintains 3 community centers, a championship golf course, a nature center, Blackberry Farm and Pioneer Village, 165 parks, 48 miles of regional trails and more than 2,500 acres of open space. Park amenities include 94 playgrounds, 60 park shelters, 27 outdoor tennis courts, 105 baseball fields and 84 soccer fields.

Purpose

The Prisco Community Center offers programs to a diverse range of users – from seniors to teens and all those between, resulting in more than 120,000 visits per year. Centrally located, Prisco is a popular gathering place for community groups, and is regularly booked as a conference/meeting center by businesses, service clubs and exhibitors. Prisco's gymnasium is host to a number of athletic programs, league play, tournaments and city events. Prisco Community Center is in the midst of a large scale renovation that includes an addition on the east end of the building creating a new, state of the art fitness center. The facility had a smaller fitness center previously with approximately 150 members. The District intends to attract new members and expand offerings for healthy lifestyles with this added space and new equipment. The fitness center will be 4,055 square feet in size and the District is seeking a fitness equipment vendor to furnish the new facility on or before June 1, 2018. The contract will be awarded to the vendor who best meets the needs of the District specified below.

General Scope

To provide cardiovascular, selectorized strength training and free weight equipment for the new Fitness Center located within the Prisco Community Center at 150 W. Illinois Avenue, Aurora, IL 60506.

Equipment Specifications

The Fox Valley Park District is requesting that the following information be included in your proposal: (as applicable)

1. The bidder is to provide brand name products(s) as identified in this bid or equivalent substitute(s). When recommending a product substitute the bidder must include in the bid submission a detailed comparative analysis of the brand product and the equivalent substitute product.
2. The bidder shall deliver and professional install all the equipment.
3. The bidder shall provide on-site training to the fitness staff to ensure proper usage of the equipment. Bidder shall also confirm that refresher training is available online or in person.

General Specifications for Cardiovascular Equipment:

# Requested/Item	Specifications
8 - Treadmills	At least a 5.0 HP AC Direct-drive motor; 22" x 60" walking/running surface; step-up height of no greater than 10"; minimal of 400 lbs maximum user weight; has a 120 volts / 20 amp circuit (U.S.) requirement, Length of at least 80", Width 37", Height of at least 62.25" and a weight of at least 440 lbs.; direct contact heart rate monitoring with digital signal processing, Polar® telemetry compatible; welded steel frame, 3.5" crowned steel rollers, Speed range: 0.5mph-15mph, Incline range 0%-15% elevation; shock absorbing system for deck featuring oval-shaped shock absorbers; lubricant-infused belt with advanced belt-tracking system along with belt-wear notification, at least 5 interactive heart rate programs; Built in Virtual training programming with the ability to save and create individual workouts via memory identification feature; fully integrated / built-in colored TV system of at least 15"with VHF, UHF and Cable capability; touchscreen with surface capacitive technology. Unit must also provide TV channel up & down system, volume control, closed captioning, mute feature, SAP programming and security channel locking. Unit must have a 3.5 mm headphone jack and USB port for iPod and/or iPhone compatibility as well as Android; Cool Down button with automatic customization; "on the fly" programming—can change programs at any time without starting over; Quick Start button for easy startup; ergonomically

	<p>designed curved handrail; Auto Alert electronic diagnostics—alerts owner to service needs; extensive owner customization capabilities; frame/deck designed so that belt and deck can be changed in less than 30 minutes; a minimum of a 7-year limited warranty on shock absorbers; 2-year on all electrical components; 1-year limited warranty on all mechanical components and labor and a minimum of a 7-year warranty on motor and frame.</p>
3 - Climbmills	<p>Console- Display type at least 41 cm/15” projective capacitive touchscreen LCD. at least 5 interactive heart rate programs; Built in Virtual training programming with the ability to save and create individual workouts via memory identification feature; fully Unit must also provide TV channel up & down system, volume control, closed captioning, mute feature, SAP programming and security channel locking. Unit must have a 3.5 mm headphone jack and USB port for IPod and/or iPhone compatibility as well as Android; Cool Down button with automatic customization; “on the fly” programming—can change programs at any time without starting over; Quick Start button for easy startup.</p> <p>Resistance Range-1-25</p> <p>Upper body handlebars- Ergonomically designed handrails and ergo form grips</p> <p>Resistance technology-ECB with flywheel</p> <p>Power requirements-120v/60Hz AC power, assembled weight at least 377 lbs.</p>
6 - Elliptical	<p>Console- Display type at least 41 cm/15” projective capacitive touchscreen LCD. at least 5 interactive heart rate programs; Built in Virtual training programming with the ability to save and create individual workouts via memory identification feature,unit must also provide TV channel up & down system, volume control, closed captioning, mute feature, SAP programming and security channel locking. Unit must have a 3.5 mm headphone jack and USB port for IPod and/or iPhone compatibility as well as Android; Cool Down button with automatic customization; “on the fly” programming—can change programs at any time without starting over; Quick Start button for easy startup.</p> <p>Resistance Range-1-25</p> <p>Upper body handlebars- Multi-position dual action/custom ergo bend stationary</p> <p>Bearings- Double polyurethane wheels with over-sized axle and sealed bearings with improved seals glide on precision extruded aluminum tracks to distribute user's weight for efficiency providing an incredibly smooth feel.</p> <p>Foot Pedals- Polypropylene plastic and self-draining.</p>
2 - Recumbent bikes	<p>Transport wheels, compatible pedals with strap, 1-30 gear adjustments, at least 5 interactive heart rate programs, brushless generator resistance system, adjustable seat post height, four-way adjust seat slider, adjusters to be sweat resistant, Fully functional Computer System with the following features: Power output display in watts and kilowatts, trip odometer, RPMs, Distance, Heart Rate monitor system, pedaling time and runs under self-</p>

	power, powered 100v-240v- 50/60Hz AC, Screen display 41 cm/15" class projective capacitive touchscreen LCD.
4 - Upright bikes	Transport wheels, compatible pedals with strap, 1-30 gear adjustments, at least 5 interactive heart rate programs, brushless generator resistance system, adjustable seat post height, four-way adjust seat slider, adjusters to be sweat resistant, Fully functional Computer System with the following features: Power output display in watts and kilowatts, trip odometer, RPMs, Distance, Heart Rate monitor system, pedaling time and runs under self-power, powered 100v-240v- 50/60Hz AC, Screen display 41 cm/15" class projective capacitive touchscreen LCD.
2 - Rowers	Transport wheels, compatible pedals with strap, 1-10 magnetic resistance levels, adjustable Screen display extra-large backlit LCD display, must include time, distance, SMP, stroke, watts, heart rate, calories, 500 m/split, must include telemetric receiver, Handlebars must have ergo grip. Power requirements- generator powered LCD display w/back up memory battery.
2 - Ascent trainers	Console- Display type at least 41 cm/15" projective capacitive touchscreen LCD. at least 5 interactive heart rate programs; Built in Virtual training programming with the ability to save and create individual workouts via memory identification feature, unit must also provide TV channel up & down system, volume control, closed captioning, mute feature, SAP programming and security channel locking. Unit must have a 3.5 mm headphone jack and USB port for IPod and/or iPhone compatibility as well as Android; can change programs at any time without starting over; Quick Start button for easy startup. Resistance Range-1-25 Upper body handlebars- Multi-position dual action/custom ergo bend stationary Bearings- Double polyurethane wheels with over-sized axle and sealed bearings with improved seals glide on precision extruded aluminum tracks to distribute user's weight for efficiency providing an incredibly smooth feel. Foot Pedals- Polypropylene plastic and self-draining.
1 - Upper body ergometer	Upper body cardiovascular exercise includes heart rate monitoring, constant work to be used in conjunction with heart rate and other software, at least 6 programs for exercise with 20 levels of intensity. Low profile seating, must hold up to 500lb user weight capacity, one button quick start with computer monitoring console that includes heart rate, time, rpm, calories, distance, level, and watts.

General Specifications for Strength Selectorized Training Equipment:

Item	Specifications
4 Stack Multi-station	Incorporates four different exercise choices in one machine. Each configuration contains one or more of the following popular gym exercises: low row with dual pulleys, lat pulldown with dual pulleys, adjustable cable column, and tricep pressdown. 2 x 295 lbs and 2 x 200 lbs weight stack; 66" x 145" x 99".
Chest Press	Adjustable lever on press arm which allows user to control range of motion from a seated position. Converging press arms; overhead pivot. 240 lbs weight stack; 59" x 57" x 51"
Shoulder Press	Converging press arms; ergonomically designed neutral and pronated handgrips; counterbalanced exercise arms. 240 lbs weight stack; 65" x 56" x 65"
2- Pectoral Fly	Rotating arms accommodate users of all sizes. Angled user position for enhanced comfort and stabilization. Contoured elbow pads provide greater arm comfort. 240 lbs weight stack. 45" x 65" x 54"
Lat Pulldown	Specific grips provide greater comfort and minimal point pressure. Thigh pads easily adjust to provide stability and comfort. Angled seat encourages proper user position. 240 lbs weight stack 61" x 59" x 77".
Biceps Curl	Movement arms and upper pads designed to align elbows off pad, and to start exercise movement with arms at side of user; pivoting handles to accommodate users of all sizes; open design for easier entry; independent movement arms. 200 lbs weight stack; 54" x 62" x 51".
Triceps Press	Machine designed to exercise triceps muscles utilizing a press down movement; oversize pressing handles and traditional dip handles that rotate in two positions; angled back pad. 240 lbs weight stack; 61" x 42" x 51"
Seated Leg Press	Angle of movement which allows user to remain in an upright position, and allows force to be transmitted through hips, eliminating spinal compression. Adjustable start position for seat; grid on footplate to ensure balanced foot position. 400lbs weight stack; 81" x 43" x 59".
Leg Extension	100 degree angle between seat and back pad to increase comfort and allow full quadriceps contraction without hamstring flexibility limitations. Starting range of motion can be adjusted to 5 different positions; Tibia pad adjustments can be made from seated position using lever arm adjustment, back pad features built in lumbar support. 240lbs weight stack; 61" x 47" x 51".
Seated Leg Curl	Starting range of motion can be adjusted to 5 different positions; leg pad adjustments can be made using lever arm adjustment; adjustable thigh pad. 200 lbs weight stack; 58" x 46" x 51"
Hip Abduction /Adduction	Dual function machine saves space and increases functionality. Knee pads and dual foot positions provide leg support and reduce torque around the knee. Weight stack positioned in front of user to act as privacy screen, and elevated for easier access. 230lbs weight stack; 66" x 62" x 65"

Abdominal	Combination of elbow pads and back pads with handgrips to enhance upper body stabilization; back pad inclined backward with handgrips placed above head to prevent using upper body leverage to assist exercise; tibia pad included for lower body stabilization; machine designed to allow natural “crunch” style movement. 240 lbs weight stack; 52” x 48” x 52”
2 - Functional Trainer	Multi position pull up handles for greater exercise variety. 76cm/30” connection provides ample storage for functional training accessories. Fully enclosed weight stacks; compact design to accommodate ceiling as low as 8’.
Glute	Angled sled for optimal glute activation, foot platform for stability, minimum weight stack of 140 lbs, weight plate increments of 10 lbs, incremental weights accessible from seated position, ergonomic handles with grips to reduce stress on user.

General Specifications for Free Weight Training Equipment:

Item	Specifications
Half Rack	Open front design gives users freedom of movement, includes safety bars, straight chin bar, bar storage, and weight storage.
Smith Machine	Counter balance bar takeoff for low starting resistance, 90 degree path of motion adapts to all exercises, linear bearings provide smooth motion, non-removable bottom stops add training security, 6 integrated weight storage horns hold multiple weight plate sizes
45 Degree Leg Press	Adjustable bottom stops provide long or short ranges of motion for all user heights, adjustable angle back pad enhances comfort, optimizes hip angles accommodates a greater range of users, assistance handle on platform for easier entry and exit, linear bearings for smooth feel and function, 6 integrated weight storage horns hold multiple weight plate sizes.
Flat and Incline Bench	Designed to meet safety standards, 10 weight storage horns, wide back pad stabilizes users during heavy lifts, shown with optional spotter platform, upright pivot forward into ideal starting position
Multi adjustable bench	8 levels of adjustment, seat and back pad move in unison, minimal pad gap, and tapered back pad.
Preacher curl	Angled, ratcheting seat for proper body positioning, durable extruded guards for frame and bar protection.
Weight Tree	6 chromed storage horns, 2 vertical bar holders for Olympic or curl bar storage, rubber bumpers on horns protect frame finish

Seated Calf	Curved and angled foot pad improves comfort and calf recruitment, quick release bar catch simplifies operations, knee pads adjust for tibia length and range of motion, seat moves with input arm to maintain alignment.
Dumbbell Rack	Storage space for 10 pairs of pro style dumbbells of any size
Power Bar	45 lb power bar with loadable sleeves with both Powerlifting and Olympic marks.
Weight Plates	Plate metal cores, round functional design with three handles.
Barbells	Flat faces for balance, easy to read weighted markings, durable handles.
Dumbbells	Flat faces for balance, easy to read bonded weight markings, durable handles.
Accessory Rack	Facilitates placement of all accessories in one spot for convenience and a clutter free facility, holds 5 bars.
Rubber Tile	Interlocking Rubber Tile, 23 x 23 ft. Approximately 1,200 sq.ft. Minimum of 3/8" thickness
Additional Items	Adjustable Bench-Decline, Barbell Rack, Back Extension Bench

Disclaimer Statement

The Fox Valley Park District assumes no responsibility or liability for costs incurred by individuals or firms in the preparation of a response to this bid. All information in the proposals may become public information.

Request for Additional Information

The Fox Valley Park District reserves the right to request any additional information that it deems necessary for the review and award process.

Vendor Registry

Proposal specifications and instructions may be accessed from <https://www.foxvalleyparkdistrict.org/our-mission/bids-rfps-results/>.

Withdrawal of Request for Proposal

The District retains at all times the right to cancel or withdraw this RFP, to refuse to accept a proposal from any respondent, and to modify or amend this RFP in any way.

Reject Proposals

The Fox Valley Park District reserves the right to reject any or all proposals, to waive or not to waive any informality therein or to accept the proposal considered to be in the best interest of the Fox Valley Park District. The existence of this request for proposal shall not, in any way, obligate the District to take any action regarding any response submitted by a respondent to this request.

Reservation of Rights

The District reserves the right to negotiate mutually acceptable project-related conditions, including costs. The District reserves its right to reject any and all proposals, waive irregularities and informalities therein, and further reserves its right to award the contract that is in the best interest of the District. The District specifically reserves the right to select the bid which will provide the highest quality equipment and performance package at a reasonable cost to the District. The District hereby notifies bidders that the lowest total bid may not be the successful bid if quality, functionality, warranties, service availability and cost, or other aspects of the bid do not best meet the District's needs.

Preparation of Proposal

Each bidder shall submit their proposal on the form(s) supplied by the District. Each proposal shall be sealed in an envelope marked "**Fitness Equipment**" and delivered to:

Fox Valley Park District
101 W. Illinois Avenue
Aurora, IL 60506
Attn: Jaime Ijams

Proposal Requirements

- 1. Provide completed Prisco Fitness Center Bid Forms**
 - List Model & Description, Unit Price, Total Price and any additional comments or discounts provided.

- 2. Equipment Specifications:**
 - Provide a separate list of all equipment specifications for items on bid list
 - Color availability
 - Low voltage needs
 - Parts and labor warranty on all equipment

3. Layout Proposal: See Attachment "A"

- Provide proposed ADA compliant layout of equipment
 - All cardiovascular equipment must be aligned on the east wall facing the glass windows

4. Install and Service Requirements:

- Equipment training provided to staff upon delivery
- Service certification provided to maintenance staff
- Guaranteed 24 – 48 hour service response time to service requests
- Installation and setup of equipment
- Bi-annual service fees

5. Trade In Allowance and Removal of Equipment:

- See **Attachment "B"** of list of trade-in/removal equipment
- Provide trade in value of removal equipment

Credit for trade in of existing equipment must be included on the bid form and shown on the bid form to be deducted from the equipment sub total price.

Public Opening

A public opening will take place on Tuesday, January 23, 2018 at 10 a.m. at the following address:

Cole Administration Center
101 W. Illinois Ave
Aurora, IL 60506

Bids received after the appointed time listed above will be returned unopened. Vendors are responsible for checking for all addenda prior to submitting proposals.

Payment Terms

Net 30 Payment Terms - Our standard payment terms for Fox Valley Park District are Net 30 days from invoice receipt by Accounts Payable. No payments will be made for products that do not meet agreed upon pricing, quality, or other requirements to be specified in the Contract. All invoices must be approved by the appropriate parties prior to payment.

Insurance

A. **Commercial General and Umbrella Liability Insurance**

Contractor shall maintain commercial general liability (CGL) and, if necessary, commercial umbrella insurance with a limit of not less than \$500,000 each occurrence with \$1,000,000 General Aggregate.

CGL insurance shall be written on Insurance Service Office (ISO) occurrence form CG 00 01 10 93, or a substitute form providing equivalent coverage, and shall cover liability arising from premises, operations, independent contractors, products-completed operations, personal injury and advertising injury, and liability assumed under an insured contract (including the tort liability of another assumed in a business contract).

Owner shall be included as an insured under the CGL, using ISO additional insured endorsement CG20 10 or a substitute providing equivalent coverage, and under the commercial umbrella, if any. This insurance shall apply as primary insurance with respect to any other insurance or self-insurance afforded to owner.

There shall be included as an insured under the CGL, using ISO additional insured endorsement CG20 10 a substitute providing equivalent coverage, and under the commercial umbrella, if any. This insurance shall apply as primary insurance with respect to any other insurance or self-insurance afforded to owner.

There shall be no endorsement or modification of the CGL limiting the scope of coverage for liability arising from pollution, explosion, collapse, or underground property damage.

B. Business Auto and Umbrella Liability Insurance

Contractor shall maintain business auto liability and, if necessary, commercial umbrella insurance with a limit of not less than \$500,000 each accident. Such insurance shall cover liability arising out of any auto including owned, hired and non-owned autos.

Business auto insurance shall be written on Insurance Services Office (ISO) form CA 00 01, CA 00 05, CA 00 12, CA 0020, or a substitute form providing equivalent liability coverage. If necessary, the policy shall be endorsed to provide contractual liability coverage equivalent to that provided in the 1990 and later editions of CA 00 01.

C. Worker's Compensation Insurance

Contractor shall maintain workers compensation as required by statute and employers liability insurance. The commercial umbrella and/or employers liability limits shall not be less than \$500,000 each accident for bodily injury by accident of \$500,000 each employee for bodily injury by disease.

If Owner has not been included as an insured under the GCL using ISO additional insured endorsement CG 20 10 under the Commercial General and Umbrella Liability Insurance required in this Contract, the Contractor waives all rights against Owner and its officers, officials, employees, volunteers and agents for recovering of damages arising out of or incident to the Contractor's work.

D. General Insurance Provisions

1. Evidence of Insurance

Prior to beginning work, Contractor shall furnish Owner with a certificate(s) of insurance and applicable policy endorsement(s), executed by a duly authorized representative of each insurer, showing compliance with the insurance requirements set forth above. Contractor's insurance certificate will name Owner as additionally insured.

All certificates shall provide for 30 days' written notice to Owner prior to the cancellation or material change of any insurance referred to therein. Written notice to Owner shall be certified mail, return receipt requested.

Failure of Owner to demand such certificate, endorsement or other evidence of full compliance with these insurance requirements or failure of Owner to identify a deficiency from evidence that is provided shall not be construed as a waiver of Contractor's obligation to maintain such insurance.

Owner shall have the right, but not the obligation, of prohibiting Contractor or any subcontractor from entering the project site until such certificates or other evidence that insurance has been placed in complete compliance with these requirements is received and approved by Owner.

Failure to maintain the required insurance may result in termination of this Contract at Owner's option. With respect to insurance maintained after final payment in compliance with a requirement above, an additional certificate(s) evidencing such coverage shall be promptly provided to Owner whenever requested.

Contractor shall provide certified copies of all insurance policies required above within 10 days of Owners' written request for said copies.

2. Acceptability of Insurers

Insurance companies which obtain a rating from A.M. Best, that rating should be no less than a VII using the most recent edition of the A.M. Best's Key Rating Guide. If the Best's rating is less than A VII or a Best's rating is not obtainable, the Owner has the right to reject insurance written by an insurer it deems unacceptable.

3. Cross-Liability Coverage

If Contractor's liability policies do not contain the standard ISO separation of insured provision, or a substantially similar clause, they shall be endorsed to provide cross-liability coverage.

4. Deductibles and Self-Insured Retentions

Any deductibles or self-insured retentions must be declared to the Owner. At the option of the Owner, the Contractor may be asked to eliminate such deductibles or self-insured retentions as respects the Owner, its officers, officials, employees,

volunteers and agents or required to procure a bond guaranteeing payment of losses and other related costs including but not limited to investigations, claim administration and defense expenses.

5. Subcontractors

Contractor shall cause each subcontractor employed by Contractor to purchase and maintain insurance of the type specified above. When requested by the Owner, Contractor shall furnish copies of certificates of insurance evidencing coverage for each subcontractor.

E. Indemnification

To the fullest extent permitted by law, the Contractor shall indemnify and hold harmless the Owner and the Architect and their officers, officials, employees, volunteers and agents from and against all claims, damages, losses and expenses including but not limited to legal fees (attorney's and paralegals' fees and court costs), arising out of or arising out of or resulting from the performance of the Contractor's work, provided that any such claim, damage, loss or expense (i) is attributable to bodily injury, sickness, disease or death, or injury to or destruction of tangible property, other than the work itself, including the loss of use resulting there from and (ii) is caused in whole or in part by any wrongful or negligent act or omission of the Contractor, any Subcontractor, anyone directly or indirectly employed by any of them or anyone for whose acts any of them may be liable, regardless of whether or not it is caused in part by a party indemnified hereunder. Such obligation shall not be construed to negate, abridge, or otherwise reduce any other right or obligation of indemnity which would otherwise exist as to any party or person described in this Paragraph. Contractor shall similarly protect, indemnify and hold and save harmless the Owner, its officials, officials, employees, volunteers and agents against and from any and all claims, costs, causes, actions and expenses including but not limited to legal fees, incurred by reason of Contractor's breach of any of its obligations under, or Contractor's default of, any provision of the Contract.

Applicable Laws Shall Apply

The contract awarded shall be governed in all respects by the laws of the State of Illinois, County of Kane. The vendor awarded the contract shall comply with applicable federal, state, Illinois Park District and local laws and regulations.

Nonconforming Terms and Conditions

Except as otherwise provided for in this RFP, any proposal that includes terms and conditions that do not conform to the terms and conditions in this RFP is subject to rejection as non-responsive. The District reserves the right to permit the respondent to withdraw non-conforming terms and conditions from its proposal that do not affect quality, quantity, price or delivery of service prior to action by the Fox Valley Park District to award a contract.

Submission of Proposal

Submittals must provide a straightforward, concise description of the ability to meet the requirements of the Park District. Each Respondent is solely responsible for the accuracy and completeness of its submittal.

Prevailing Wage Statement

If applicable, employees of the contractor involved with the proposed agreement shall receive the local prevailing wage scale in accordance with the Illinois Department of Labor Conciliation and Mediation Service Prevailing Wages for Construction Trades, County of Kane. Bidders must submit with their bid a Prevailing Wage Statement for any applicable classification. Successful contractor shall provide wage determination upon request.

Protection

Contractors shall schedule work and carry out operations to minimize conflict with use of property. Contractor must take special care to guard life and property.

License and Permits

The contractor shall be responsible for all licenses or permits, which may be required for the execution of the contract.

Evaluation Criteria

A Selection Committee will review all proposals and evaluate the Vendors accordingly based on the criteria chosen by the Park District. The award of contract will be technically evaluated with more emphasis being placed on the technical merit over pricing. Remember, the more information bidders supply about their organization and their abilities, the better the evaluation. The technical evaluation will include but not be limited to the items listed below.

- a. Equipment proposed
- b. Supervision during installation
- c. Experience on similar contracts
- d. References
- e. Years in business
- f. Professional affiliations
- g. Quality service of equipment and timeline of repair
- h. Warranty information

Remember that the above criteria will be used to evaluate your proposal. You must supply this information in order to be evaluated. Please keep the commercial portion of your proposal separate from the technical portion for ease of evaluation.

The recommendation of the Selection Committee and the contract will be subject to approval by the Fox Valley Park District Board of Commissioners on February 12, 2018. Such award, if made, will be made within sixty (60) calendar days after the closing date and time set for receiving Request for Proposals.



Company Contact Information and References

Company _____

Address _____

Contact Name (PRINT PLEASE) _____

Contact Signature _____

Title _____ Date _____

Phone _____ Fax _____

Email _____

REFERENCES

Park District/Company _____

Contact Person _____

Title _____ Phone _____

Park District/Company _____

Contact Person _____

Title _____ Phone _____

Park District/Company _____

Contact Person _____

Title _____ Phone _____

**Fox Valley Park District
Prisco Fitness Center - Bid Form - Page 1 of 3**

Having carefully examined your specifications for the equipment specified in the bid dated this ____ day of _____ 2018
the undersigned does propose to provide the Fox Valley Park District:

Equipment	Model and Description	Unit Price	Quantity Requested	Total Price	Comments/Discounts Provided
Cardiovascular Equipment:					
Treadmills			8		
Climbmills			3		
Elliptical			3		
Recumbent bikes			2		
Upright bikes			4		
Rowers			2		
Ascent trainers			2		
Upper body ergometer			1		
Strength Selectorized Training Equipment:					
4-stack multi-station			1		
Chest press			1		
Shoulder Press			1		
Pectoral Fly			2		
Lateral Pull Down			1		
Bicep Curl			1		
Tricep Press			1		
Seated Leg Press					
Leg extension			1		
Seated Leg Curl			1		
Hip adductor/abductor			1		
Seated Row			1		
Abdominal Crunch			1		
Functional Trainer			2		
Glute			1		

Prisco Fitness Center - Bid Form - Page 2 of 3

Equipment	Model and Description	Unit Price	Quantity Requested	Total Price	Comments/Discounts Provided
Free Weight Training Equipment:					
Half rack 8" tall			1		
Smith Machine			1		
45 Degree Leg Press			1		
Dumbbell racks			2		
Olympic flat bench			2		
Olympic incline bench			2		
Adjustable bench			3		
Preacher curl			1		
Weight trees			2		
Seated calf			1		
45 lb power bar full			3		
5 lb weight plates			30		
10 lb weight plates			28		
25 lb weight plates			28		
35 lb weight plates			15		
45 lb weight plates			36		
Barbell straight 20 - 110lb			1		
1 set 5-50 lb dumbbells			1		
1 set 55-100 lb dumbbells			1		
Accessory Rack			1		
Adjustable bench-decline			1		
Barbell rack			1		
Back extension bench			1		
Interlocking Rubber Tile			1,200 sq. ft.		
			Equipment Sub Total		
			(Minus Trade In Allowance)		
			Delivery Fee & Installation		
			Grand Total		

Warranty Information

The equipment listed in the bid will be covered for:


Parts:

(text)

Labor/Maintenance/Travel Costs/Monthly PM Costs

(text)

Attachment "A"



PRISCO FITNESS AREA



Fox Valley Park District

Attachement "B"

Trade In - Equipment			
Item / Model	Year	Trade In Value	Comment
Cybox 750T	Unknown		
Precore C932	14/15		
Precore C932	Unknown		
LF CLST Treadmill	Unknown		
LF CLST Treadmill	2010		
Precor 546i Elliptical	Unknown		
Precor 546i Elliptical	Unknown		
Cybox Arch Trainer	14/15'		
Octane LX8000	Unknown		
Precor C776i Stepper	10 years		
Preach Curl Bench	14/15'		
Magnum Dip/Leg Raise	2012		
Magnum Fs Peck/Rear Delt	2012		
Magune 900 Tower Bicep/Tricep	2012		
Cyber Bent Leg Ab	Unknown		
Cybox Abd/Back Extension	2012		
Cybox VR3 Leg Press	2011		
Cybox VR1 Multi-Press	2012		
Cybox chest press	Unknown		
Cybox overhead press	Unknown		
Paramount Leg Ext/Curl	2009		
Paramount Lat/Low Row	2009		
Helix 3000	2011		
UMAX U2 Utethane Olympic Grip	2013		
TKO Dumbbell Set with Rack	Unknown		
Paramount 3 Way Press Bench	2013		
Cybox Adjustable Decline Bench	2013		
Techno Erometer	Unknown		
Concept 2 Rowing	15/16'		
Total Trade-In Allowance			

Credit for trade in of existing equipment must be included on the bid form and shown on the bid form to be deducted from the equipment sub total price.