

Anderson County Government

INVITATION TO BID (Formal)

Tony Foreman, Purchasing Agent
100 North Main Street, Suite 214
Clinton, Tennessee 37716
(865) 457-6218 Office
(865) 457-6252 Fax

purchasing@andersontn.org
<http://andersontn.org/purchasing>


BID No.: 4703

Date Issued: September 19, 2016

**Bids will be received until
11:30 a.m. Eastern Time on October 20, 2016**

Sealed bids are subject to the General Terms and Conditions of this bid, and any other data attached or incorporated by reference. Bids will be received in the office of the Anderson County Purchasing Agent until the date and time specified above, and at that time publicly opened and read aloud.

THE ANDERSON COUNTY PURCHASING AGENT RESERVES THE RIGHT TO WAIVE ANY INFORMALITIES IN OR TO REJECT ANY OR ALL PROPOSALS AND TO ACCEPT THE PROPOSAL DEEMED FAVORABLE AND IN THE BEST INTEREST OF ANDERSON COUNTY.



Tony Foreman, Anderson County Purchasing Agent

BID DESCRIPTION

Ambulance Remount – EMS, Clinton, TN

Mandatory Pre-bid Meeting – Thursday, September 29, 2016 @ 10:00 a.m.
Meet at Anderson County Motor Pool Garage, 110 South Bowling Street, Clinton, TN 37716

All vendors must submit one original and three exact copies of their bid, including brochures.

Contact Purchasing in writing with any questions. Refer to General Terms and Conditions Section 1.2.

Bid # 4703
Ambulance Remount

SPECIFICATIONS

A. It is the intent of these specifications, and all requirements listed herein, to obtain bids on vehicles to meet the needs of this agency, and to obtain bids that may be easily and completely evaluated on an equal and competitive basis.

B. Because of the wide variances in types, configurations, options and models available in the industry the purpose of these specifications is to set a standard by which all proposals received may be evaluated, studied and compared equitably.

C. It is further understood that the vehicle described is for use in the provision of emergency services.

- 1) That, as trained professionals, the purchaser makes informed judgments on products that they feel best serve their needs. Technically, very few brands of material or equipment are exactly alike.
- 2) Only the specifier has the responsibility and judgment for determining whether a proposed substitution is an equal or not.
- 3) That from start to finish in the purchasing process only the specifier can ultimately decide if another desirable product is available in lieu of the specification.

D. The specifier has determined that this product specification shall represent the product to which all offerings shall be compared. Due to the fact that emergency response duties are ULTRAHAZARDOUS, UNAVOIDABLY DANGEROUS activities, only trained personnel with specific knowledge in the area of Emergency Service Equipment shall be allowed to make the final decision on the selection of the appropriate product to best serve this agency.

- 1) It is the intent of Anderson County EMS to bid the completion of a remount/conversion of a Type III to a Type I.
- 2) The remount/conversion has already been started; however, it was not completed.
- 3) The module was originally mounted to a GMC Savanna 3500 chassis.
- 4) The module is currently mounted on a 2015 Chevy 3500HD 4x2 chassis.
- 5) We realize and accept that we will not have all of the conventional warranties as we would with any other remount.
- 6) Accompanying the bid are the original remount specifications for review and accuracy. You are not expected to complete the original remount bid sheet, it is for information purposes.
- 7) This ambulance is a remount and it must meet the KKK Specifications for ambulance remounts. The certification of meeting KKK Specifications is to be provided by the successful bidder upon receipt of the ambulance and prior to any payment delivered.

8) Below, you will find a list of things that are to be repaired or completed, that we have found and they are in no specific order, there may be other issues that we haven't discovered, this is the purpose of the pre-bid inspection for you to identify issues that may not be on this list for you to include in your bid.

- Secure trim on the back of the bench seat
- Replace trim under cabinets on the street side
- Install seals to all module doors to ensure being airtight and leak free
- Remove diamond plate from the front of the module
- Re-skin entire front of module and repaint
- Replace boot from cab to box, leaving sliding rear window in place
- Replace inverter and wire to power on (**only when ignition is turned on**)
- Replace cot antlers and cot latch
- Replace laminate, curbside, at the rear doors
- Install LED action light in action area
- Remove Whelen 700 series lights from rear of module and replace with 900 series, install the removed 700 series lights on the grille
- Install Whelen 700 series light above rear wheels (red with clear lens)
- Install new jump seat in rear (Wise attendant seat with built in child restraints)
- Install lap/shoulder belts on bench seat
- Replace all bench seat upholstery with vacuum formed upholstery
- Remove air horn trumpets from behind the grille and reinstall thru the front bumper
- Install Fenix Cannon 360 hideaway LEDs in the fog light housings and tie them in to the primary emergency light switch
- One set of rear 900 series lights should also function as brake lights (Upper)
- Replace A/C cover in module
- Remove roll up door and install doors with inset windows on Advanced Life Support cabinet
- Replace diamond plate door panels on all module entry doors with laminate upper and aluminum sheeting on lower with orange and white chevrons on the lower
- Install catches for glove box holders in module as to secure the doors
- Install back up camera system with monitor built in to rearview mirror (1 camera)
- Replace battery box door on curbside
- Install two undercover siren speakers behind grille
- Install soft edge trim to interior, action area and all corners
- Replace SSCOR suction with Rico unit
- Replace rear bumper
- Check all doors for proper operation
- Remove all exterior corner trim and repair corners and replace with shorter trim
- Check all body mounts for proper installation
- If possible, add dump switch in driver compartment
- Install override switch for air ride in rear

- Repair holes in interior cabinets
- Check electrical system for proper function – Current system is new
- Check A/C system for proper operation
- Remove rusted square tubing from compartment 2 street side and relocate air compressor underneath (if possible)
- Check air ride system for proper operation
- Install 115vac duplex outlet in the cab, location to be determined
- Install 2 12v accessory plugs in the cab, location to be determined
- Install 2 USB outlets in the cab, location to be determined

E. Warranty Surety: To ensure quality, service and full compliance to the above warranties the vehicle, with the exception of the chassis, must be constructed by the ambulance manufacturer. Additional elements constructed and installed "in house" are required to ensure service and parts availability. Subcontractors or lease/rental agreements to outside agencies will fail to meet this requirement. NO EXCEPTIONS WILL BE ALLOWED.

F. Delivery: Delivery times must be specified on the bid form sheet. A monetary penalty of \$1,000 dollars per day will be imposed if winning bidder does not meet delivery schedule.

G. Service and Warranty Repair: Successful vendor must have a comprehensive ambulance service and repair facility to administrate warranty repair as needed. Vendor must have authorized factory trained service specialists and carry necessary inventory levels to affect prompt repair. Vendor shall have the right to contract with a local agency, properly equipped and trained to handle warranty and repair issues. NO EXCEPTIONS.

H. Documentation of Facilities: This agency is very concerned with making bid award to the most qualified manufacturer. In order to aid our decision, each bidder shall submit with their bid the following documentation:

- 1) Photographs of physical plant including:
 - a. All bays & interior of manufacturer facilities
 - b. Paint shop
 - c. Paint booth, spray facilities, and mixing room
 - d. Lifts and lift area
- 2) Documentation of adequate Workman's Compensation insurance, Product Liability Insurance, and Garage Keepers Liability Insurance.
- 3) This agency requires that the ambulance manufacturer provide "in house" structural repairs from any outside accidents, as well as warranty items that may arise as the result of the work.

I. Certifications: All bidders are required to provide Anderson County with copies of all ambulance builder certifications.

Each bidder may copy this form, as necessary to sufficiently list all exceptions and variations from specifications (Please list as shown, by page, item number, and check if vendor chooses not to supply, or is unavailable, or describe deviation or substitution in detail, if furnished). Purchaser will be the sole judge of proposed substitution equivalency.

EXCEPTION PAGE: _____ OF _____

[illegible]

K. BIDDER PROFILE:

Bidders must list below their service facility and parts department profile:

APPROX. MILES FROM PURCHASER: _____

YEARS OF EXPERIENCE IN AMBULANCE REPAIR BUSINESS: _____

SQUARE FT. OF FACILITY: _____

NUMBER OF SERVICE BAYS: _____

NUMBER OF EMPLOYEES: _____

NUMBER OF FULL TIME AMBULANCE TECHNICIANS: _____

ARE TECHNICIANS FACTORY TRAINED? _____

TOTAL YEARS SHOP REPAIR EXPERIENCE: _____

VALUE OF SERVICE AND PARTS INVENTORY: _____

24 HOUR TURN AROUND TIME ON WARRANTY AND SERVICE? _____

NUMBER OF LIFT AREAS FOR SERVICE: _____

CAN SERVICE FACILITY PERFORM REMOUNTS? _____

CAN SERVICE FACILITY PERFORM ALUMINUM MODULE REPAIR? _____

CAN SERVICE FACILITY DO SCOTCHLITE & LETTERING? _____

L. SIGNATURE:

We herewith submit and bid as follows:

CHASSIS/MAKE: _____

MODEL/TYPE: _____

AMBULANCE BRAND: _____

F.O.B. POINT: _____

DELIVERY-CALENDAR DAYS: _____

NET PRICE COMPLETE, AS SPECIFIED: _____

BID IS: _____ AS PER SPECIFICATION, TAKING NO EXCEPTIONS

_____ TAKING ONLY THOSE SPECIFICATION EXCEPTIONS
LISTED, ATTACHED AND REFERENCED TO PARAGRAPH NUMBER SPECIFIED

It is agreed by the undersigned bidder that the signature and submission of this bid represents the bidder's acceptance of all terms, conditions, and requirements of bid specifications and, if awarded, the bid will represent the agreement between the two parties.

Company Name

Date

Bid Representative (Please Print)

Signature

Street Address

City, State Zip

() ()

Phone Number Fax Number

E-mail Address

This agency will not tolerate Vendors who state compliance to specifications but deliver an incomplete product and/or sub-standard materials and workmanship. Vendors who have made delivery of such an ambulance without making every reasonable effort to remedy the defects found at the time of delivery or within the warranty period will be notified that they are DEBARRED from submitting bids to this agency in the future.

BID NUMBER: 4703

BID TITLE: Ambulance Remount

BID ENVELOPE SUBMISSION INSTRUCTIONS:

Bids **MUST** be received in a sealed envelope/package with the bid number, company name and opening date clearly marked. Failure to comply may result in rejection of the entire bid. Anderson County will not be responsible for any lost or misdirected mail. Late bids, e-mailed bids and faxed bids will not be considered nor returned. It is the sole responsibility of the bidder to ensure their bid reach the Purchasing Department. If the bid is not delivered to the correct location by the correct time it is not considered.

Please note that Anderson County Government does not receive a guaranteed delivery time for express mail and/or packages. PLEASE MAIL ACCORDINGLY.

**ANDERSON COUNTY PURCHASING DEPARTMENT
100 NORTH MAIN STREET, SUITE 214
CLINTON, TN 37716**

**Email: purchasing@andersontn.org
Website: <http://andersontn.org/purchasing>**

(865) 457-6218 Phone
(865) 457-6252 Fax

**Bid documents must be completed in ink or typed, signed in ink,
and free from alterations, erasures or mark-throughs.**

SECTION 1 - GENERAL TERMS AND CONDITIONS

1.1 ALTERATIONS OR AMENDMENTS: Alterations, amendments, changes, modifications or additions to this solicitation shall not be binding on Anderson County without prior written approval.

1.2 NO CONTACT POLICY: After vendor receives a copy of this bid, any contact initiated by any vendor with any Anderson County representative, other than the Purchasing Department, concerning this invitation for bid is prohibited and agreements made thereto will not be considered binding on Anderson County. Any such unauthorized contact may cause the disqualification of the bidder from this procurement transaction.

1.3 QUESTIONS: Pursuant to TCA §12-4-113, questions regarding the specifications or bid procedures must be received by the Purchasing Agent and/or designer no less than ninety-six (96) hours before the bid opening date. No addenda within less than forty-eight (48) hours of the bid opening date shall be permitted. Any questions concerning the bid document must be submitted to purchasing@andersontn.org no less than ninety-six (96) hours before bid opening date.

1.4 BID CLOCK: The bid/time clock in the Anderson County Purchasing office will be the time of record.

1.5 TAXES: Anderson County is not liable for Federal excise or State sales tax. Tax exemption certificates will be provided upon request.

1.6 CONFLICT OF INTEREST: If requested by the Purchasing Agent, vendors must complete and submit a "Conflict of Interest Affidavit Statement" prior to contract award, see T.C.A. 5-14-114 and T. C. A. 12-4-101.

1.7 NON-COLLUSION: Vendors, by submitting a signed bid, certify that the accompanying bid is not the result of, or affected by, any unlawful act of collusion with any other person or company engaged in the same line of business or commerce, or any other fraudulent act punishable under Tennessee or United States law.

1.8 NON-DISCRIMINATION: Vendors, during the performance of this contract, will not discriminate against any employee or applicant for employment because of race, religion, sex, national origin or disability except where religion, sex, national origin or disability is a bona fide occupational qualification reasonably necessary to the normal operation of the contractor.

1.9 SAME AS OR EQUIVALENT TO: Vendors are to bid as specified herein or propose an approved equal. Determination of equality is solely Anderson County's responsibility. The designated brands are for reference purpose only, not a statement of preference. When an alternate manufacturer, brand, model or make is bid, Anderson County will determine if the item bid does meet or exceed the items as specified. If the bidder does not indicate that an alternate manufacturer, brand, model or make is being bid, it is understood that the item(s) bid are the same manufacturer, brand, model or make as was requested in the Invitation to Bid. Comparable products of other manufacturers will be considered if proof of comparability is contained in the bid. It shall be the responsibility of the vendors, including vendors whose product is referenced to furnish upon request catalog pages, brochures or other data as will provide an adequate basis for determining the quality and functional capabilities of the product offered. Failure to provide this data may be considered valid justification for rejection of bid.

1.10 MULTIPLE BIDS/AWARDS: Anderson County will consider multiple bids that meet specifications. Bid awards may include multiple approved vendors and the list of approved vendors may be added to or deleted from at any time.

1.11 STATE OF TENNESSEE CONTRACTORS' LICENSE LAW (T.C.A. 62-6-119) b): Bids for which the total cost of the project is twenty-five thousand dollars (\$25,000) or more, the outside of the sealed bid envelope/package containing the bid provides the following information: the Company Name, the Contractor's license number, license classification, the date of the license expiration and that part of each license classification applying to the bid. In addition, each heating ventilation or air conditioning, plumbing and electrical subcontractor's license number, date of the license expiration and that part of each classification applying to the bid if the value of the work is \$25,000 or greater, must be notated. If the value of either the contractor or the subcontractor's work is less than \$25,000, the bid envelope/package containing the bid is to be notated with the phrase "Contractor or Subcontractor's Bid is Less than \$25,000" after each appropriate heading. In the case of joint ventures, each party submitting the bid must provide this information. If no subcontractors are being used, the outside of the envelope/package containing the bid must state, "No Subcontractors are being used on this project."

1.12 ACCEPTANCE: Vendors shall hold their price firm and subject to acceptance by Anderson County for a minimum period of sixty (60) working days from the date of the bid opening, unless otherwise indicated in their bid. Any or all bids may be rejected for good cause.

1.13 BID AWARDS: Bids will be awarded to the lowest and best bidder, taking into consideration the qualities of the articles to be supplied, their conformity with specifications and their suitability to the requirements of Anderson County and the delivery terms. Anderson County also reserves the right to not award this bid.

1.14 PROTEST: Any vendor wishing to protest the bid award shall notify in writing the Anderson County Purchasing Agent and the County Law Director, 101 S. Main Street, Suite 310, Clinton, TN 37716. No protest will be accepted, except those protests made in writing and received within (10) ten calendar days of the bid award. Protests must be in writing and envelopes/package containing protest must be clearly marked with bid number and words "BID PROTEST". The Purchasing Agent, in conjunction with the Purchasing Commission, and with the advice and counsel of the County Law Director, shall review and make a final decision as to any bid protest. Appeals shall be filed in the Circuit or Chancery Courts of Anderson County within sixty (60) days of the final decision.

VENDORS PLEASE NOTE: ANDERSON COUNTY WILL NOT STOP THE PURCHASE PROCESS. THE PURCHASE MAY BE COMPLETED OR THE PROJECT MAY BE RE-BID WHILE THE PROTEST PROCEDURE IS STILL IN OPERATION. IF A RE-BID IS MADE, THE PROTESTING VENDOR SHOULD SUBMIT A NEW BID. OTHERWISE, THEY WILL BE WITHOUT A BID ON THE RE-BID. FURTHER, THE RE-BIDDING WILL NOT END THE APPEALS PROCESS. IT WILL CONTINUE UNTIL A FINAL DECISION IS REACHED OR THE COMPLAINANT WITHDRAWS THE APPEAL.

1.15 DELIVERY: Bid pricing is to include complete supply and delivery to Anderson County, Tennessee. Vendors are to state the delivery time in the bid. Anderson County requires that vendors deliver all products "free on board" to final destination unless indicated otherwise in their bid, reference Terms & Conditions section 2.4.

- 1.16 PROOF OF FINANCIAL AND BUSINESS CAPABILITY:** Bidders must, upon the request of Anderson County, provide satisfactory evidence of their ability to furnish products or services in accordance with the terms and conditions of these specifications. Anderson County will make the final determination as to the bidder's ability.
- 1.17 VENDOR'S DEFAULT:** Anderson County reserves the right, in case of vendor default, to procure the articles or services from other sources and hold the defaulting vendor responsible for any excess costs occasioned thereby.
- 1.18 DUPLICATE COPIES:** Anderson County requires that all vendors submit one original and 3 exact copies of their bids, including brochures; unless additional copies are requested in bid specifications.
- 1.19 DRUG-FREE WORKPLACE:** Under the provisions of Tennessee Code Annotated §50-9-113 enacted by the General Assembly effective 2001, all employers with five (5) or more employees who contract with either the state or a local government to provide construction services are required to submit an affidavit stating that they have a drug free workplace program that complies with Title 50, Chapter 9, in effect at the time of submission of a bid at least to the extent required of governmental entities. The statute imposes other requirements on the contractor and contractors should consult private legal counsel if legal questions arise under this section or any other provision of this document. All contractors shall provide a written affidavit signed by the principal officer of a covered employer acknowledging that the contracting entity is in compliance with the Drug Free Workplace laws of State of Tennessee.
- 1.20 RESTRICTIVE OR AMBIGUOUS SPECIFICATIONS:** It is the responsibility of the bidder to review the entire Invitation to Bid document and to notify the Purchasing Department if the Invitation to Bid is formulated in a manner that would unnecessarily restrict competition or if it is ambiguous in what is being requested. The Purchasing Agent must receive questions regarding the specifications or bid procedures not less than seventy-two (72) hours prior to the time set for the bid opening.
- 1.21 SCHOOL CAFETERIA BIDS:** If this bid is for Anderson County School's Cafeteria Food Service Department, bidders must be in compliance with Section 104(d) of the William F. Goodling Child Nutrition Reauthorization Act of 1998 which requires school and institutions participating in the National School Lunch Program (NSLP) and School Breakfast Program (SBP) to "Buy American" to the maximum extent practicable.
- 1.22 TERMINATION:** Anderson County reserves the right to terminate this contract in whole or in part with thirty (30) days written notification to the contractor. In the event of termination, the County shall not be liable for any costs other than the cost of services performed and materials delivered and accepted prior to termination date.
- 1.23 OSHA SAFETY:** The Contractor is responsible for training their employees in Safety and Health Regulations for the job, assuring compliance with Tennessee Occupational Safety and Health regulations and any other Regulatory Agency.
- 1.24 PERFORMANCE BOND:** A standard surety or performance bond or an irrevocable letter of credit in favor of Anderson County Government at a federally insured financial institution will be required to be submitted with bid, if indicated in section four, item six insurance requirement checklist.
- 1.25 BACKGROUND CHECKS:** Contractors shall comply with Public Chapter 587 of 2007, as codified in Tennessee Code Annotated Section 49-5-413, which requires all contractors to facilitate a criminal history records check conducted by the Tennessee Bureau of Investigation and the Federal Bureau of Investigation for each employee prior to permitting the employee to have contact with students or enter school grounds when students are present.
- 1.26 AWARD RESULTS:** As soon as practicable after proposal or bid evaluations, Anderson County shall post the award decision to Vendor Registry at www.vendorregistry.com. Individual notices are normally not mailed or e-mailed except to the successful vendor.
- 1.27 PRICE INCREASE/DELIVERY CHARGES:** Request for price or delivery charge increases must be received in writing 30-days prior to implementation. The Anderson County Purchasing Agent will review requests and make a determination to continue or cancel services.
- 1.28 INDEMNIFICATION/HOLD HARMLESS:** Contractor shall indemnify, defend, save and hold harmless Anderson County and, its officers, agents and employees from all suits, claims, actions or damages of any nature brought because of, arising out of, or due to breach of the agreement by Contractor, its subcontractors, suppliers, agents, or employees or due to any negligent act or occurrence or any omission or commission of Contractor, its subcontractors, suppliers, agents or employees.

1.29 DECLARATIVE STATEMENT: Any statement or words (i.e.: must, shall, will, etc) are declarative statements and the proposer must comply with the condition. Failure to comply with any such condition may result in their bid being non-responsive and disqualified.

1.30 WAIVING OF INFORMALITIES: Anderson County reserves the right to waive minor informalities or technicalities when it is in the best interest of Anderson County.

1.31 APPROPRIATION: In the event no funds are appropriated by Anderson County for the goods or services in any fiscal year or insufficient funds exist to purchase the goods or services, then the Contract shall expire upon the expenditure of previously appropriated funds or the end of the current fiscal year, whichever occurs first, with no further obligations owed to or by either party.

1.32 ASSIGNMENT: Contractor shall not assign or sub-contract this agreement, its obligations or rights hereunder to any party, company, partnership, incorporation or person without the prior written specific consent of Anderson County.

1.33 QUANTITIES: Anderson County does not guarantee quantities to be purchased off this bid.

1.34 UNIT PRICE: Unit price for each unit bid shall be shown and such price shall include packing unless otherwise specified. A total shall be entered in the amount column of the pricing page for each item bid. In case of discrepancy between any unit price and an extended price, the unit price will be presumed to be correct, subject, however, to correction to the same extent and in the same manner as any other mistake.

1.35 MODIFICATION OR WITHDRAWAL OF BIDS: When it is certain that a mistake has been made in the preparation of the bid, a request will be made to the bidder to confirm the bid. Provisions must be made so that mistakes can be taken care of and the ambiguity resolved satisfactorily. Bids may be modified or withdrawn by written notice received in the Purchasing Department prior to the time and date set for the bid opening. The changes or withdrawal of the bids should be in writing and signed by an official of the company. The envelope containing the modification should clearly state "modification to bid." Either the entire bid or a particular item may be withdrawn or modified in this manner.

1.36 PRE-BID CONFERENCES: Attendance at Pre-bid Conference is strongly encouraged. When deemed necessary a Mandatory Pre-bid Conference will be held. A company representative **MUST** be in attendance and sign the Pre-bid sign-in sheet in order to be awarded the bid.

1.37 ADDENDUM: Per T.C.A. 12-4-113 (a). Anderson County Government reserves the right to amend this solicitation by addendum. Addendum will be posted to the website www.andersontn.org/purchasing up to 48 hours in advance of the bid/proposals due date and time. It is the bidder's responsibility to check the website for addendum. If in the County's opinion revisions are of such a magnitude, the deadline for this solicitation may be extended in an addendum. In addition, addendum can change specifications, reply sheets, and times and dates for pre-bid meetings as well as due dates/deadlines for questions and bids/proposals.

1.38 PROPOSALS: All proposals, once received, become property of Anderson County Government and will not be returned.

1.39 WEATHER AND COURTHOUSE CLOSINGS: In the event of a situation severe enough to necessitate the closing of Anderson County Government offices, bidders/proposers will receive notification of the new date and time upon re-opening of county government offices. No bids will be opened until the rescheduled date for bid opening and all bidders/proposers whose submissions meet the extended deadline will be given equal consideration at that time. Anderson County shall not be liable for any commercial carrier's decision regarding deliveries during inclement weather.

BID NUMBER: 4703

BID TITLE: Ambulance Remount

**SECTIONS: 2, 3, AND 4 OF THIS FORM ARE TO BE SUBMITTED/RETURNED WITH
YOUR BID AS PART OF THE CONTRACT BID DOCUMENTATION.**

SECTION 2 - BID INFORMATION

- 2.1 I acknowledge the receipt of:
(Please write "Yes" if you received)
- Addenda 1 _____ Addenda 2 _____
Addenda 3 _____ Addenda 4 _____
- 2.2 Please list and include in your bid packet all warranty information concerning length and coverage below ("Standard Mfg. Warranty" is unacceptable):
- 2.3 _____
Guaranteed days until delivery after receipt of purchase order:
- 2.4 Additional Shipping, Freight or Handling Fees
\$ _____ Total. **(To be added to bid.)**
- 2.5 If bid varies from the specifications, make full explanation.
- 2.6 Payment terms shall be _____% _____days.
Offers of less than 20 days will not be considered in bid evaluation. Anderson County's normal payment terms of Net 30 will be adopted if no other terms are quoted and accepted.
- 2.7 Bid Pricing will remain stable _____ days
from bid opening.
- 2.8 Bidding on "all or none" basis _____.
Bidding on "low item" basis _____.
(Please check one)
- 2.9 Will you honor additional purchases at this same price? _____Yes _____No
- 2.10 Cooperative Purchasing Agreement: Vendors are to indicate if it is permissible for other governmental agencies in the State of Tennessee to purchase these items or services at the same price. Freight charges may be adjusted to reflect differences in delivery costs to other locations.

Please indicate vendor's approval of the Cooperative Purchasing Agreement. _____Yes _____No

State of Tennessee Business License Number:
License # _____

State of Tennessee Contractors' License Number: (See
item 1.11)
License # _____

SECTION 3 - VENDOR INFORMATION

Vendor Name

Vendor Address

City

State

Zip

Telephone Number

Fax Number

Contact Person (Please Print)

E-Mail Address

Taxpayer Identification Number, Social Security or
Employer Identification Number:

What is the major service or product your company
provides?
(Explain/Describe) _____

The undersigned agrees if bid is accepted, to furnish all
license information.

Authorizing Signature:

(Please sign original in blue ink)

*I agree to abide by all Terms and Conditions of this
Invitation to Bid and certify that I am authorized to sign
this bid for the vendor. Failure to include any
information mentioned in the bid or to comply with these
bid instructions may result in rejection of your entire bid.
Signing the Bid Form affirms that the original Invitation
for Bid document has not been altered in any way.*

BID NUMBER: 4703

BID TITLE: Ambulance Remount

SECTION 4 - INSURANCE REQUIREMENT CHECKLIST

The bidder awarded this bid or contract will maintain, at their expense adequate insurance coverage to protect them from claims arising under the Worker's Compensation Act, any and all claims for bodily injury and property damage to the Bidder and to Anderson County Government while delivery and service are being done. A certificate of insurance must be on file in the Purchasing Department before work may begin and must be maintained until work is completed.

Only the items marked with an "X" are applicable to this bid and or contract.

- | | | | |
|----|-------------------------------------|---|---|
| 1. | <input checked="" type="checkbox"/> | Workers Compensation
Employers Liability | Statutory limits
100,000/100,000/500,000 |
| 2. | <input checked="" type="checkbox"/> | Commercial General Liability | \$1,000,000 per occurrence
\$2,000,000 aggregate |
| | <input checked="" type="checkbox"/> | Occurrence Form Only | |
| | <input checked="" type="checkbox"/> | Include Premises Liability | |
| | <input checked="" type="checkbox"/> | Include Contractual | |
| | <input checked="" type="checkbox"/> | Include XCU | |
| | <input checked="" type="checkbox"/> | Include Products and Completed Operations | |
| | <input checked="" type="checkbox"/> | Include Personal Injury | |
| | <input checked="" type="checkbox"/> | Include Independent Contractors | |
| | <input type="checkbox"/> | Include Vendors Liability | |
| | <input type="checkbox"/> | Include Professional or E&O Liability | |
| 3. | <input checked="" type="checkbox"/> | Business Auto | \$1,000,000 |
| | <input checked="" type="checkbox"/> | Include Garage Liability | \$1,000,000 |
| | <input checked="" type="checkbox"/> | Include Garage Keepers Liability | |
| | <input type="checkbox"/> | Copy of Valid Driver's License | |
| | <input type="checkbox"/> | Copy of Current Motor Vehicle Record | |
| | <input type="checkbox"/> | Copy of Current Auto Liability Declarations Page | |
| 4. | <input type="checkbox"/> | Crime Coverages | |
| | <input type="checkbox"/> | Employee Dishonesty | |
| | <input type="checkbox"/> | Employee Dishonesty Bond | |
| 5. | <input checked="" type="checkbox"/> | Property Coverages | |
| | <input type="checkbox"/> | Builders Risk | |
| | <input type="checkbox"/> | Inland Marine | |
| | <input checked="" type="checkbox"/> | Transportation | |
| 6. | <input type="checkbox"/> | Performance Bond Required – A <u>One Hundred Percent (100%)</u> performance or an irrevocable letter of credit in favor of Anderson County Government at a federally insured financial institution. This <u>MUST</u> be submitted before purchase order issued. | |

Certificate Holder Shall Be: Anderson County Government, Clinton, Tennessee, and shall show the bid number and title. Anderson County Government shall be named as an additional insured on all policies except worker's compensation and auto. Insurance carrier ratings shall have a Best's rating of A-VII or better, or its equivalent. Cancellation clause on certificate should strike out "endeavor to" and include a 30-day notice of cancellation where applicable. Any deviations from the above requirements must be disclosed to the Anderson County Purchasing Agent. Any liability deductibles or exclusions must also be disclosed. Exceptions can be granted if applicable.

Bidders Statement and Certification

I understand the insurance requirements of these specifications and will comply in full within 21 (twenty-one) calendar days if awarded this bid and or contract. I agree to furnish the county with proof of insurance for the entire term of the bid and or contract.

Vendor Name

Authorized Signature

Bid Representative Name (Please Print)

Date

Anderson County EMS

Clinton, TN

FOR INFORMATIONAL PURPOSES ONLY

**EMERGENCY MEDICAL VEHICLE
TYPE I CLASS 2 (4X2) DRW**

TYPE I

Remount

**DESIGNED TO MEET OR EXCEED THE LATEST REVISION OF
FEDERAL SPECIFICATION KKK-1822,
AMD Standards 001 - 015**

It is the intent of these specifications, and all requirements listed herein, to obtain bids on vehicles to meet the needs of this agency, and to obtain bids that may be easily, and completely evaluated on an equal and competitive basis.

Because of the wide variances in types, configurations, options and models available in the industry, the purpose of these specifications is to set a standard by which all proposals received may be evaluated, studied and compared equitably.

Any questions for clarifications, etc. should be directed in writing to the Purchasing Agent for Anderson County, and responses will be furnished in writing to all prospective vendors.

Considerable time and effort has been invested to design these specifications to the specific needs of this agency. Therefore, alternate bids will not be considered. No Exceptions to this will be allowed.

It is further understood that the vehicle described is for use in the provision of emergency services.

- 4) That, as trained professionals, the Purchaser makes informed judgments on products that they feel best serve their needs. Technically, very few brands of material or equipment are exactly alike
- 5) Only the specifier has the responsibility and judgment for determining whether a proposed substitution is an equal or not.
- 6) That from start to finish in the purchasing process only the specifier can ultimately decide if another desirable product is available in lieu of the specification.

The specifier has determined that this product specification shall represent the product to which all offerings shall be compared. Due to the fact that emergency response duties are ULTRAHAZARDOUS, UNAVOIDABLY DANGEROUS activities, only trained personnel with specific knowledge in the area of Emergency Service Equipment shall be allowed to make the final decision on the selection of the appropriate product to best serve this agency.

SPECIFICATIONS

EMERGENCY MEDICAL CARE VEHICLE

1.0 Scope, Purpose and Classification

1.1 Scope: This specification covers the construction of a commercially produced, surface medical care vehicle, hereinafter referred to as ambulance or vehicle. A vehicle in compliance with this specification shall be defined as a standard ambulance. This vehicle shall be in accordance with the Ambulance Design Criteria of the National Highway Traffic Administration, U.S. Department of Transportation, and Washington D.C. This bid specification is based on latest revision the Federal Ambulance Specification KKK-1822.

1.2 Purpose: The purpose of this document is to provide minimum specifications and test parameters for the construction of an emergency medical care vehicle that meets the needs and desires of this agency. It establishes essential criteria for the design, performance, equipment and appearance of the vehicle. The object is to provide a vehicle that is in accordance with nationally recognized guidelines.

1.3 Classifications: This specification calls for the following type of vehicle. It is in accordance with KKK-1822.

Type I – Cab Chassis with modular ambulance body.
Class 2 - Two rear wheel driven (4x2)
Configuration A (ALS) - Elevating cot and squad bench

1.4 General: This is an engineer, design, construct and deliver type specification and it is not the intention of this agency to write out vendors of similar or equal equipment of the types specified. It should be noted, however, that this specification is written around specific needs of this agency. With the intent to standardize certain components, therefore, in numerous places we have named specific brands of components. This has been done to establish a certain standard of quality. Other brands will only be accepted providing the vendor provides documentation in the bid that the particular brand offered meets or exceeds the quality of the actual brand called for in the specification.

1.5 Materials: The emergency medical care vehicle, chassis, ambulance body, equipment, devices, medical accessories and electronic equipment to be delivered under this contract shall be standard commercial products, which meet or exceed the requirements of this specification. The ambulance shall comply with all Federal Motor Vehicle Safety Standards (FMVSS), the Federal regulations applicable or specified for the year of manufacture. The chassis, components and optional items shall be as represented in the manufacturer's current technical data. Materials used in the construction shall be new and not less than the quality conforming to current engineering and manufacturing practices. Materials shall be free of defects and suitable for service intended.

1.6 Manufacturing Ability: It is the intent of these specifications that the manufacturer of these vehicles has the ability to construct a complete ambulance within their plant facility, except for the chassis. All ambulance manufacturer certifications are required with bid. NO EXCEPTIONS.

1.7 Prices and Payments: All bid prices shall be complete and include warranty and delivery of the completed vehicle and also lodging and per diem for appropriate number of ACEMS employees need to for transport of unit(s) (One unit, two persons and one additional person per unit). Payment shall be made in accordance with these specifications and the Bid Proposal submitted by the Bidder. Payment will be made upon acceptance of the vehicle(s) and equipment specified under these specifications. Full payment will be made as each unit is received, inspected and found to comply with procurement specifications, free of damage and properly invoiced. Trade in unit will be delivered to coincide with delivery of new unit(s)
So mileage will differ from current mileage

Successful vendor shall, at delivery, supply this agency with MSO's and a Mechanical Inspection Form (Tennessee Form PH-2405) signed by an ASE certified mechanic.

Does your bid comply EXACTLY as written? Yes___ No___

1.8 Warranty: The successful bidder shall provide warranty coverage for the ambulance conversion, which coverage shall, at a minimum include:

(A) A Limited Warranty shall be provided on the ambulance conversion. The manufacturer shall warrant to the original retail purchaser that, for a period of three (3) years or thirty-six thousand (36,000) miles from the point of delivery, whichever first occurs, the ambulance shall be free of substantial defects in materials and workmanship, which are attributable to Warrantor work and which arise during the course of normal use and service. There shall be a copy of the Warranty statement included with the bid documents. NO EXCEPTIONS.

Does your bid comply EXACTLY as written? Yes___ No___

(B) There shall be a three-(3) year/36,000 mile warranty on the Ambulance electrical wiring system effective starting the date this agency accepts delivery of the completed vehicle. It is the intent of this requirement that items not manufactured or installed by the ambulance manufacturer be excluded. There shall be a copy of the Warranty statement included as part of the bid documents. NO EXCEPTIONS.

Does your bid comply EXACTLY as written? Yes___ No___

(C) There shall be a three-(3) year/36,000 mile paint warranty covering the ambulance conversion and any painting done to the chassis. There shall be a copy of the Warranty statement included with the bid. NO EXCEPTIONS.

Does your bid comply EXACTLY as written? Yes___ No___

(D) Warranty on the chassis portion of the completed ambulance shall be the responsibility of the OEM chassis manufacturer. The terms of such warranty are set forth in the chassis warranty literature included in the owner's manual. The successful manufacturer's sole responsibility with regard to the chassis shall be to provide reasonable assistance to the purchaser in obtaining warranty from the chassis manufacturer or its authorized service center. Bidders failing to meet these requirements shall be considered non-responsive.

1.9 Warranty Surety: To ensure quality, service, and full compliance to the above warranties the vehicle, with the exception of the chassis, must be constructed by the ambulance manufacturer. Additional elements constructed and installed "in house" are required to ensure service and parts availability. Subcontractors or lease/rental agreements to outside agencies will fail to meet this requirement. NO EXCEPTIONS WILL BE ALLOWED.

1.10 Delivery: Delivery times must be specified on the bid form sheet. **A monetary penalty of \$1000 dollars per day will be imposed if winning bidder does not meet delivery schedule. ABSOLUTELY NO EXCEPTIONS WILL BE ALLOWED TO THIS SECTION.**

Does your bid comply EXACTLY as written? Yes___ No___

1.11 Service and Warranty Repair: Successful vendor must have a comprehensive ambulance service and repair facility to administrate warranty repair as needed. Vendor must have authorized factory trained service specialists and carry necessary inventory levels to affect prompt repair. Vendor shall have the right to contract with a local agency, properly equipped and trained to handle warranty and repair issues. NO EXCEPTIONS.

1.12 Documentation of Facilities: This agency is very concerned with making bid award to the most qualified manufacturer. In order to aid our decision, each bidder shall submit with their bid the following documentation:

2. Photographs of physical plant including:

- a. All bays & interior of manufacturer facilities
- b. Paint shop
- c. Paint booth, spray facilities, and mixing room.
- d. Lifts and lift area

3. Documentation of adequate Workman's Compensation insurance, Product Liability Insurance, and Garage Keepers Liability Insurance.

4. This agency requires that the ambulance manufacturer provide "in house" structural repairs from any outside accidents, as well as warranty items that may arise as the result of the work.

Does your bid comply EXACTLY as written? Yes___ No___

1.13 References: This agency wishes to do business with an experienced, reliable and honest ambulance manufacturer. Ambulance manufacturer must show proof of being in business for ten (10) consecutive years as said business. As further evidence of bidder's ability to perform, the contractor shall submit a list of ten (10) customers with similar type ambulance delivered. The references shall also include name of service, address, contact and phone number. These customers shall be easily identified in the references listing as recent new ambulance deliveries. This agency will sample said references, along with any additional references from various sources, and compile results. The successful vendor will have a minimum 95% approval rating.

1.14 Certifications: All bidders are required to provide Anderson County with copies of all ambulance builder certifications. **NO EXCEPTIONS**

1.15 Exceptions to Specifications: Any exceptions to these specifications indicated must be clearly pointed out. Otherwise, it will be considered that items offered are in strict compliance with these specifications and the successful bidder will be held responsible for delivering a vehicle meeting these specifications. Any exceptions must reference by Paragraph Number and Line and be explained in detail on a separate sheet marked "Exceptions". Any bidder not complying shall not be considered as responsive.

Should a vendor offer a quotation in response to this proposal and not take explicit exceptions and attempt to offer a unit not in compliance with the exact specifications, the Purchaser reserves the sole right to issue a Purchase Order with specified penalties and/or invoke a Performance Bond. Penalties will be assessed by the Purchaser. These will require that the Vendor pay the difference in price as offered in their proposal and what the Purchaser must eventually pay (from another compliant vendor) for vehicle(s) meeting these specifications (if a performance bond is not otherwise provided).

2.0 TECHNICAL REQUIREMENTS - CHASSIS

Minimum technical specifications for providing all aluminum Type I Ambulance Module and a current model year Chevrolet C3500HD 4X2 DRW Cab Chassis. Vehicle must comply with Federal and State laws and regulations and all safety regulations as applicable on date of delivery concerning automotive equipment and conditions and will be complete with standard equipment and all extra equipment as specified.

2.1 Manufacturer and Model Year: The chassis requirement for this specification is a current model year Chevrolet or GMC Cab Chassis 162" WB and 84.3" CA with a 13,200 GVWR.

Does your bid comply EXACTLY as written? Yes ____ No ____

2.2 Chassis Specifications:

19C	Ebony, Premium Cloth with arm rests
1LT	Preferred Equipment Group
50U	Summit White Exterior Color
8X1	Label, Fasten Safety Belts
A95	Seats, High Back Bucket Driver and Passenger
AG1	Seat Adjuster, 6-Way Power Driver Side
AG2	Seat Adjuster, 6-Way Power Passenger Side
BG9	Floor Covering, Rubberized Vinyl, Black
G80	Locking Differential, Rear
GT4	Rear Axle, 3.73 Ratio
GTY	Wide-Track Rear Axle
K05	Engine Block Heater
K40	Exhaust Brake
K76	Alternators, Dual, 125 Amps Each
LGH	Engine, Duramax Diesel 6.6L Turbo V8, 335hp/685 lb-ft
MW7	Transmission, Allison 1000 6-speed Automatic
N2L	Fuel Tank, Rear, 40 Gallon
QQO	Tires, Front / Rear LT235/80R17E All-Season Hwy, Blackwall
SFW	Back-up Alarm Calibration Only, No alarm or jumper
TS9	Lamp Delete, LED, Center High Mounted Stop/Brake (CHMSL)
TUV	Battery, Heavy-Duty Dual 730 CCA
U2J	XM Radio Delete
UE0	Onstar Delete
UF3	High Idle Switch
US8	AM/FM Stereo w/ MP3 Compatible CD player, Clock
VK3	License Plate Bracket, Front
YF2	Ambulance Package
YF5	Emissions, California State Requirements
ZQO	Tire, Spare LT235/80R17E All-Season Hwy, Blackwall
ZW9	BCM program for LED compatible rear lamps
ZY1	Paint Solid

GM Chrome Wheel Covers

Does your bid comply EXACTLY as written? Yes____ No____

- 2.3 Running Boards: Install highly polished aluminum diamond plate running boards.

Does your bid comply EXACTLY as written? Yes____ No____

- 2.4 Wheel liners: Install GM Chrome wheel covers only aftermarket is not acceptable. **NO EXCEPTIONS!**

Does your bid comply EXACTLY as written? Yes____ No____

- 2.5 Mud Flaps: The completed unit is to have custom mud flaps installed.

Does your bid comply EXACTLY as written? Yes____ No____

- 2.6 Seatbelts: OEM seatbelts are to be removed and replaced with red or orange seatbelts, unless chassis is already equipped, if possible

Does your bid comply EXACTLY as written? Yes____ No____

- 2.7 Keys: Each unit will be required to come with two extra sets of keys in addition to the two that come from the factory, for a total of four (4) ignition/door keys.

Does your bid comply EXACTLY as written? Yes____ No____

3.0 EXTERIOR BODY TRIM

- 3.1 Fuel Fill: Provide and install new Cast Products fuel fill plate.

Does your bid comply EXACTLY as written? Yes____ No____

- 3.2 Diamond Plate: Install all new aluminum diamond plate complete on module body. This will include running boards, corner stone guards, plate over wheel wells, and mid body rub rails if equipped.

Does your bid comply EXACTLY as written? Yes____ No____

- 3.3 Rub Rails: Rub rails will be replaced with polished c-channel; c-channel will also have orange and white reflective tape in the center.

Does your bid comply EXACTLY as written? Yes____ No____

- 3.4 Rear Bumper: A new, all aluminum rear bumper assembly, with center flip-up Grip-Strut including new aluminum diamond plate rear kick plate will be installed. **Entire bumper is also required to pivot to accommodate steep angles, requires also rubber dock bumpers with cast trim rings NO EXCEPTIONS!**

Does your bid comply EXACTLY as written? Yes____ No____

- 3.5 Fenderettes: A new set of highly-polished fenderettes shall be installed..

Does your bid comply EXACTLY as written? Yes____ No____

- 3.6 Windows: Rear entry doors and also curbside entry door are to slide open for ventilation on bottom half of window

Does your bid comply EXACTLY as written? Yes____ No____

4.0 MODULE EXTERIOR PAINT FINISH AND LETTERING

- 4.1 Preparation: Prior to any paint and bodywork beginning, remove all exterior compartment and entry doors, all hardware, hinges, handles, gaskets, windows, trims, and lights. **NO EXCEPTIONS TO THIS REQUIREMENT WILL BE ALLOWED.**

Does your bid comply EXACTLY as written? Yes____ No____

- 4.2 Surface Refinished: In order to provide the highest quality paint surface preparation, and to evaluate the module for evidence of electrolysis, complete and total mechanical removal of all paint, oils, and contaminants from module surface will be achieved. Sand blasting is not acceptable and may damage the module.

Does your bid comply EXACTLY as written? Yes____ No____

- 4.3 Electrolysis Inspection: Module will be inspected 100% for evidence of electrolysis. Such areas will be specially treated to prevent any further damage and remove visible damage. **NO EXCEPTION.**

Does your bid comply EXACTLY as written? Yes____ No____

4.4 Damage Repair: All minor body damage will be repaired in an industry standard professional manner to like new condition. NO EXCEPTION.

Does your bid comply EXACTLY as written? Yes___ No___

4.5 Paint Process: The module body shall be repainted in a single stage urethane or a base coat/clear coat. NO EXCEPTION.

Does your bid comply EXACTLY as written? Yes___ No___

4.6 Paint Striping: Unless otherwise specified, the chassis and module body shall be striped per KKK and Tennessee requirements. The stripe(s) will be reflective. All final details shall be coordinated with Anderson County EMS Fleet Manager.

Does your bid comply EXACTLY as written? Yes___ No___

4.7 Lettering: Provide and install customer specific lettering. Install KKK, DOT, Ambulance and Star of Life decals per KKK regulations and reflective Orange and White Chevrons on the rear. The final details of the custom decals shall be coordinated with Anderson County EMS Fleet Manager.

Does your bid comply EXACTLY as written? Yes___ No___

5.0 ELECTRICAL SYSTEM:

5.1 Switch Panels: Provide and install new custom built front switch panels with full size Carlingswitch Contura switches. A digital ammeter, voltmeter, hour meter and low voltage alarm will be installed.

Does your bid comply EXACTLY as written? Yes___ No___

5.2 Siren: Install Carson SA-441M Mag-Force Mechanical Siren

Does your bid comply EXACTLY as written? Yes___ No___

5.3 Power Distribution Panel: Check for 100% complete operation. Any compromised components will be replaced. Bidder shall provide a three (3) year / 36,000 mile electrical warranty. NO EXCEPTIONS!

Does your bid comply EXACTLY as written? Yes___ No___

5.4 Wiring Installation: All new power wiring provided shall be copper and conform to all the SAE J1292 requirements conforming and shall have GXL or SXL high temperature thermoplastic or better insulation rated to 125 degrees centigrade and to SAE J1127 and J1128

Does your bid comply EXACTLY as written? Yes___ No___

5.5 Wiring Labeling: All wiring shall be permanently color-coded and function labeled for easy identification and troubleshooting.

Does your bid comply EXACTLY as written? Yes___ No___

5.6 Wiring Loom: The engine wiring shall be routed in conduit or high temperature looms with a rating of 300 degrees Fahrenheit. All added wiring shall be in protective loom, located in accessible, enclosed and protected locations, and kept at least six inches away from the exhaust system components. Wiring and components shall not terminate in the oxygen storage compartment except for the compartment light and door switch plunger. All conduits, looms and wiring shall be secured to the body or frame with insulated metal straps in order to prevent sagging and movement which results in chafing, pinching, snagging, or any other damage. All apertures on the vehicle shall be properly grommited for passing wiring and conform to SAE 1292.

Does your bid comply EXACTLY as written? Yes___ No___

5.7 Battery Switch: Install new Cole Hersee switch #2484 battery disconnect switch. This switch shall only affect the module wiring and shall in no way disconnect any power associated with the chassis.

Does your bid comply EXACTLY as written? Yes___ No___

5.8 Cab Wiring: Install new power distribution harness and battery cables properly sized for their respective loads.

Does your bid comply EXACTLY as written? Yes___ No___

5.9 Tail Lights: Install new Whelen 600 series LED stop/tail lights (#60R00XRR) and Whelen 600 series LED amber arrow turn lights (#60A00TAR) mounted in chrome bezels. The backup lights are to be Whelen 600 series LED. All ICC lights are to be replaced with LED ICC lights.

Does your bid comply EXACTLY as written? Yes____ No____

5.10 Warning Lights: Provide and install all new Whelen 900 series warning lights, (LED, with chrome flange (#90FLANGC) on the module. Install Whelen Universal LEDs in high beam portion of headlights, (instead of traditional wig-wag) and in addition two (2) Whelen 700 series warning lights (LED, with chrome flange) installed above each rear wheel. All lights to have clear lenses

Does your bid comply EXACTLY as written? Yes____ No____

5.11 Intersection Lights: Provide and install two (2) Whelen 700 series (LED) intersection lights with chrome flange (#7EFLANGE). All lights to have clear lenses

Does your bid comply EXACTLY as written? Yes____ No____

5.12 Grille Lights: Provide and install two (2) new Whelen 700 series Super-LED red/clear grille lights in polished housings in grille area. All lights to have clear lenses.

Does your bid comply EXACTLY as written? Yes____ No____

5.13 Speakers: Provide and install a pair of new Cast Products 100-watt through the bumper siren speakers. (Cast Products #SAD3809-11C35-1 & SAP3809-11C35-1).

Does your bid comply EXACTLY as written? Yes____ No____

5.14 Cab Console: Provide and install a low profile dark colored floor mounted console to house switch panel, siren and gauges. The console face also will provide areas for drink holders, clip board and radio head installation. This console is to have a Zolatone sprayed-on surface, durable enough to withstand continual use without showing signs of excessive wear.

Does your bid comply EXACTLY as written? Yes____ No____

5.15 Door Switches: Install all new door switches to meet or exceed existing switches. Because of numerous problems associated with the use of self-grounding switches, this type will not be allowed. A sealed switch that prohibits moisture intrusion is required. The use of self-grounding switches is prohibited!

Does your bid comply EXACTLY as written? Yes____ No____

5.16 Dome lights: Install all new Whelen LED (#80C0EHCR) dome lights with high/low control. This module currently has fluorescent dome lights therefore a new seamless, white headliner shall be installed.

Does your bid comply EXACTLY as written? Yes____ No____

5.17 Back-up Alarms: Install new Signal Vehicle Products back-up alarm (#62-102) with minimum 97 db.

Does your bid comply EXACTLY as written? Yes____ No____

5.18 Back-up Camera: To be installed on rear of module, between load light and amber light, position of monitor shall be in the upper corner of the console on the passenger side.

Does your bid comply EXACTLY as written? Yes____ No____

5.19 Inverter: Install new Vanner inverter with a minimum wattage of 1250 watts. Inverter shall also be wired to only power up when vehicle ignition is turned on or shoreline is plugged in.

Does your bid comply EXACTLY as written? Yes____ No____

5.20 Shoreline: Install a new Auto Eject 110VAC shoreline outlet with weather proof cover. The engine block heater shall be wired to the shoreline with a disconnect plug installed within the chassis engine compartment.

Does your bid comply EXACTLY as written? Yes____ No____

5.21 Battery Charger Install battery charger/maintainer, wired to shoreline.

Does your bid comply EXACTLY as written? Yes____ No____

5.22 Load and Scene Lights: Replace all scene and load lights with new Whelen 900 series LED lights.

Does your bid comply EXACTLY as written? Yes____ No____

5.23 Ignition Security System: Install Sound Off or equal ignition security system, switch to be placed on top left corner of console. To allow the vehicle to remain running when the ignition key is removed.

Does your bid comply EXACTLY as written? Yes____ No____

5.24 Spot Light: Blue Eye handheld with lighter plug.

Does your bid comply EXACTLY as written? Yes____ No____

5.25 Air Horn: Install dual trumpet, through the bumper, air horns. Install switch in center console.

Does your bid comply EXACTLY as written? Yes____ No____

5.26 Action light: Replace action light in action area with comparable LED light.

Does your bid comply EXACTLY as written? Yes____ No____

5.27 Two way radios: Transfer two way radios and antennas from old unit and install in new ambulance.

Does your bid comply EXACTLY as written? Yes____ No____

5.28 Exterior Unlock Button: Install a push button on the driver's side, front outside of the module. Button should resemble the rubber door bumpers.

Does your bid comply EXACTLY as written? Yes____ No____

5.29 Map Light: Install Federal Signal LF12TS map light to dash on passenger side just above the center console.

Does your bid comply EXACTLY as written? Yes____ No____

6.0 EXTERIOR COMPARTMENTS

6.1 Piano Hinges: All piano hinges are to be replaced on all exterior compartment doors.

Does your bid comply EXACTLY as written? Yes____ No____

6.2 Door Catches: Cast door catches are to be replaced.

Does your bid comply EXACTLY as written? Yes____ No____

6.3 Door Handles: Replace all existing door handles with Eberhard handles

Does your bid comply EXACTLY as written? Yes____ No____

7.0 PATIENT COMPARTMENT CABINETRY AND FIXTURE:

7.1 Install new Ferno or equivalent dual O2 tank holder in floor.

Does your bid comply EXACTLY as written? Yes____ No____

7.2 Flooring: Sub-floor shall be sanded to remove all imperfections before installation of new floor. A Lonseal, black #163, Lonplate I safety floor shall be installed and coved up sidewalls 4" for ease of cleaning.

Does your bid comply EXACTLY as written? Yes____ No____

7.3 Thresholds: Side and rear thresholds with satin finish stainless steel sealed for sanitation. There will be 2" non-skid material applied to these thresholds for added safety.

Does your bid comply EXACTLY as written? Yes____ No____

7.4 Upholstery: All upholstery in the patient compartment shall be thermal formed seamless 36 ounce material. A new Wise attendant seat, with integrated child safety seat, shall be installed on a FMVSS approved base.

Does your bid comply EXACTLY as written? Yes____ No____

7.5 Pass Thru: Pass thru shall be as large as possible. Install sliding window to close from driver compartment.

Does your bid comply EXACTLY as written? Yes___ No___

7.6 Roll-up Door: An aluminum roll-up style door shall be installed on the interior of the ALS cabinet. This door shall be of top quality and installed in a professional manner. This new door shall be trimmed out appropriately and be installed in a manner consistent with OEM principals.

Does your bid comply EXACTLY as written? Yes___ No___

7.7 Bench Seat: Bottom portion shall be full length cushion and the top shall be individual backrests with five point over the shoulder safety harness for each, secured to module structure in a manner that will increase crew safety in the event of a collision.

Does your bid comply EXACTLY as written? Yes___ No___

8.0 HEATING AND AIR CONDITIONING

8.1 Heat/Cool Unit: Hoseline Super Core Heat/Cool unit with wall mounted thermostat. There will be an auxiliary underbody mounted condenser installed per Hoseline and OEM chassis requirements. This system shall be complete with all-new hoses and fittings. It shall also be a ducted system to run front to back in the center of the headliner.

Does your bid comply EXACTLY as written? Yes___ No___

8.2 Heat/Cool Testing: System shall be extensively tested for peak performance and readings shall be provided to customer.

Does your bid comply EXACTLY as written? Yes___ No___

8.3 Power Vent: Shall be tested and repaired or replaced to meet original equipment performance.

Does your bid comply EXACTLY as written? Yes___ No___

9.0 OXYGEN AND VACUUM SYSTEMS

9.1 Oxygen Outlets: Install Ohio outlets including additional outlet on curbside wall as necessary and perform leak test and seal.

Does your bid comply EXACTLY as written? Yes___ No___

9.2 Suction System: Test and repair or replace if required

Does your bid comply EXACTLY as written? Yes___ No___

10.0 ADDITIONAL EQUIPMENT

All items listed below shall not be included in the price listed on the "BID FORM". These items shall be priced out individually in the areas listed below each description. Anderson County personnel will notify the successful vendor which, if any, of the following items to include with the ambulance.

10.1 Stair Chair: Stryker Stair Chair Pro

Option #10.1 Cost:_____

10.2 Stretcher: Stryker Power Pro XT Model # 6506, with Backrest Storage Pouch, Head End Storage Flat, Dual Wheel, stage IV Pole, Equipment Hook, Head End O2 Holder, G Rated Bolster Mattress and the Stryker Smart Power System.

Locks, 3

Option # 10.2 Cost_____

10.3 OnSpot Tire Chains:

Option # 10.3 Cost_____

10.4 Air Ride Suspension: Kelderman or equivalent

Option # 10.4 Cost_____

10.5 Hydraulic O2 Lift: Mounted in compartment A

Option # 10.5 Cost_____

11.0 Trade In Unit

11.1 Trade in unit will be one of the following, mileage is current as of 4/11/14

2003 Ford E-350 Type III, mileage 250,675 Trade in Value _____

2003 Ford E-350 Type III, mileage 228,379 Trade in Value _____