




1 GRAVEL PAVING
SCALE: NONE




2 4" CONCRETE PAVEMENT
SCALE: NONE




3 4" CONCRETE EXPANSION JOINT
SCALE: NONE



4 4" CONCRETE SCORE JOINT
SCALE: NONE




5 CONCRETE WHEELSTOP
SCALE: NONE




6 ASPHALT TRAIL
SCALE: NONE

- NOTES:
1. CONTRACTOR MUST CONSTRUCT WALKING TRAIL TO MATCH EXISTING GRADE AND ALLOW STORM DRAINAGE TO SHEET DRAIN ACROSS TRAIL, FOLLOWING EXISTING DRAINAGE PATTERNS.
 2. TRAIL EDGES SHALL BE "DRESSED OUT" TO AN EVEN LEVEE GRADE. BACKFILLED EDGES SHALL BE FREE OF BRICKS, BOULDERS, OR OTHER CONSTRUCTION DEBRIS.
 3. MINIMUM DRESS GRADATION SHALL BE CONDUCTED IN SUCH A MANNER SO AS TO CAUSE NO DAMAGE TO THE TRAIL SURFACE OR EDGES. ANY DAMAGE AREAS SHALL BE REPAIRED TO ORIGINAL CONDITION.
 4. THE PAVEMENT CROSS SLOPES WITHIN A 2' WIDE AREA FROM EACH EDGE OF THE TRAIL ARE NOT REQUIRED TO BE ADA-COMPLIANT AND MAY EXCEED 2.0% MAX.
 5. THE 6' WIDE AREA OF PAVEMENT CENTERED ON THE TRAIL SHALL HAVE ADA COMPLIANT CROSS SLOPES OF NOT MORE THAN 2%.


EXCAVATE AND REMOVE 6\"/>



7 BOLLARD
SCALE 1:1



BOLLARD ELEVATION
SCALE 1:1



BOLLARD TOP

CONSTRUCTION DETAILS
I.H. PARK IMPROVEMENTS
CANADA ROAD LAKELAND, TENNESSEE

CONSULTANTS

DAIHOFF THOMAS DESIGN STUDIO
6445 Sunnyside Blvd, Suite 401
Memphis, Tennessee 38120
info@dt-designstudio.com
www.dt-designstudio.com

DATE: 04/2016
PROJECT NO.: 18.221
DRAWN BY: _____
CHECKED BY: _____

REVISIONS	NO.	DATE



D1.1
DRAWING NUMBER