EXHIBIT A

BID FORM

FIRE DEPARTMENT STATION #1, POLICE DEPARTMENT, AND SCREVEN STREET PARKING LOT RESTORATION

For the City of Georgetown, SC

Date: ______
PROPOSAL OF _____

(hereinafter called "Bidder"), a (State)

corporation/partnership/individual (Strikeout inapplicable terms) doing business as

TO: City of Georgetown, SC

The Bidder, in compliance with your request for bids for the FIRE DEPARTMENT, POLICE DEPARTMENT, AND SCREVEN STREET PARKING LOT RESURFACING, PROJECT #1231 having examined the Request for Bid (RFB) documents and the site of the proposed work, and being familiar with all of the conditions surrounding the construction of the proposed project, including the availability of materials and labor, hereby proposes to furnish all labor, materials, and supplies, and to construct the project in accordance with the Contract Documents, within the time set forth therein, for the

Lump Sum of Bid:

_____Dollars \$ (______)

The lump-sum price indicated above shall include all labor, materials, equipment, overhead, profit, insurance, taxes, permit fees, etc., to cover all expenses incurred in performing the work required under the Contract Documents, of which this proposal is a part of.

The bidder hereby agrees to commence work under this contract on or before a date to be specified in written "Notice to Proceed" of the Owner and to fully complete the project within **FORTY-FIVE (45)** consecutive calendar days after the specified date on Notice to Proceed. Bidder further agrees to pay as Liquidated Damages (LD's) the sum of **\$0** for each consecutive calendar day that the Contractor shall be in default after the time stipulated in the contract for completing the work.

The specifications and addenda are complementary to each other. What is called for by one shall be as binding as if called for by all. If a conflict between any of the above is discovered by the Contractor, the problem shall be referred to the Owner as soon as possible for resolution. Should a conflict occur which is not resolved before bid time and/or is necessary to comply with mandatory requirements (i.e., codes, ordinances, etc.), it shall be the contractor's responsibility to price and bid the more expensive method.

Bidder acknowledges receipt of the following addendum:

No.:___Dated: _____ No.:___Dated: ______

No.: Dated: _____

Bidder understands that the Owner reserves the right to reject any or all bids and to waive any informality in the bidding.

The Bidder agrees that this Bid shall be good and may not be withdrawn for a period of sixty (60) calendar days after the scheduled closed time for receiving bids.

The undersigned declares that his firm is (delete those not applicable): A corporation organized and existing under the laws of the State of ______

A partnership consisting of: _____

The undersigned declares that the person or persons signing this proposal is fully authorized to sign the proposal on behalf of the firm listed and to fully bind the firm listed to all the conditions and provisions thereof.

It is agreed that no person or persons or company other than the firm listed below or as otherwise indicated hereinafter has any interest whatsoever in this proposal or the contract that may be entered into as a result thereof and that in all respects the proposal is legal and fair, submitted in good faith, without collusion or fraud.

Respectfully Submitted:

(SEAL – if bid is by a Corporation)

Contractor

By: _____

(Type/Print Name)

(Title)

Street:	

City, State, Zip Code: _____

Email: _____

S.C. General Contractor's License No.

FID No.: _____

WORK BREAKDOWN SCHEDULE

No. Description Quantity Unit Unit Unit Frice Total 1 FIRE DEPARTMENT PARKING LOT	Item					
Mill and dispose 2-inches of existing asphalt 950 SF Pave 2-inches of hot-mixed asphalt, Type B SCDOT surface course 950 SF Apply two (2) coats of emulsified asphalt sealer, include crack repairs as needed. 1 LS Paint standard parking spaces to match pre-existing (white color) 36 EA Paint standard parking spaces to match pre-existing (blue color) 1 EA Paint "NO PARKING" areas to match pre-existing (yellow color) 1 LS Value SUBTOTAL SUBTOTAL 2 POLICE DEPARTMENT PARKING LOT ILS Mill and dispose 2-inches of hot-mixed asphalt sealer, include crack repairs as needed. 1 LS Paint standard parking spaces to match pre-existing (white color) 97 EA Paint standard parking spaces to match pre-existing (white color) 97 EA Paint standard parking spaces to match pre-existing (blue color) 8 EA SCREVEN STREET PARKING LOT SUBTOTAL SUBTOTAL 3 SCREVEN STREET PARKING LOT SUBTOTAL Mill and dispose 2-inches of envisiting asphalt 600 SF Payo 2-inches of hot-mixed asphalt, Type B SCDOT surface course 600 SF	No.	Description	Quantity	Unit	Unit Price	Total
Paint Standard parking spaces to match pre-existing (white color) 36 SF Apply two (2) coats of emulsified asphalt sealer, include crack repairs as needed. 1 LS Paint standard parking spaces to match pre-existing (white color) 36 EA Paint standard parking spaces to match pre-existing (blue color) 1 EA Paint *NO PARKING* areas to match pre-existing (vellow color) 1 LS 2 POLICE DEPARTMENT PARKING LOT 1 LS Mill and dispose 2-inches of existing asphalt 5500 SF Apply two (2) coats of emulsified asphalt sealer, include crack repairs as needed. 1 LS Paint standard parking spaces to match pre-existing (white color) 97 EA Apply two (2) coats of emulsified asphalt sealer, include crack repairs as needed. 1 LS Paint standard parking spaces to match pre-existing (white color) 97 EA Apply two (2) coats of emulsified asphalt 600 SF Apply two (2) coats of existing asphalt 600 SF Paint handicap parking spaces to match pre-existing (white color) 8 EA 3 SCREVEN STREET PARKING LOT 1 LS Mill and dispose 2-inches of hot-mixed aspha	1	FIRE DEPARTMENT PARKING LOT				
Apply two (2) coats of emulsified asphalt sealer, include crack repairs as needed. 1 LS Paint standard parking spaces to match pre-existing (white color) 36 EA Paint handicap parking spaces to match pre-existing (blue color) 1 EA Paint "NO PARKING" areas to match pre-existing (yellow color) 1 LS Very Paint "NO PARKING" areas to match pre-existing (yellow color) 1 LS Very Police DEPARTMENT PARKING LOT SUBTOTAL Mill and dispose 2-inches of existing asphalt 5500 SF Pave 2-inches of hot-mixed asphalt, Type B SCDOT surface course 5500 SF Apply two (2) coats of emulsified asphalt sealer, include crack repairs as needed. 1 LS Paint standard parking spaces to match pre-existing (blue color) 97 EA Paint standard parking spaces to match pre-existing (blue color) 8 EA SUBTOTAL SUBTOTAL SUBTOTAL Mill and dispose 2-inches of existing asphalt 600 SF Paint handicap parking spaces to match pre-existing (white color) 8 EA SUBTOTAL I LS I Substrate 600 SF I Pave 2-inches of exist		Mill and dispose 2-inches of existing asphalt	950	SF		
as needed. 1 LS Paint standard parking spaces to match pre-existing (white color) 36 EA Paint handicap parking spaces to match pre-existing (blue color) 1 EA Paint "NO PARKING" areas to match pre-existing (yellow color) 1 LS SUBTOTAL SUBTOTAL 2 POLICE DEPARTMENT PARKING LOT I Mill and dispose 2-inches of existing asphalt 5500 SF Pave 2-inches of hot-mixed asphalt, Type B SCDOT surface course 5500 SF Apply two (2) coats of emulsified asphalt sealer, include crack repairs as needed. 1 LS Paint standard parking spaces to match pre-existing (blue color) 8 EA 9aint standard parking spaces to match pre-existing (blue color) 8 EA 9aint handicap parking spaces to match pre-existing (blue color) 8 EA 9aint handicap parking spaces to match pre-existing (blue color) 8 EA 9aint handicap parking spaces to match pre-existing (blue color) 8 EA 9aint handicap parking spaces to match pre-existing (blue color) 8 EA 9aint standard parking spaces to match pre-existing (white color) 3 SCREVEN STREET PARKING LOT I		Pave 2-inches of hot-mixed asphalt, Type B SCDOT surface course	950	SF		
Paint handicap parking spaces to match pre-existing (blue color) 1 EA Paint "NO PARKING" areas to match pre-existing (yellow color) 1 LS SUBTOTAL SUBTOTAL 2 POLICE DEPARTMENT PARKING LOT 1 Mill and dispose 2-inches of existing asphalt 5500 SF Pave 2-inches of hot-mixed asphalt, Type B SCDOT surface course 5500 SF Apply two (2) coats of emulsified asphalt sealer, include crack repairs as needed. 1 LS Paint standard parking spaces to match pre-existing (blue color) 97 EA Paint handicap parking spaces to match pre-existing (blue color) 8 EA SUBTOTAL 3 SCREVEN STREET PARKING LOT Mill and dispose 2-inches of existing asphalt 600 SF Apply two (2) coats of emulsified asphalt, Type B SCDOT surface course 600 SUBTOTAL 3 SCREVEN STREET PARKING LOT Mill and dispose 2-inches of existing asphalt 600 SF Pave 2-inches of not-mixed asphalt, Type B SCDOT surface course 600 SF Apply two (2) coats of emulsified asphalt sealer, inc			1	LS		
Paint "NO PARKING" areas to match pre-existing (yellow color) 1 LS SUBTOTAL SUBTOTAL 2 POLICE DEPARTMENT PARKING LOT Mill and dispose 2-inches of existing asphalt 5500 Pave 2-inches of hot-mixed asphalt, Type B SCDOT surface course 5500 Apply two (2) coats of emulsified asphalt sealer, include crack repairs as needed. 1 LS Paint standard parking spaces to match pre-existing (blue color) 97 EA Paint handicap parking spaces to match pre-existing (blue color) 8 EA SCREVEN STREET PARKING LOT SUBTOTAL Mill and dispose 2-inches of existing asphalt 600 SF Apply two (2) coats of emulsified asphalt, Type B SCDOT surface course 600 SF Mill and dispose 2-inches of existing asphalt 600 SF Pave 2-inches of not-mixed asphalt, Type B SCDOT surface course 600 SF Apply two (2) coats of emulsified asphalt sealer, include crack repairs as needed. 1 LS Paint standard parking spaces to match pre-existing (white color) 37 EA Paint standard parking spaces to match pre-existing (blue color) 1 LS Paint handicap parking spaces to match pre-existing (blue color) <td< td=""><td></td><td>Paint standard parking spaces to match pre-existing (white color)</td><td>36</td><td>EA</td><td></td><td></td></td<>		Paint standard parking spaces to match pre-existing (white color)	36	EA		
SUBTOTAL 2 POLICE DEPARTMENT PARKING LOT Mill and dispose 2-inches of existing asphalt 5500 Pave 2-inches of hot-mixed asphalt, Type B SCDOT surface course 5500 Apply two (2) coats of emulsified asphalt sealer, include crack repairs as needed. 1 Paint standard parking spaces to match pre-existing (white color) 97 EA SUBTOTAL 9 aint handicap parking spaces to match pre-existing (blue color) 8 EA SUBTOTAL 3 SCREVEN STREET PARKING LOT Mill and dispose 2-inches of existing asphalt 600 SF Pave 2-inches of not-mixed asphalt, Type B SCDOT surface course Apply two (2) coats of emulsified asphalt sealer, include crack repairs as needed. 1 LS 1 LS Pave 2-inches of not-mixed asphalt, Type B SCDOT surface course 600 SF Apply two (2) coats of emulsified asphalt sealer, include crack repairs as needed. 1 LS Paint standard parking spaces to match pre-existing (white color) 37 EA Paint standard parking spaces to match pre-existing (blue color) 1 LS Paint invO PARKING" areas to match pre-existing (yellow color) 1 LS </td <td></td> <td>Paint handicap parking spaces to match pre-existing (blue color)</td> <td>1</td> <td>EA</td> <td></td> <td></td>		Paint handicap parking spaces to match pre-existing (blue color)	1	EA		
2 POLICE DEPARTMENT PARKING LOT		Paint "NO PARKING" areas to match pre-existing (yellow color)	1	LS		
Mill and dispose 2-inches of existing asphalt 5500 SF Pave 2-inches of hot-mixed asphalt, Type B SCDOT surface course 5500 SF Apply two (2) coats of emulsified asphalt sealer, include crack repairs as needed. 1 LS Paint standard parking spaces to match pre-existing (white color) 97 EA Paint handicap parking spaces to match pre-existing (blue color) 8 EA SUBTOTAL 3 SCREVEN STREET PARKING LOT Mill and dispose 2-inches of existing asphalt 600 SF Pave 2-inches of hot-mixed asphalt sealer, include crack repairs as needed. 1 LS Paint standard parking spaces to match pre-existing (blue color) 8 EA SUBTOTAL 3 Prevent Street PARKING LOT Mill and dispose 2-inches of existing asphalt 600 SF Pave 2-inches of hot-mixed asphalt, Type B SCDOT surface course as needed. 1 LS Paint standard parking spaces to match pre-existing (white color) 37 EA Paint standard parking spaces to match pre-existing (blue color) 1 LS Paint handicap parking spaces to match pre-existing (blue color) 1 LS					SUBTOTAL	
Pave 2-inches of hot-mixed asphalt, Type B SCDOT surface course 5500 SF Apply two (2) coats of emulsified asphalt sealer, include crack repairs as needed. 1 LS Paint standard parking spaces to match pre-existing (white color) 97 EA Paint handicap parking spaces to match pre-existing (blue color) 8 EA SUBTOTAL SUBTOTAL Mill and dispose 2-inches of existing asphalt 600 SF Pave 2-inches of hot-mixed asphalt, Type B SCDOT surface course as needed. 600 SF Pave 2-inches of hot-mixed asphalt, Type B SCDOT surface course as needed. 1 LS Pave 2-inches of hot-mixed asphalt sealer, include crack repairs as needed. 1 LS Paint standard parking spaces to match pre-existing (white color) 37 EA Paint standard parking spaces to match pre-existing (blue color) 1 LS Paint standard parking spaces to match pre-existing (blue color) 1 EA Paint handicap parking spaces to match pre-existing (blue color) 1 EA	2	POLICE DEPARTMENT PARKING LOT				
Apply two (2) coats of emulsified asphalt sealer, include crack repairs as needed. 1 LS Paint standard parking spaces to match pre-existing (white color) 97 EA Paint handicap parking spaces to match pre-existing (blue color) 8 EA Substrate Substrate Substrate Mill and dispose 2-inches of existing asphalt 600 SF Paint standard parking spaces to match pre-existing (white color) 3 SCREVEN STREET PARKING LOT Mill and dispose 2-inches of existing asphalt 600 SF Pave 2-inches of hot-mixed asphalt, Type B SCDOT surface course as needed. 1 LS Paint standard parking spaces to match pre-existing (white color) 37 EA Paint standard parking spaces to match pre-existing (white color) 37 EA Paint standard parking spaces to match pre-existing (blue color) 1 LS Paint handicap parking spaces to match pre-existing (blue color) 1 EA Paint "NO PARKING" areas to match pre-existing (yellow color) 1 LS		Mill and dispose 2-inches of existing asphalt	5500	SF		
as needed. 1 LS Paint standard parking spaces to match pre-existing (white color) 97 EA Paint handicap parking spaces to match pre-existing (blue color) 8 EA Paint handicap parking spaces to match pre-existing (blue color) 8 EA SUBTOTAL 8 EA Mill and dispose 2-inches of existing asphalt 600 SF Pave 2-inches of hot-mixed asphalt, Type B SCDOT surface course 600 SF Apply two (2) coats of emulsified asphalt sealer, include crack repairs as needed. 1 LS Paint standard parking spaces to match pre-existing (white color) 37 EA Paint standard parking spaces to match pre-existing (blue color) 1 LS Paint standard parking spaces to match pre-existing (blue color) 1 EA Paint in handicap parking spaces to match pre-existing (blue color) 1 EA Paint "NO PARKING" areas to match pre-existing (yellow color) 1 LS			5500	SF		
Paint handicap parking spaces to match pre-existing (blue color) 8 EA SUBTOTAL SUBTOTAL 3 SCREVEN STREET PARKING LOT 600 Mill and dispose 2-inches of existing asphalt 600 SF Pave 2-inches of hot-mixed asphalt, Type B SCDOT surface course 600 SF Apply two (2) coats of emulsified asphalt sealer, include crack repairs as needed. 1 LS Paint standard parking spaces to match pre-existing (white color) 37 EA Paint handicap parking spaces to match pre-existing (blue color) 1 EA Paint "NO PARKING" areas to match pre-existing (yellow color) 1 LS			1	LS		
Submitted application of the matrix processing (since dots) Image (since dots) Image (since dots) 3 SCREVEN STREET PARKING LOT Image (since dots) Image (since dots) Mill and dispose 2-inches of existing asphalt 600 SF Pave 2-inches of hot-mixed asphalt, Type B SCDOT surface course 600 SF Apply two (2) coats of emulsified asphalt sealer, include crack repairs as needed. 1 LS Paint standard parking spaces to match pre-existing (white color) 37 EA Paint handicap parking spaces to match pre-existing (blue color) 1 LS Paint "NO PARKING" areas to match pre-existing (yellow color) 1 LS		Paint standard parking spaces to match pre-existing (white color)	97	EA		
3 SCREVEN STREET PARKING LOT Mill and dispose 2-inches of existing asphalt 600 SF Pave 2-inches of hot-mixed asphalt, Type B SCDOT surface course 600 SF Apply two (2) coats of emulsified asphalt sealer, include crack repairs as needed. 1 LS Paint standard parking spaces to match pre-existing (white color) 37 EA Paint handicap parking spaces to match pre-existing (blue color) 1 LS Paint "NO PARKING" areas to match pre-existing (yellow color) 1 LS		Paint handicap parking spaces to match pre-existing (blue color)	8	EA		
Mill and dispose 2-inches of existing asphalt 600 SF Pave 2-inches of hot-mixed asphalt, Type B SCDOT surface course 600 SF Apply two (2) coats of emulsified asphalt sealer, include crack repairs as needed. 1 LS Paint standard parking spaces to match pre-existing (white color) 37 EA Paint handicap parking spaces to match pre-existing (blue color) 1 EA Paint "NO PARKING" areas to match pre-existing (yellow color) 1 LS					SUBTOTAL	
Pave 2-inches of hot-mixed asphalt, Type B SCDOT surface course 600 SF Apply two (2) coats of emulsified asphalt sealer, include crack repairs as needed. 1 LS Paint standard parking spaces to match pre-existing (white color) 37 EA Paint handicap parking spaces to match pre-existing (blue color) 1 LS Paint *NO PARKING************************************	3	SCREVEN STREET PARKING LOT				
Apply two (2) coats of emulsified asphalt sealer, include crack repairs as needed. 1 LS Paint standard parking spaces to match pre-existing (white color) 37 EA Paint handicap parking spaces to match pre-existing (blue color) 1 EA Paint 'NO PARKING'' areas to match pre-existing (yellow color) 1 LS		Mill and dispose 2-inches of existing asphalt	600	SF		
as needed. 1 LS Paint standard parking spaces to match pre-existing (white color) 37 EA Paint handicap parking spaces to match pre-existing (blue color) 1 EA Paint "NO PARKING" areas to match pre-existing (yellow color) 1 LS			600	SF		
Paint handicap parking spaces to match pre-existing (blue color) 1 EA Paint "NO PARKING" areas to match pre-existing (yellow color) 1 LS			1	LS		
Paint "NO PARKING" areas to match pre-existing (yellow color) 1 LS		Paint standard parking spaces to match pre-existing (white color)	37	EA		
		Paint handicap parking spaces to match pre-existing (blue color)	1	EA		
SUBTOTAL		Paint "NO PARKING" areas to match pre-existing (yellow color)	1	LS		
SUBTOTAL						
TOTAL BID						

The above prices include all mobilization, labor, material, and equipment, overhead, profit, taxes, insurance, permit fees, etc. to complete the work.

The City of Georgetown reserves the right to add or reduce the scope of work and material quantities as the budget and schedule allows.