

WWW.JOHNSONCITYTN.ORG/PURCHASING

CITY OF JOHNSON CITY, TENNESSEE **PURCHASING DEPARTMENT** 423/975-2715

INVITATION TO BID

POLICE PURSUIT SUV OUTFITTING CONTRACT / #6757 Bid Name / Number

Thursday / March 7, 2024 / 3:30 PM (at which time it will be opened publicly) Due Day / Date / Time

Johnson City Purchasing Department, Debbie Dillon-Director, Bid Location / Mail Address

209 Water Street, Johnson City, TN 37601

Bid Contact / Telephone Bid Issue Date

Chris Whitaker, 423.975.2751 cwhitaker@johnsoncitytn.org or purchasing@johnsoncitytn.org

February 21, 2024

Delivery Locations N/A FOB N/A Payment Terms Net 30

	Bidder is responsible for completing the remaining portion of this bid do	cument
ITEN	M DESCRIPTION	UNIT PRICE
	Police SUV Interceptor vehicle outfitting as per the attached specifications. One year contract, unit prices firm based on 17 total vehicles.	
1.	2023 Durango Marked Patrol vehicle outfitting \$_	/ea
2.	2023 Durango Marked Slick Top Patrol vehicle outfitting \$_	/ea
N	OTE: First completed vehicle shall be inspected/approved by City personnel a	nt vendor's location.
	Complete and return attached specification checklists	
	Solicitations will be opened publicly via a simultaneous virtual and in-per	rson meeting.
OPEN have n	foom Meeting: ITB# 6757 POLICE PURSUIT SUV OUTFITTING CONTRACT [ING]; Meeting ID: 817 0235 3417; Passcode: 724286. If you do not have access to audio with your system, you may call this number to join: (646) 518-9805. Any web meeting please call 423.975.2715 for direct assistance	to a webcam, or you
By signir General Other Pa #22) con bid, eacl	r's Reminder: • Bid to be signed by authorized company representative; • Verify prices, extension NDA ACKNOWLEDGEMENT:	e attached Sealed Solicitation the City of Johnson City and eral Terms & Conditions #19 & cepted. By submission of this thereto certifies as to its own
Submi signed plainly name respon Purcha Water before	ITTAL INSTRUCTIONS: it electronically if allowable or place ibid response in a sealed envelope if it it is in	ED

E-Mail

ITB# 6757 - 2023 Durango Pursuit Marked Patrol Outfitting Item #1 SPECIFICATIONS

Bidder must complete and return this form for the bid to be considered responsive. A check mark () shall be placed in the areas of compliance. Variances must be clearly identified in the exception column. Failure to comply with any part of the bid specifications will not remove that bid from consideration, but will indicate a variance on which the City alone will determine the importance of the overall performance of the item and suitability for the intended purpose. Any omission from the specifications shall not relive the bidder from responsibility of providing a complete installation ready for use. All equipment shall be installed to industry/ manufacture standards and shall use all available features/functions.

All equipment to be installed by Outfitter shall be as specified "or approved equal". Alternates must include detailed specifications. Equipment demonstration may be required.

City's	Bidder's	Bidder Compliance	
Specifications	Exceptions	Yes	No
LIGHT BAR: Mounted to the roof of vehicle by			
vendor. Federal Signal Allegiant LED light bar – 53"			
with black mounting brackets;			
Model # HKB-DUR11-HP			
Driver Pass B B B B B B B B B B B B B B B B B B			
SIREN: Federal Signal Pathfinder Siren/Light			
Controller; Model #PF200S17B; should be installed in			
the center console and should utilize all available			
siren/light bar capabilities including automatic nighttime			
dimming features.			
Pursuit Switch #1			
a. All rear flashing lights & side			
b. Rear corner LED's			
c. Camera is to be activated with siren pursuit			
switch			
Pursuit Switch #2			
a. All functions of Pursuit Switch #1			
b. All front flashing lights			
Pursuit Switch #3			
a. All functions of Pursuit Switches 1 & 2			
b. Wig-wag corner headlights (LED)			
c. Wig-wag takedown lightsd. Flashing alley lights			
e. Siren activation			
Siren/Light Control panel shall be wired so that its hot			
at all times.			
at an inner.	<u> </u>		

Company Name:	

SIREN SPEAKER: Two (2) Federal Signal Speakers		
Model #ES100; including brackets to be mounted		
forward facing on the push bumper.		
PUSH BUMPER: Federal Signal DFC Series with two		
(2) lights top channel for MPS6U lights;		
Model #DFC-PB-DUR21		
LED LIGHTS:		
PUSH BUMPER LIGHTS:		
Four (4) Federal Signal Micro Pulse 6 Ultra Blue/White;		
Model #6023/MPS620UBW		
MIDDOD LIGHTS TO (A) E 1 1 S' 1 M' D 1		
MIRROR LIGHTS: Two (2) Federal Signal Micro Pulse		
Wide Angle Blue with brackets; Model #MPSW9		
QUARTER WINDOW LIGHTS: Two (2) XStream		
Blue/White LED;		
Model #XSM1-BRW-US		
Wodel #ASWIT-DRW-05		
INTERIOR LIFT GATE LIGHTS: Two (2) Micro Pulse		
Ultra Blue LED;		
Model #MPS600UBB		
INTERIOR REAR HATCH WINDOW LIGHTS: Two		
(2) XStream Blue LED;		
Model #XSM1-BRW-US		
TAG BRACKET LIGHTS: Two (2) Federal Signal		
Micro Pulse 12 Ultra White and Blue; Model #MPS12		
LICENSE PLATE BRACKET: Federal Signal		
Vertical Mount License Plate Bracket; Model #IPX-		
LPV2		
CONSOLE: Gamber-Johnson Console, cup holder,		
armrest, and blanks designed for specified siren and		
Motorola XTL-2500 Mobile Radios;		
Model #7170-0884-00		
POWER ACCESSORY OUTLET:		
(1) Power outlet (1) USB outlet		
Both will be wired hot at all times.		
SPOT LIGHT:		
Whelen Arges Remote Spotlight;		
Model #ARGES1		
Whelen Arges Fender Mount and Control Head; Model		
#ARG44AD		
PRISONER TRANSPORT SEAT/PARTITION:		
Setina #12 Coated Poly with Replacement Seat;		
Model #QK0566DUR11		
PRISONER PARTITION: Setina #10XL Coated Poly		
Partition; Model #PK1130DUR11		

Company Name:	
---------------	--

WINDOW BARRIERS: One (1) set of Window		
Barrier Steel Vertical; Model #WK0514DUR11		
REAR CARGO BARRIERS: Window Barrier		
Aluminum 3 Piece Cargo Area;		
Model #WK0040DUR11		
WEAPONS SECURITY: Setina D T-Rail Mount with		
one (1) standard key and one (1) universal lock handcuff		
key; Model #GK10301S1UHK		
TT1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
This weapons mount shall accommodate a 12-gauge		
shotgun with a 14" barrel and an AR-15-style rifle with		
a 16" barrel. The rifle mount shall allow for weapons		
with mounted optics. The weapon release button will be		
wired into the siren/light bar control panel and shall not function unless the ignition switch is on. Once activated		
the lock shall re-engage within 10 seconds.		
ANTENNA: Installer shall install a customer-supplied		
antenna mount and antenna to the roof of the vehicle		
TWO-WAY RADIO POWER CABLE: Installer shall		
install customer-supplied power cable for the two-way		
radio. It shall be controlled by the ignition switch and		
terminate inside the center equipment console. The		
installer shall leave at least 24" of cable inside the		
console for service work and a minimum of 18" of slack		
outside the console.		
WIRING: Installer will be required to provide		
customized diagrams/notes of all wiring which shall		
include the following explanations:		
• All wires connecting to the siren unit		
 How the light bar is wired to the siren unit 		
Other LED warning lights		
Where the two-way radio power supply is from		
• Where the 12-volt outlets are powered from		
WARRANTY: Specify warranty provided:		
warranty provided.		
*Equipment to be installed by ON DUTY DEPOT, TR		SE, SOUND OFF
SIGNAL OR HIGHLAND FLEET SOLUTIONS. Spe	ecity:	
 If vendor is not on the approved outfitter list plea 	se contact Chris Whitak	ker to be considered
for future installations.		
The City is assessed in the delivery and sink years	·1.:-1	
• The City is responsible for the delivery and pick-up of		
Vendor location will be an award consideration (speci	11y):	
• Vehicle outfitting timeframe will also be a consideration	on. Vehicles are available	e immediately.
The City may consider utilizing more than one outfitte		
	•	
COMPLETE AND RETURN ALL CHEC	CKLISTS WITH BID PA	ACKAGE

Company Name:

ITB# 6757 - 2023 Durango Pursuit Marked Slick Top Patrol Outfitting Item #2 SPECIFICATIONS

Bidder must complete and return this form for the bid to be considered responsive. A check mark () shall be placed in the areas of compliance. Variances must be clearly identified in the exception column. Failure to comply with any part of the bid specifications will not remove that bid from consideration, but will indicate a variance on which the City alone will determine the importance of the overall performance of the item and suitability for the intended purpose. Any omission from the specifications shall not relive the bidder from responsibility of providing a complete installation ready for use. All equipment shall be installed to industry/ manufacture standards and shall use all available features/functions.

All equipment to be installed by Outfitter shall be as specified "or approved equal". Alternates must include detailed specifications. Equipment demonstration may be required.

Specifications Exceptions Yes No VISOR LIGHT: SpectraLux ILS Low Profile* Head Split Center-focused style with mounting brackets; all blue with take down lights SIREN/LIGHT CONTROLLER: Federal Signal Pathfinder Siren/Light Controller; Model # PF200S17B; should be installed in the center console and should utilize all available siren/light bar capabilities including automatic nighttime dimming features. Pursuit Switch #1 a. All rear flashing lights & side b. Rear corner LED's c. Camera is to be activated with siren pursuit switch Pursuit Switch #2 a. All functions of Pursuit Switch #1 b. All front flashing lights Pursuit Switch #3 a. All functions of Pursuit Switches 1 & 2 b. Wig-wag corner headlights (LED) c. Wig-wag takedown lights d. Flashing alley lights c. Siren activation Siren/Light Control panel shall be wired so that its hot at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights; Model # DEC-PB-DIR21	City's	Bidder's	Bidder Compliance
Split Center-focused style with mounting brackets; all blue with take down lights SIREN/LIGHT CONTROLLER: Federal Signal Pathfinder Siren/Light Controller; Model # PF200S17B; should be installed in the center console and should utilize all available siren/light bar capabilities including automatic nighttime dimming features. Pursuit Switch #1 a. All rear flashing lights & side b. Rear corner LED's c. Camera is to be activated with siren pursuit switch #1 b. All functions of Pursuit Switch #1 b. All front flashing lights Pursuit Switch #3 a. All functions of Pursuit Switches 1 & 2 b. Wig-wag corner headlights (LED) c. Wig-wag takedown lights d. Flashing alley lights e. Siren activation Siren/Light Control panel shall be wired so that its hot at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;	Specifications	Exceptions	Yes No
blue with take down lights SIREN/LIGHT CONTROLLER: Federal Signal Pathfinder Siren/Light Controller; Model # PF200S17B; should be installed in the center console and should utilize all available siren/light bar capabilities including automatic nighttime dimming features. Pursuit Switch #1 a. All rear flashing lights & side b. Rear corner LED's c. Camera is to be activated with siren pursuit switch Pursuit Switch #2 a. All functions of Pursuit Switch #1 b. All front flashing lights Pursuit Switch #3 a. All functions of Pursuit Switches 1 & 2 b. Wig-wag corner headlights (LED) c. Wig-wag takedown lights d. Flashing alley lights c. Siren activation Siren/Light Control panel shall be wired so that its hot at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;	1		
SIREN/LIGHT CONTROLLER: Federal Signal Pathfinder Siren/Light Controller; Model # PF200S17B; should be installed in the center console and should utilize all available siren/light bar capabilities including automatic nighttime dimming features. Pursuit Switch #1 a. All rear flashing lights & side b. Rear corner LED's c. Camera is to be activated with siren pursuit switch Pursuit Switch #2 a. All functions of Pursuit Switch #1 b. All front flashing lights Pursuit Switch #3 a. All functions of Pursuit Switches 1 & 2 b. Wig-wag corner headlights (LED) c. Wig-wag corner headlights (LED) c. Wig-wag takedown lights d. Flashing alley lights e. Siren activation Siren/Light Control panel shall be wired so that its hot at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;	, · · · · · · · · · · · · · · · · · · ·		
Pathfinder Siren/Light Controller; Model # PF200S17B; should be installed in the center console and should utilize all available siren/light bar capabilities including automatic nighttime dimming features. Pursuit Switch #1 a. All rear flashing lights & side b. Rear corner LED's c. Camera is to be activated with siren pursuit switch Pursuit Switch #2 a. All functions of Pursuit Switch #1 b. All front flashing lights Pursuit Switch #3 a. All functions of Pursuit Switches 1 & 2 b. Wig-wag corner headlights (LED) c. Wig-wag takedown lights d. Flashing alley lights e. Siren activation Siren/Light Control panel shall be wired so that its hot at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;	<u> </u>		
should be installed in the center console and should utilize all available siren/light bar capabilities including automatic nighttime dimming features. Pursuit Switch #1 a. All rear flashing lights & side b. Rear corner LED's c. Camera is to be activated with siren pursuit switch Pursuit Switch #2 a. All functions of Pursuit Switch #1 b. All front flashing lights Pursuit Switch #3 a. All functions of Pursuit Switches 1 & 2 b. Wig-wag corner headlights (LED) c. Wig-wag takedown lights d. Flashing alley lights e. Siren activation Siren/Light Control panel shall be wired so that its hot at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;			
utilize all available siren/light bar capabilities including automatic nighttime dimming features. Pursuit Switch #1 a. All rear flashing lights & side b. Rear corner LED's c. Camera is to be activated with siren pursuit switch Pursuit Switch #2 a. All functions of Pursuit Switch #1 b. All front flashing lights Pursuit Switch #3 a. All functions of Pursuit Switches 1 & 2 b. Wig-wag corner headlights (LED) c. Wig-wag takedown lights d. Flashing alley lights e. Siren activation Siren/Light Control panel shall be wired so that its hot at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;			
automatic nighttime dimming features. Pursuit Switch #1 a. All rear flashing lights & side b. Rear corner LED's c. Camera is to be activated with siren pursuit switch Pursuit Switch #2 a. All functions of Pursuit Switch #1 b. All front flashing lights Pursuit Switch #3 a. All functions of Pursuit Switches 1 & 2 b. Wig-wag corner headlights (LED) c. Wig-wag takedown lights d. Flashing alley lights e. Siren activation Siren/Light Control panel shall be wired so that its hot at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;			
Pursuit Switch #1 a. All rear flashing lights & side b. Rear corner LED's c. Camera is to be activated with siren pursuit switch Pursuit Switch #2 a. All functions of Pursuit Switch #1 b. All front flashing lights Pursuit Switch #3 a. All functions of Pursuit Switches 1 & 2 b. Wig-wag corner headlights (LED) c. Wig-wag takedown lights d. Flashing alley lights e. Siren activation Siren/Light Control panel shall be wired so that its hot at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;			
a. All rear flashing lights & side b. Rear corner LED's c. Camera is to be activated with siren pursuit switch Pursuit Switch #2 a. All functions of Pursuit Switch #1 b. All front flashing lights Pursuit Switch #3 a. All functions of Pursuit Switches 1 & 2 b. Wig-wag corner headlights (LED) c. Wig-wag takedown lights d. Flashing alley lights e. Siren activation Siren/Light Control panel shall be wired so that its hot at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;	automatic nighttime dimming features.		
a. All rear flashing lights & side b. Rear corner LED's c. Camera is to be activated with siren pursuit switch Pursuit Switch #2 a. All functions of Pursuit Switch #1 b. All front flashing lights Pursuit Switch #3 a. All functions of Pursuit Switches 1 & 2 b. Wig-wag corner headlights (LED) c. Wig-wag takedown lights d. Flashing alley lights e. Siren activation Siren/Light Control panel shall be wired so that its hot at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;			
b. Rear corner LED's c. Camera is to be activated with siren pursuit switch Pursuit Switch #2 a. All functions of Pursuit Switch #1 b. All front flashing lights Pursuit Switch #3 a. All functions of Pursuit Switches 1 & 2 b. Wig-wag corner headlights (LED) c. Wig-wag takedown lights d. Flashing alley lights e. Siren activation Siren/Light Control panel shall be wired so that its hot at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;			
c. Camera is to be activated with siren pursuit switch Pursuit Switch #2 a. All functions of Pursuit Switch #1 b. All front flashing lights Pursuit Switch #3 a. All functions of Pursuit Switches 1 & 2 b. Wig-wag corner headlights (LED) c. Wig-wag takedown lights d. Flashing alley lights e. Siren activation Siren/Light Control panel shall be wired so that its hot at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;			
switch Pursuit Switch #2 a. All functions of Pursuit Switch #1 b. All front flashing lights Pursuit Switch #3 a. All functions of Pursuit Switches 1 & 2 b. Wig-wag corner headlights (LED) c. Wig-wag takedown lights d. Flashing alley lights e. Siren activation Siren/Light Control panel shall be wired so that its hot at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;			
Pursuit Switch #2 a. All functions of Pursuit Switch #1 b. All front flashing lights Pursuit Switch #3 a. All functions of Pursuit Switches 1 & 2 b. Wig-wag corner headlights (LED) c. Wig-wag takedown lights d. Flashing alley lights e. Siren activation Siren/Light Control panel shall be wired so that its hot at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;	<u> </u>		
a. All functions of Pursuit Switch #1 b. All front flashing lights Pursuit Switch #3 a. All functions of Pursuit Switches 1 & 2 b. Wig-wag corner headlights (LED) c. Wig-wag takedown lights d. Flashing alley lights e. Siren activation Siren/Light Control panel shall be wired so that its hot at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;			
b. All front flashing lights Pursuit Switch #3 a. All functions of Pursuit Switches 1 & 2 b. Wig-wag corner headlights (LED) c. Wig-wag takedown lights d. Flashing alley lights e. Siren activation Siren/Light Control panel shall be wired so that its hot at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;			
Pursuit Switch #3 a. All functions of Pursuit Switches 1 & 2 b. Wig-wag corner headlights (LED) c. Wig-wag takedown lights d. Flashing alley lights e. Siren activation Siren/Light Control panel shall be wired so that its hot at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;			
a. All functions of Pursuit Switches 1 & 2 b. Wig-wag corner headlights (LED) c. Wig-wag takedown lights d. Flashing alley lights e. Siren activation Siren/Light Control panel shall be wired so that its hot at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;			
b. Wig-wag corner headlights (LED) c. Wig-wag takedown lights d. Flashing alley lights e. Siren activation Siren/Light Control panel shall be wired so that its hot at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;			
c. Wig-wag takedown lights d. Flashing alley lights e. Siren activation Siren/Light Control panel shall be wired so that its hot at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;			
d. Flashing alley lights e. Siren activation Siren/Light Control panel shall be wired so that its hot at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;			
e. Siren activation Siren/Light Control panel shall be wired so that its hot at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;			
Siren/Light Control panel shall be wired so that its hot at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;			
at all times. SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;			
SIREN SPEAKER: Two (2) Federal Signal Speakers Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;	<u> </u>		
Model # ES100; including brackets to be mounted forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;			
forward facing on the push bumper. PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;	` , ,		
PUSH BUMPER: Federal Signal DFC Series with two (2) lights, top channel for MPS6U lights;			
(2) lights, top channel for MPS6U lights;			
	_		
	Model # DFC-PB-DUR21		

Company Na	me:

PUSH BUMPER LIGHTS: Four (4) Federal Signal Micro Pulse 6 Ultra Blue/White; Model #6023/MPS620UBW MIRROR LIGHTS: Two (2) Federal Signal Micro Pulse Wide Angle Blue with brackets; Model #MPSW9 REAR SIDE WINDOWS LIGHTS: Two (2) XStream
Four (4) Federal Signal Micro Pulse 6 Ultra Blue/White; Model #6023/MPS620UBW MIRROR LIGHTS: Two (2) Federal Signal Micro Pulse Wide Angle Blue with brackets; Model #MPSW9
Model #6023/MPS620UBW MIRROR LIGHTS: Two (2) Federal Signal Micro Pulse Wide Angle Blue with brackets; Model #MPSW9
MIRROR LIGHTS: Two (2) Federal Signal Micro Pulse Wide Angle Blue with brackets; Model #MPSW9
Wide Angle Blue with brackets; Model #MPSW9
Wide Angle Blue with brackets; Model #MPSW9
REAR SIDE WINDOWS LIGHTS: Two (2) XStream
Blue/White LED;
Model #XSM1-BRW-US
QUARTER WINDOW LIGHTS: Two (2) XStream
Blue/White LED;
Model #XSM1-BRW-US
DITTED LOD LITTER CATTELLICITITY TO (2) M'. D. 1
INTERIOR LIFT GATE LIGHTS: Two (2) Micro Pulse
Ultra Blue LED; Model #MPS600UBB
Model #MPS000UBB
INTERIOR REAR HATCH WINDOW LIGHTS:
Federal Signal SpectraLux ILS Low-Profile 8 Head
Center-focused with mounting brackets all blue
TAG BRACKET LIGHTS: Two (2) Federal Signal
Micro Pulse 12 Ultra White and Blue; Model #MPS12
LICENSE PLATE BRACKET: Federal Signal
Vertical Mount License Plate bracket; Model # IPX-
LPV2
CONSOLE: Gamber-Johnson Console, cup holder,
armrest, and blanks designed for specified siren and Motorola XTL-2500 Mobile Radios;
Model #7170-0884-00
POWER ACCESSORY OUTLET
(1) Power outlet
(1) USB outlet
Both will be wired hot at all times
SPOT LIGHT:
Whelen Arges Remote Spotlight;
Model #ARGES1
Wholen Argas Fonder Mount and Control Head.
Whelen Arges Fender Mount and Control Head; Model #ARG44AD
PRISONER PARTITION: Setina #10XL Coated Poly
Partition; Model # PK1130DUR11
PRISONER TRANSPORT SEAT/PARTITION:
Setina #12 Coated Poly with Replacement Seat;
Model # QK0566DUR11
WINDOW BARRIERS: One (1) set of Window
Barrier Steel Vertical; Model # WK0514DUR11

Company Name:

		1	
REAR CARGO BARRIERS : Window Barrier			
Aluminum 3 Piece Cargo Area; Model #			
WK0040DUR11			
WEAPONS SECURITY: Setina D T-Rail Mount with			
one (1) standard and one (1) universal lock, handcuff			
Key;			
Model # GK10301S1UHK			
This weapons mount shall accommodate a 12-gauge			
shotgun with a 14" barrel and an AR-15-style rifle with			
a 16" barrel. The rifle mount shall allow for weapons			
with mounted optics. The weapon release button will be			
wired into the siren/light bar control panel and shall not			
function unless the ignition switch is on. Once activated			
the lock shall re-engage within 10 seconds.			
ANTENNA: Installer shall install a customer-supplied			
antenna mount and antenna to the roof of the vehicle.			
TWO-WAY RADIO POWER CABLE: Installer shall			
install customer-supplied power cable for the two-way			
radio. It shall be controlled by the ignition switch and			
terminate inside the center equipment console. The			
installer shall leave at least 24 inches of cable inside the			
console for service work and a minimum of 18 inches			
slack outside the console.			
WIRING: Installer will be required to provide			
customized diagrams/notes of all wiring which shall			
include the following explanations:			
All wires connecting to the siren unit			
How the light bar is wired to the siren unit			
 Other LED warning lights 			
 Where the two way radio power supply is from 			
 Where the 12 volt outlets are powered from 			
WARRANTY: Specify warranty provided:			
		<u> </u>	
*Equipment to be installed by ON DUTY DEPOT, TR	UCKERS LIGHTHOU	USE, SOUN	D OFF
SIGNAL OR HIGHLAND FLEET SOLUTIONS. Spe			
•	•		
TC 1 ' 4 41 1 4644 1' 4 1	4 (01 - 101)	1 4 1	•1 1
• If vendor is not on the approved outfitter list pleas	se contact Unris Whita	iker to be co	nsidered
for future installations.			
The City is responsible for the delivery and piet up of	vahialas		
• The City is responsible for the delivery and pick-up of			
Vendor location will be an award consideration (specific	ry):		
• Vehicle outfitting timeframe will also be a consideratio	n Vehicles are availah	le immediate	117
			Jiy.
The City may consider utilizing more than one outfitte	_		
Specify completion timeframe:			
1 <u></u>			
COMPLETE AND RETURN ALL CHECK	KLISTS WITH BID P	ACKAGE	

Company Name:



CITY OF JOHNSON CITY, TENNESSEE

http://www.johnsoncitytn.org/purchasing

SEALED SOLICITATION

GENERAL TERMS AND CONDITIONS

Read Carefully - if applicable or unless specifically noted otherwise in the solicitation documents

1. ACCEPTANCE, REJECTION AND POSTPONEMENT

Issuance of a bid/rfp/rfq does not commit the City to make an award. The City reserves the right to postpone or reject any or all bids/rfps/rfqs, to waive informalities and to accept the bid/rfp/rfq judged to be in the best interest of the City. Any document superfluously provided and not requested in the solicitation document may not be considered.

2 ADDENDA

Addenda will be issued to all known interested parties and posted on the City's website (listed above). All addenda issued shall become part of the solicitation documents. It is the vendor's responsibility to determine and acknowledge all addenda issued for a solicitation. No addendum will be issued less than two (2) working days prior to the solicitation opening as per TCA, Title 12, Chapter 4, Part 1, as amended

3. AWARD

An award, if made, shall be to the lowest responsible, responsive bidder(s) or best solicitation meeting quality and performance standards as described in the solicitation documents and whose bid/rfp is determined to be in the best interest of the City. This includes value engineering with the low bidder if cost is over budget. The City also reserves the right to award this product/service based on other contracts in-place (state or cooperative contracts), as may be in our best interest.

4. AWARD PERIOD

The City shall have 60 days to issue a contract. Any contract past that period must be mutually agreed upon by both parties.

5. BID TABULATIONS/RFP/RFQ RESPONSES

Bid tabulations and RFP/RFQ respondent's lists will be posted and available the next business day on our above website. Click on "awarded/opened solicitations".

6. BRAND NAMES

By referencing a product or service name as "or approved equal", the City intends to establish a minimum level of quality by which alternate offers can be judged. If an alternate is offered, the vendor must include complete descriptive literature and specifications that clearly describe the item and how it differs from the referenced item. Vendor reference to literature previously submitted will not satisfy this provision. Unless specified otherwise, it is understood that the referenced product will be furnished. The City alone will determine whether an alternate is equivalent and meets the standards of quality and performance for the City's use. A sample or demonstration may be required at the expense of the vendor.

7. CONDITION STANDARDS

It is understood and agreed that any item offered or shipped as a result of this solicitation shall be new and unused and the manufacturer's latest model unless otherwise called for in the solicitation.

8. CONSTRUCTION DOCUMENTS

If a fee is required for bid documents then only those bidders of record with the issuing office are eligible to bid.

9. DEFAULT

In case of contractor default or failure to provide material or service according to the solicitation, the City may cancel this contract and acquire from another source and may recover any excess cost by (1) invoice; (2) deduction from an unpaid balance due; (3) collection against the bid and/or performance bond; or (4) a combination of the aforementioned remedies or other remedies provided by law. All costs associated with default will be borne by the contractor. The City reserves the right to remove a company in default from the active vendor list for a time period to be determined by the Director of Purchasing.

10. DELIVERY

Delivery/completion schedule must be clearly identified and realistically stated, as this may be a determining factor in the award.

11. DISCOUNT AND PAYMENT

Payment terms are Net 30 following receipt of the material or service and a correct invoice unless otherwise stated in the solicitation document. Discounts for prompt payment will not be considered in the bid evaluation for award. Partial payment will be allowed only if addressed in the solicitation.

12. EQUAL OPPORTUNITY

It is the policy of the City of Johnson City to ensure compliance with Title VI of the Civil Rights Act of 1964; 49 CFR, Part 21; related statutes and regulations to that end that no person shall be excluded from participation in or be denied benefits of, or be subjected to discrimination under any program or activity receiving Federal financial assistance or any other funding source on the grounds of race, color, sex, national origin, or ancestry. By virtue of submitting a response to this solicitation, vendors agree to comply with the same non-discrimination policy.

13. EVALUATION

Bids/RFPs/RFQs will be evaluated according to the criteria set forth in the document with the degree of importance determined by the City.

14. EXAMINATION OF BIDS/RFPS/RFQS

Bids and associated documents may be examined at the opening. Only the name of the respondent is read aloud for RFPS/RFQS. All solicitations are closed for review and inspection during the evaluation period, prior to award.

15. FOB (FREE-ON-BOARD) POINT

All prices quoted shall be FOB destination, freight prepaid and allowed unless otherwise stated in the solicitation document. The seller pays and bears the freight charges and owns the goods while they are in transit. Title passes at the designated City location.

16. INDEMNIFICATION

The vendor shall guarantee and certify by submitting a response to this solicitation that if successful, they shall indemnify and defend the City against any and all claims or legal actions arising as a result of their performance of the contract, whether or not such claims relate to damages or alleged damages sustained by physical injury to contractors personnel, subcontractors, city employees or other persons, or against any lawsuits arising from alleged or actual patent infringements, and shall hold the City, its various departments, employees, and any and all persons or entities acting on its behalf harmless from the same.

17. INSPECTION

All supplies or materials purchased as a result of this solicitation are subject to inspection and rejection by the City. Rejected materials will be returned at the vendor's expense.

18. INSURANCE

The contractor shall maintain, at their expense, such insurance as required by the solicitation. Such insurance shall protect the City for claims of damages which may arise during operations under this contract whether such operations be by the Contractor or by any subcontractor or anyone directly or indirectly employed by either of them. Any required insurances shall be maintained for the term of the contract and beyond the term of the contract when so required in the solicitation.

19. IRAN DIVESTMENT ACT

Pursuant to the Iran Divestment Act Tenn. Code Ann. § 12-12-106 requires the State of Tennessee Chief Procurement Officer to publish, using creditable information freely available to the public, a list of persons it determines engage in investment activities in Iran, as described in § 12-12-105. Inclusion on this list makes a person ineligible to contract with the City of Johnson City; if a person ceases its engagement in investment activities in Iran, it may be removed from the list. The State of Tennessee list is available here: http://tennessee.gov/generalservices/article/Public-Information-library

20. LICENSES, FEES, PERMITS

The contractor is responsible for furnishing the proper licenses, fees, and permits required by law to do business with the City of Johnson City in completion of the project. All work shall be done in accordance with the latest building codes, state and federal laws relative to the contract.

21. MULTIPLE ITEM BIDS

The City will determine the successful bidder(s) either on the basis of the individual line items or the total of all items. ALL OR NONE bids must be clearly identified on the bid form and will be considered only if in the City's best interest.

22. NON-BOYCOTT OF ISRAEL ACT

Pursuant to the Non-Boycott of Israel Act Tenn. Code Ann. § 12-4-119 requires that contracts of \$250,000+ to suppliers with 10 or more employees must certify that to the best of its knowledge and belief they are not boycotting Israel pursuant to Tenn. Code Ann. § 12-4-119 and will not during the full term of any award.

23. NON-COLLUSION AGREEMENT

By submitting this solicitation, the agent representing all officers, partners, owners, representatives, employees or interested parties of the vendor's firm certifies to the best of his/her knowledge and belief this bid/proposal to the City of Johnson City, Tennessee has not been prepared in collusion with any other seller, proprietor, or manufacturer of similar products or services. The agent also certifies that the prices, terms and conditions of said bid/proposal have been arrived at independently and have not been communicated by the submitter, nor by any of the aforementioned firm associate to any other seller, proprietor, or manufacturer of similar products or services and will not be communicated prior to the official opening of said solicitation. The agent further states that no official or employee of the City of Johnson City has promised any personal, financial or other beneficial interest, either directly or indirectly, in order to influence award of this solicitation.

24. PARTS AND SERVICE

The successful vendor must be able to provide adequate parts and service for all items awarded. Service location and ability to perform may be a consideration in the award.

25. PENALTIES

Vendors may be removed from our active vendor system for any of the following:

- Failure to respond to three consecutive solicitations
- Failure to meet delivery requirements
- Failure to furnish items as a result of a solicitation
- Failure to provide service or material as a result of the award
- Offers of gratuities or favors to any City employee

26. PRE-BID MEETING ATTENDANCE

If attendance is mandatory then only those firms whose names are listed on the pre-bid attendance roster are eligible to submit a solicitation.

27. PRICING

All pricing must appear in the spaces provided on the city's form (if applicable) and be in ink or typed. Changes or corrections by the bidder/proposer must be initialed in ink by the person signing. No corrections may be made in pencil. Unit prices will prevail in case of an extension error. The City will correct math computation errors (unit price & totals). No bid may be altered or amended after bid opening time. Obvious mistakes will be given special consideration upon receipt of written request and full disclosure or evidence regarding pricing error.

28. PROPRIETARY/CONFIDENTIAL INFORMATION

Vendors are hereby notified that all information submitted as part of, or in support of, bids/proposals will be available for public inspection after award, in compliance with Tennessee Statutes unless the vendor additionally identifies a specific area or scope of data or other materials to be protected and details the reasons protection is necessary.

29. PROTEST PROCEDURE

Any protest to the award of a contract by the City of Johnson City shall be submitted in writing to the Director of Purchasing with a copy to the City Manager and delivered not later than seven (7) calendar days from the date of the city's award decision. Such protest must include a protest bond in the amount of \$350 (cashier's check payable to the City of Johnson City) submitted to the Purchasing Director before the City will consider the protest. This protest bond will serve as a guarantee by the protester of the validity and accuracy of the protest. If the protest is denied by the City Manager the bond will be retained to cover costs associated with the protest.

30. QUESTIONS

Questions must be received by the City at least four (4) working days prior to the scheduled opening. No oral interpretations or instructions given by any city employee or any other person shall apply. Changes relative to any solicitation will be in writing, in the form of an addendum.

31. SAFÉTY STÁNDARDS

All manufactured items and fabricated assemblies shall comply with applicable requirements of OSHA/TOSHA and any related standards thereto.

32. SAMPLES

Samples will be furnished at no charge to the City. They will remain in the Purchasing Department for testing and evaluation until an award is made. Vendors are responsible for picking up their samples within two (2) weeks after the award. Samples not collected after that time shall become the property of the City. Samples from the successful vendor will be held until delivery is received and accepted as being equal to the sample.

33. SEALED SOLICITATION OPENINGS

Bids will be read aloud at the specified date and time as stated in the document. RFP's/RFQ'S respondent names will be read aloud. All openings are public meetings. Bidders/proposers and interested persons are invited to attend. The City reserves the right to postpone any solicitation opening under circumstances warranting such action, including but not limited to instances when the City receives fewer than two responses.

34. SIGNATURE ON BIDS

When submitting a bid, other than electronically, the bid form must contain the full name and address of the company and be signed in lnk by a person authorized to bind that company to a contract. Submission of an electronic solicitation constitutes acceptance of all terms and conditions. Unsigned paper bids will not be considered, read or tabulated. They may not be signed during or after the bid opening, even if a representative is present.

35. SUBMITTAL OF SEALED BIDS/RFPS/RFQS

Any forms furnished by the city must be completed and returned as specified in the solicitation, otherwise response will be considered as non-responsive. TELEPHONE, FACSIMILE OR E-MAIL RESPONSES WILL NOT BE ACCEPTED. Electronic receipt of bids/proposals is acceptable for those eligible for online submittal at: https://vrapp.vendorregistry.com/Vendor/Register/Index/johnson-city-tn-vendor-registration. Paper submittals shall be sealed in an envelope. No solicitation received after closing time shall be considered. The official time for paper submittals will be that of the date and time clock in the Purchasing Department. For electronic bids the official time is that posted on the website. Late submittals will not be accepted. The City of Johnson City shall not be responsible for technical difficulties experienced by vendors trying to register or submit their bid/rfp response electronically less than one hour prior to the bid/rfp opening time. If not offering a solicitation response, the vendor is encouraged to complete the "Statement of Decline" form and return prior to the opening.

36. TAXES

The City is exempt from Federal excise tax, State, and city sales tax. Contractors are not exempt from the use tax on materials and supplies used in the production of an item or in the performance of a repair or construction contract. Tax exemption certificates will be furnished upon request.

37. TERM OF CONTRACT

Unless otherwise stated, the City reserves the right to purchase like items at the same contract price for a period of one year from the award date subject to agreement of both parties. The City may cancel any contract for cause, or non-appropriation of funds, following written notification of intent.

38. WARRANTY

Unless otherwise specified by the City, all items shall be guaranteed for a minimum period of one (1) year against defects in material and workmanship.

REQUIREMENTS FOR BIDS, REQUESTS FOR PROPOSALS, AND CONTRACTS BETWEEN THE CITY OF JOHNSON CITY AND OTHER PARTIES

The City of Johnson City has established the following requirements for use in all bids and contracts between the City and any other person or entity. The following list is mandatory and modifies any bid, contract, or request for proposal, or conditions applicable to, signed by, or let by the City, notwithstanding anything contained in any particular conditions, contract, request for proposal, or bid to the contrary.

In general, the following provisions apply to all such contracts, bids, requests for proposals, contracts requiring bids, and bids containing contracts:

- The City of Johnson City shall not answer to any contracting party for the furnishing of public records to a person requesting such in accordance with Tennessee law.
- 2. The City, while it may designate in writing a representative on a particular project, shall only be bound by a majority vote of the Board of Commissioners or by the limited authority delegated to the City Manager pursuant to City Ordinance. No personal representative of the City assigned to a particular project may bind it in excess of the dollar amounts granted to the City Manager by Ordinance, and no personal representative assigned to a particular project may bind the City for an amount equal to or less than the dollar amounts granted to the City Manager by Ordinance without the City Manager's approval.
- The City shall not in any event waive or limit any claims for damages including but not limited to consequential damages in any contract for any reason or purpose.
- 4. No decision of an architect, engineer, or personal representative of the City shall be final and binding on the City, unless the City so agrees in any dispute with any

party including but not limited to an architect, a contractor, a subcontractor, an engineer, etc. If the City agrees to be bound pertaining to a dispute, then the monetary limits contained in the City's ordinances regarding the authority of the City Manager shall prevail, and any amounts exceeding the authority of the City Manager shall be referred to the Board of Commissioners for their consideration.

- 5. The City shall not participate in any mediation or arbitration regarding any agreement to which it is a party, and all matters left unresolved between the City and any other party, person, or entity shall be resolved in a court of competent jurisdiction in either Washington County, Tennessee, or in Federal District Court in Greeneville, Tennessee.
- 6. No party or other entity shall file a lien of any nature whatsoever against City property, real, personal, or mixed, no matter where that property is located. Should a party or entity contracting with the City or acting as a subcontractor or subsubcontractor file a lien against any property, real, personal, or mixed, owned by the City, then that party or entity shall take immediate steps at its own cost and expense to remove said lien, or the City shall take such steps as it deems necessary and hold the other party or entity liable for any costs and attorneys' fees associated with the lifting of said lien.
- 7. The City shall exercise its sole discretion before agreeing to any assignments of any contracts or subcontracts regarding any project in which the City is involved. No contract with the City shall be assignable without the City's sole, discretionary, absolute consent.
- 8. The City shall not be required to supply any information regarding its title to any property in which it has an interest for any purposes regarding the filing of liens.
- 9. The City shall not waive any claims it has in the making of final payment in any project in which it is involved. The City shall have the right to terminate any agreement to which this document is attached at any time in its sole discretion with or

without cause. In the event the City terminates with or without cause any agreement to which this document is attached, then in such event the City shall be liable only for the actual work and costs that have accrued at or before the date of the City's termination. In no event shall the City be liable for lost profits, consequential damages or incidental damages in the event it terminates a contract with or without cause.

- 10. Except to the extent allowed by law, the City shall not indemnify and hold harmless any other party, entity, person, their agents, employees, or anyone else in the world for any reason whatsoever.
- 11. The City shall not waive the rights of subrogation of its insurers or itself for any purpose whatsoever, and the City shall not cause any such endorsements to be placed on any policies to which it is a party.
- 12. Unless the City elects otherwise, the City shall not provide any "builders' risk" or an "all-risk" or equivalent policy for any reason whatsoever for any project in which the City has an interest, and the contractor or other such party shall assume this responsibility. That builder's risk policy provided by the contractor or other such interested party shall name the City as an additional insured. The City shall not provide boiler and machinery insurance, but shall require such insurance as applicable, depending on the parameters of whatever project is involved. The cost of boiler and machinery insurance shall be borne by the appropriate contractor, subcontractor, or other interested party. The City shall not insure the interests of any other person or entity, nor shall the City add any other person or entity as an additional insured to any of its policies.
- 13. The City shall not waive any rights regarding the loss of use of the City's property.
- 14. As to acts or failures to act or any causes of action by any party to a contract, whether that party be the architect, owner, contractor, City, etc., a cause of action shall accrue according to Tennessee law. No contract provision shall shorten the

statutes of limitations, statutes of repose, or the accrual of any causes of action which the City might have against another party or entity. No contract provision shall waive any warranties, express or implied, nor shall any contract limit the standard of care for any particular service or undertaking to that of the locality where those services or undertakings are performed.

- 15. Any interest to be paid by the City of Johnson City for late payments shall be at the rate of interest at which the City pays on its most recently issued bonds.
- 16. The City reserves to itself the right to approve the use of any tests, including but not limited to any borings, test pits, geotechnical work, environmental tests, and the like in its own sole discretion. All design professionals, consultants, subcontractors, or the like shall be duly licensed in the State of Tennessee, if licensure in the State of Tennessee is required for the work to be performed by such design professional, consultants, or subcontractors.
- 17. Notwithstanding any applicable choice of law or conflict of law provisions or decisions, the law of the State of Tennessee shall govern all contracts to which this document is attached.
- 18. The City of Johnson City shall not provide any legal advice, legal services, surveys, or procure the same for any other party.
- 19. Upon payment for services as rendered, all design documents and all instruments of service created by design professionals, including but not limited to architects, landscape architects, engineers, etc., shall become the property of the City of Johnson City, Tennessee. The City of Johnson City shall be allowed to use all design documents and instruments of service, including but not limited to bid drawings, shop drawings, reports, specifications, cost estimates, schematic designs, construction designs, and the like for future additions or alterations to the current project or for use in other projects. Any use of the aforementioned designs and construction documents shall be at

the City's sole risk and without liability to the design professional. The design professional's name and seal will be removed from all such design documents prior to the City's use thereof.

20. The City, as the owner of real property that is the subject of or in any way connected to any bid, request for proposal, or contract, hereby grants to the successful bidder/proposer/contractor the general management of the real property during the time that work is being performed, and the City agrees to transfer information specified in OSHA regulations at 29 CFR §1926.1203(h)(1), so that TOSHA/OSHA shall treat the successful bidder/proposer/contractor as the host employer when working in confined spaces. This paragraph applies only to those areas where the successful bidder/proposer/contractor has access to and performs work within confined spaces as defined in federal OSHA regulations. The successful bidder shall comply with all federal OSHA and state TOSHA regulations, including those regarding confined spaces.

September, 2017



STATEMENT OF SOLICITATION DECLINE City of Johnson City, Tennessee

NOTE: If you do not intend to respond to this solicitation, please complete and return this form on or before the stated deadline to Purchasing Department, 209 Water Street, Johnson City, TN 37601 or via e-mail: purchasing@johnsoncitytn.org.

If you do not offer this product/service please remove from your vendor profile.

We value y	our feedback and ask that you complete the following:
	n No.: # n Name:
We, the unreason(s):	dersigned, decline to submit on the above solicitation for the following
	Insufficient time to adequately prepare a response
	Our company does not offer this product or service.
	Our schedule will not permit us to perform in a timely manner
	We are unable to meet bond requirements
	We are unable to meet insurance requirements
	We are unable to offer comparable product or service
	We are unable to meet specifications (explain below)
	stand that if this statement is not completed and returned, our company leted from the City's solicitation list for this commodity or service.
	Company Name:
	Address:
	Signature:Telephone:
	E-mail:
	Date: