



LOS LUNAS SCHOOLS & VALENCIA COUNTY  
RFP 2022-004-HR  
ASPHALT IMPROVEMENTS AND REPAIRS  
AMENDMENT NO. 2  
DATE: FEBRUARY 2, 2022

RFP No.: 2022-004-HR

RFP Due: February 22, 2022

Time: 2:00 PM Local Time

Where: Los Lunas Schools  
Administration Offices  
P.O. Drawer 1300 (if mailed)  
119 Luna Avenue (if delivered)  
Los Lunas, NM 87031

For Additional Information Please Contact:

Heather Rindels, Purchasing Agent  
505-866-8259 Phone  
505-866-8262 Fax  
Email: [hrindels@llschools.net](mailto:hrindels@llschools.net)

**ASPHALT IMPROVEMENTS AND REPAIRS  
FOR  
LOS LUNAS SCHOOL DISTRICT AND VALENCIA COUNTY  
RFP NO. 2022-004-HR  
RFP Amendment No. 2  
February 2, 2022**

The above referenced RFP #2022-004-HR has been amended as follows:

1. I. Introduction  
C. Scope of Procurement

Now Reads:

This is a Cooperative Procurement being conducted by Los Lunas School District on behalf of the Participating Agencies identified in Section I.A, above. The scope of the procurement consists of identifying one or more companies that can provide the products and services described herein. This procurement will result in the award of one or more indefinite quantity Price Agreements. Such Price Agreement(s) may only be utilized by the Participating Agencies. The term of the Price Agreement(s) shall be for one (1) year. Unless otherwise terminated pursuant to the Price Agreement, the Price Agreement(s) shall automatically renew, on an annual basis, for up to ~~three (3)~~ **two (2)** additional one-year terms. Under no circumstances will the term of the Price Agreement(s), including any extensions and renewals thereto, exceed ~~four (4)~~ **three (3)** years **as per NMSA 13-1-154**. This procurement may result in a multiple source award.

2. III. Response Format and Organization  
B. Number of Copies

Now Reads:

Offerors shall deliver five (5) identical copies of Binder #1 of their proposal, two (2) identical copies of Binder #2 of their proposal and ~~four~~ **five** (5) identical copies of Binder #3 (optional) of their proposal to the location specified in Section I, Paragraph D on or before the closing date and time for receipt of proposals. (Identical copies are defined as the original plus the number of additional copies needed to fulfill the requirement. For example, a requirement for five (5) identical copies would be fulfilled by submitting the original and four [4] copies of the original.) The original copy should be clearly marked "ORIGINAL" on the front cover and shall contain original signatures. For this procurement, we expect receipt of either seven (7) or twelve (12) separate binders, the latter if the offeror ~~chooses~~ **chooses** to provide the optional Binder #3.

3. III. Response Format and Organization  
C. Proposal Format  
1. Proposal Construction

Now Reads:

All proposals must be printed on standard 8 1/2 x 11 paper (larger paper is permissible for charts, spreadsheets, etc.) and placed within a binder with tabs delineating each section. Each proposal should be organized and indexed in the following format and must contain, as a minimum, all listed items in the sequence indicated with a tab for each item listed below.

**Binder #1**

- a. Proposal Table of Contents
- b. Proposal Summary (optional)
- c. Response to Desirable Requirements (See pages 20-21)

**Binder #2**

- a. Mandatory Requirements (Page 18-20)
  - 1. Letter of Transmittal Form (See Appendix D)
  - 1. General Performance Requirements
  - 2. Insurance
  - 3. Campaign Contribution Disclosure Form (See Appendix E)
  - 4. Property Tax Obligations
  - 5. NM Contractor License Number(s)
  - 6. Permits and Licenses
  - 7. Price Schedule-**Submit in a sealed envelope** (See Appendix C)
  - 8. Construction and Materials Specifications
  - 9. Wage Rate Determinations
  - 10. **Complete Safety Plan on Flash Drive**
- b. Preference Certificate (Optional)\*
- c. Response to Agency Terms and Conditions (if any)
- d. Offeror's Additional Terms and Conditions (if any)

**Binder #3 (Optional)\*\***

- 4. IV. Specifications
  - D. Desirable Requirements
    - 2. Health and Safety (**50 Total Points Possible**)

Now Reads:

Offeror should provide the following requested information.

- a. A summary description of the Offeror's Health & Safety Plan (**20 Points**)
- b. A complete copy of the Offeror's written Safety Plan **on a flash drive in Binder #2 (30 Points)**

- 5. Appendix B-Price Agreement
  - 3. Term

Now Reads:

The term of this Agreement shall be for one (1) year from the date of approval by the Purchasing Agent and the Los Lunas Schools Governing Committee. Unless terminated pursuant to paragraph 4 (Termination), or paragraph 5 (Appropriations), this Agreement shall automatically renew, on an annual basis, for up to ~~three (3)~~ **two (2)** additional years. Under no circumstances shall the term of this Agreement, including all extensions and renewals thereto, exceed ~~four (4)~~ **three (3)** years **as per NMSA 13-1-154.**

6. Appendix B-Price Agreement  
19. Records and Financial Audit

Now Reads:

The Contractor shall maintain detailed time and expenditure records that indicate the date; time, nature and cost of services rendered during the Agreement's term and effect and retain them for a period of three (3) years from the date of final payment under this Agreement. **The Contractor is responsible to keep track of any projects related to this Price Agreement to remain in compliance with NMSA 13-1-154.** The records shall be subject to inspection by the School District, the Department of Finance and Administration and the State Auditor. The School District shall have the right to audit billings both before and after payment. Payment under this Agreement shall not foreclose the right of the School District to recover excessive or illegal payments

7. Pre-proposal Questions and Answers

a) Should bid item 16 include the words "<200 SY" in the description?

**Yes, please see revised Price Schedule.**

b) Should bid item 22 state "same as item 19"?

**Yes, please see revised Price Schedule.**

c) Regarding bid item 22, what is "enzyme treatment process"?

**Mixing enzyme in the subgrade for soil stabilization**

d) Bid item 41 quantity would cover about 250,000 SY (about 52 acres). Can this quantity be adjusted down to, say, 5 tons? The total cost as it stands now would skew the bid pricing.

**Yes, please see revised Price Schedule.**

e) For bid items 79 and 80 with a quantity of 1 LF the addition of a 90-degree elbow and cleanout would skew the unit price drastically. Can bid items for a 90-degree elbow and cleanout be added separately?

**Yes, please see revised Price Schedule.**

f) For bid item 82 description there is no such thing as painting of applied thermoplastic. There is painting, there is thermoplastic, and there is cold-applied plastic. I'm assuming they saw Sealmaster's "Liquid Thermoplastic" which is really just a high build water based pain, and are using that. Please clarify what material is to be used here.



**Thermoplastic**

g) For bid item 83 we need the length of the speed hump in order to quantify the amount of thermoplastic.

**Use 12' in length for each**

h) For item 83 “Striping of Speed Humps”, which MUTCD option is to be used for shark’s teeth, there are two.

There are actually 5 different options depending if there is a cross walk or not. Here are the options below. You rarely see a crosswalk on a speed hump. Option A of “Pavement Markings for Speed Humps without a crosswalk” would be the standard.



i) Are bid items 84 and 85 reflective or non-reflective striping?

These items have now been separated into reflective and non-reflective striping. Please see revised Price Schedule.

j) For bid item 87 what is the width of the striping to be removed?

4". Please see revised Price Schedule.

k) For bid item 89 with a quantity of 1 SF the addition of the sign post will drastically skew the unit pricing. It is customary to provide a separate bid item for “posts for signs” by the LF.

There is now a separate line item for “posts for signs” with a quantity of EA. Please see revised Price Schedule.

l) For item 89 “install sign w/ SEG sheeting & SEG sheeting and border w/ standard lettering including post, anchor, & installation,” post and anchor cannot be estimated with a sign by the SF (e.g. both a 2 SF and a 16 SF sign would take the same size post and to properly cover my costs I would have to make the price per SF prohibitively high). Additionally, SEG is no longer the minimum standard anywhere

anymore, and the minimum we could offer is Type IV HIP sheeting which is one step up from SEG. Can we change the bid item to reflect sheeting types available and create a separate bid item for posts? Also, specify type of post to be used; we suggest using square tube posts per NMDOT standards.

Item 89 description has been changed to reflect TYPE IV HIPP as requested. Please see revised Price Schedule.

m) For bid item 90 the description is unclear. Are you looking for a two-sided sign or two signs as one unit?

Each unit would include two signs, one installed on each side of the road in the direction of traffic flow.

n) Where can we find Valencia County specifications for things like speed humps?

<https://codelibrary.amlegal.com/codes/valenciacounty/latest/overview>

o) Regarding bid item 92 what is an “alternate” speed hump?

Los Lunas Schools has previously installed plastic speed humps at various sites.

p) Traffic control bid items 93, 94, and 95 should specify number of devices. For example Bernalillo County uses, “up to 15 devices”, (16-50 devices”, and “>50 devices”. This helps keep pricing fair to you, the owner.

These items have been revised as recommended. Please see revised Price Schedule.

q) For items 93-95 will an onsite Traffic Control Supervisor be required?

This will be determined by each individual project.

r) Regarding sequential arrow displays (bid items 96-104), NMDOT only allows type “C” displays and therefore most traffic control companies only have these type. Is there a reason Valencia County would use type “A” or “B” displays?

This has been changed to reflect the NMDOT standard. Please see revised Price Schedule.

s) Should item 108 be Each instead of LS?

Yes, please see revised Price Schedule.

t) Are all of the guardrail items which have the language, “install 10 LF” for a 10 LF section? If so, the unit of measure for all of these items should be changed to “EA” (for each 10 LF section).

The unit of measure has been changed to “EA”. Please see revised Price Schedule.

u) The description for bid item 124 is very confusing. Please clarify exactly what you are looking for in this item.

This item has been removed. Please see revised Price Schedule.

v) Shouldn't the bid item 126 unit of measure be "EA" instead of "LS"?

The County has always used "LS".

w) Should bid items 145 and 146 descriptions read, "...37'6"..." instead of "...37'6"..."?

Yes, please see revised Price Schedule.

x) Should bid item 147 read, "...0'-8' depth" instead of "...0"-8" depth" ?

Yes, please see revised Price Schedule.

y) Should bid item 228 be for a 6' Dia MH 0-6' depth?

Yes, please see revised Price Schedule.

z) Will the sum of extended prices on page 46 be ONLY for the items with quantities?

Yes

aa) Are we required to provide unit pricing for the items with no quantity?

No. Please refer to the first page of the Price Schedule.

bb) Was there a previous on-call like this bid previously? If so, do you have bid tabulations?

Yes, there is currently a contract in place that will expire April 24, 2022. In order to receive a copy of the bid tabulations, you must send a public records request to Brian Baca [bgbaca@lsschools.net](mailto:bgbaca@lsschools.net) and Andrew Saiz [ASaiz@lsschools.net](mailto:ASaiz@lsschools.net).

cc) What are the monetary contract limitations according to NMSA 13-1-154 Multiple Source Contracts; Architectural and Engineering Services Contracts; Indefinite Quantity Construction Contracts?

This Statute states:

"B. A state agency or local public body may procure multiple indefinite quantity construction contracts pursuant to a price agreement for multiple projects under a single request for proposals; provided that the total amount of a contract and all renewals does not exceed twelve million five hundred thousand dollars (\$12,500,000) over three years and the contract provides that any one purchase order under the contract may not exceed four million dollars (\$4,000,000)."

This means that each individual contract that is awarded cannot exceed \$12,500,000.00 over the course of 3 years.

## APPENDIX C

### REVISED PRICE SCHEDULE-SUBMIT THIS PRICE SCHEDULE WITH YOUR PROPOSAL

**Los Lunas School District RFP #2022-004-HR**

#### ASPHALT IMPROVEMENTS AND REPAIRS

State gross receipts and local option taxes (if any) shall not be included in the proposed costs. Such taxes shall be separately reimbursed by the Procuring Agency.

Prices for items where a quantity (“Qty”) is indicated are required and must be provided for comparison purposes between proposals. (These items are also indicated in **bold type** for clarity.) Failure to provide one or more of those prices will result in the disqualification of the proposal. Prices for all other items are requested but are not mandatory if the Offeror can not provide that product or service. NOTE that for those optional items, if a price is not provided, the Contractor MAY NOT provide that product or service under this Price Agreement. **Please submit in a sealed envelope**

OFFEROR NAME: \_\_\_\_\_

TOTAL EVALUATION PRICE \$ \_\_\_\_\_  
(From last row of table below.)

Item #	Item Description	UOM*	Price	Qty**	Extended Price
1	"NEXT DAY SERVICE" Emergency Mobilization etc.	EA			
<b>2</b>	<b>Non emergency mobilization and demobilization</b>	<b>EA</b>		<b>55</b>	
<b>3</b>	<b>Construction Staking</b>	<b>HR</b>		<b>50</b>	
<b>4</b>	<b>Site Density Testing or Material Sample Collection</b>	<b>HR</b>		<b>15</b>	
5	Clearing Trees Removal and Disposal Less than or equal to 2" diameter	EA			
6	Clearing trees, removal and disposal greater than 2" diameter	INCH IN DIAME TER			
<b>7</b>	<b>Remove and replace unsuitable soil with gravel base course class II</b>	<b>TON</b>		<b>70</b>	
8	Import and compaction of fill material	CY			
<b>9</b>	<b>Export excess material</b>	<b>CY</b>		<b>30</b>	
<b>10</b>	<b>Repair broken pavement for overlay proj. including removal of damaged etc.</b>	<b>SY</b>		<b>20</b>	



Item #	Item Description	UOM*	Price	Qty**	Extended Price
11	<b>Remove and replace broken pavement areas having firm sub-base etc.</b>	SY		20	
12	Curb line milling-tapered (depths & widths for curb tie) <u>including end of pavement transition.</u>	SY			
13	Pavement surface grinding, all hard surfaces (10 to 100 sy) x max etc.	SY-IN			
14	Pavement surface grinding, all hard surfaces (100 & over sy.) x max etc.	SY-IN			
15	<b>Pulverize existing asphalt up to 6" thick</b>	SY		150	
16	<b>Grading of areas to be paved, less than 2' excavation, no import or export etc. &lt; 200 SY</b>	SY		200	
17	<b>Grading (same as item #16)(for SY quantities of 200 to 3,000 SY per site.)</b>	SY		1,000	
18	<b>Grading (same as item # 16)(for SY quantities more than 3,000 SY per site.)</b>	SY		10,000	
19	<b>Subgrade Prep for Residential roadways, 6" at 95% per ASTM (less than 200 SY per site)</b>	SY		100	
20	<b>Subgrade Prep 6" at 95%(same as # 19)(for quantities of 200 to 3,000 SY per site.)</b>	SY		1,000	
21	<b>Subgrade Prep 6" at 95% (same as # 19)(for quantities of more than 3,000 SY per site)</b>	SY		10,000	
22	Same as item <del>22</del> 19 w/enzyme treatment process w/Bomag MPH-100 quipped w/ soil mixing etc.	SY			
23	Subgrade Preparation for Arterial, Collector, Residential roadways, 12" at 95% per ASTM D-1557 etc,	SY			
24	Lime treated subgrade, 8" w/5% lime at 95% per ASTM D-1557 COMPLETE IN PLACE PER SY etc.	SY			
25	Cement subgrade 8" w/5% cement at 95% per ASTM D-1557 COMPLETE IN PLACE ETC.	SY			
26	Geo-grid, tensar or approved equal	SY			
27	Paving fabric non woven	SY			
28	<b>Gravel base course, crushed 3" at 95% per ASTM D-1557</b>	SY		2,700	
29	<b>Gravel Base course crushed 3" at 95%</b>	TON		250	
30	<b>Gravel base course, crushed 4" at 95% per ASTM D-1557 place &amp; compact complete in place</b>	TON		1,500	
31	<b>Same as item # 30 except by the SY</b>	SY		2,500	
32	<b>Gravel base course crushed 6" at 95% per ASTM D-1557, place &amp; compact complete in place per TON</b>	TON		1,500	
33	<b>Same as item # 32 except by the SY</b>	SY		1,500	
34	<b>1" Grade C w/PG 70-22 MACHINE LAYDOWN</b>	SY		500	
35	<b>1.5" Grade C w/PG 70-22 MACHINE LAYDOWN</b>	SY		1,500	
36	<b>1.5 B Res. w/ PG 70-22 MACHINE LAYDOWN</b>	SY		500	
37	<b>2" B Res. w/PG 70-22 W MACHINE LAYDOWN</b>	SY		1,600	
38	<b>3" B Res. w/PG 70-22</b>	SY		650	
39	<b>Same as item 37 w/o machine</b>	SY		50	
40	<b>Same as item 38 w/o machine</b>	SY		50	

Item #	Item Description	UOM*	Price	Qty**	Extended Price
41	Tack Coat	TON		<del>81</del> 5	
42	Prime Coat	TON		1	
43	Fog Seal HFE-100P/ 1:1	TON		30	
44	SS-1h Emulsion/ 1:1	TON			
45	Rubberized crack seal	LB		5,000	
46	Wide crack repair w/fines up to 6"	LF		500	
47	Sidewalk 4" thick, Portland cement, concrete incl. subgrade compaction complete in place per SY (less than 30 SY per site)	SY			
48	Side walk 4" thick Portland Cement SY Concrete (same as # 62)(for quantities of 30 to 200 SY per site	SY			
49	6" PCC pavement # 4 at 12" EW	SF			
50	Drivepad 6" thick Portland cement concrete including subgrade compaction complete in place per SY (quantities less than 30 SY)	SY			
51	Drivepad 6" thick Portland cement concrete including subgrade compaction complete in place per SY (quantities of 30 to 200 SY	SY			
52	Remove and Dispose Existing Asphalt	SY		200	
53	Existing Sidewalk and/or Drivepad/Valley Gutter, saw cut, remove & dispose complete per SY	SY			
54	PCC Curb and gutter, all types in place in accordance w/ Valencia County Street Standards	LF			
55	8" extruded asphalt curb complete in place	LF			
56	6" extruded asphalt curb complete in place	LF			
57	Saw cut remove and dispose concrete curb	LF			
58	Adjust. Existing Water Valve Box and Stem to Grade in accordance w/City of Alb requirements per ea.	EA			
59	Adjust Existing Water Meter Box to Grade in accordance w/City of Alb complete in place	EA			
60	Replace Existing Type "A" Water Valve Box & Stem to grade in accordance w/City of Alb complete in place ea.	EA			
61	Replace Existing type "b" Water Valve Box & Stem to grade in accordance w/ City of Alb complete in place ea.	EA			
62	Replace existing Double Water Meter Box for 3/4" & 1" Meter to grade in accordance w/ city of Alb complete in place ea.	EA			
63	Replace Existing Single water meter box for 1 1/2" & 2" meter to grade in accordance w/ city of Alb complete in place ea.	EA			
64	Replace Existing Heavyweight water meter box cover & lid to grade in accordance w/City of Alb complete in place ea.	EA			
65	Adjust Existing Sewer Manhole Frame and Cover to Grade 2" or less complete in place per EA.	EA			

Item #	Item Description	UOM*	Price	Qty**	Extended Price
66	New frame and cover for storm drain manholes in conjunction w/adjustment	EA			
67	Drain Basin, installation of prefabricated 24" dia. drain basin, less than or equal to 5' in depth incl. H-20 grate per ea.	EA			
68	Same as item #67 except small diameter <=12" ,5' depth	EA			
69	Same as item #67 except concrete per COA details 2206 (single D) 2216, 2220	EA			
70	Drain Basin installation of prefabricated 24" dia.. Drain basin greater than 5' & less than or equal to 8' in depth incl. H-20 grate per ea.	EA			
71	Same as item #70 except concrete per COA details 2206 (single D) 2216,2220	EA			
72	Drain Basin installation of prefabricated 24" dia. Drain basin greater than 8" and less than or equal to 12" in depth, incl.H-20 grate per ea.	EA			
73	Same as item #72 except concrete per COA details 2206 (single D) 2216,2220	EA			
74	Install 8" PVC non perforated drain line, SDR 35 including trench, backfill and compacting 0-4' depth	LF			
75	Install 8" PVC non perforated drain line, SDR 35 including trench, backfill and compacting, 4' - 8' depth	LF			
76	Install 8" PVC non perforated drain line SDR 35 including trench, backfill and compacting, 8' - 12 depth	LF			
77	8" to 18" drainline transition, fabricated, or cast-in-place	EA			
78	Install ABS Infiltrator Cultech Model 330HD Recharger or approve equivalent w/ dimensioned etc. backfill, compact 0-7' invert depth.	LF			
79	Install 18" diameter CMP 16 gauge galvanized pipe perforated all sides 2" holes @ 8" spacing w/ 4" minimum dimension open stone 18" on each side, 2' below, and 6' above pipe, W non-woven filter fabric covering open rock, back fill, compact 4-8' pipe invert depth <del>With 90 degree elbow and 18" vertical clean out on end</del>	LF			
80	Install 18" diameter CMP 16 gauge galvanized pipe perforated all sides 2" holes @ 8' spacing w/ 4" minimum dimension etc. open stone 18" on each side, 2' below, and 6' above pipe, W non-woven filter fabric covering open rock, back fill, compact 8-12' pipe invert depth <del>With 90 degree elbow and 18" vertical clean out on end</del>	LF			
80A	90 degree elbow and 18" vertical clean out on end	EA			
81	Speed Humps are to be priced per foot of width. Complete in place w/ VC speed hump design Standards. Unit bid price include all materials & labor etc.	LF			
82	Painting of 12" wide <del>old-applied</del> thermoplastic markings.	SF		100	

Item #	Item Description	UOM*	Price	Qty**	Extended Price
83	Striping of speed humps utilizing thermoplastic installed in sharks tooth design ( per current MUTCD) <b>12' length-Option A Pavement Markings for Speed Humps without Crosswalks</b>	EA		110	
84A	<b>4" STRIPING REFLECTIVE ONE APPLICATION &lt;=20000'</b>	LF		110,000	
84B	<b>4" STRIPING NON-REFLECTIVE ONE APPLICATION &lt;=20000'</b>	LF		110,000	
85A	<b>4" STRIPING REFLECTIVE ONE APPLICATION &gt; 20000'</b>	LF		30,000	
85B	<b>4" STRIPING NON-REFLECTIVE ONE APPLICATION &gt;20000'</b>	LF		30,000	
86	Chip seal markers	EA			
87	<b>Striping removal 4" width</b>	LF		1,000	
88	Install steel delineator post w/ 12 x 6 reflectorized aluminum plate w/ high intensity sheeting	EA			
89	Install sign w/ SEG sheeting & SEG sheeting and boarder sign with TYPE IV HIPP sheeting and boarder w/ standard lettering including post, anchor, & installation	SF			
89A	<b>Install square tube posts for signs as per NMDOT standards</b>	EA			
90	Install SPEED HUMP AHEAD sign in ea. Direction on ea. Segment of road where humps are installed etc. <b>Each unit includes 2 signs; one installed on each side of the road in the direction of traffic flow</b>	EA			
91	Install 18" x 18" speed advisory plate ( 20 MPH) w/ yellow SEG sheeting w/ black legend & boarder	EA			
92	Alternate speed hump. <u>Complete in place per VC speed hump design Standards. Price per foot of width. Complete in place w/ VC speed hump design Standards. Unit bid price include all materials &amp; labor etc.</u>	LF			
93	Traffic control per hr. Must comply w/ current edition of the Manual on Uniform Traffic Control Devices. <b>Up to 15 devices</b>	HOUR			
93A	<b>Same as Item 93; 16-50 devices</b>	HOUR			
93B	<b>Same as Item 93; &gt; 50 devices</b>	HOUR			
94	<b>Traffic control per day (24 hr period). Must comply w/ the most current edition of the Manual on Uniform Traffic Control Devices Up to 15 Devices</b>	DAY		50	
94A	<b>Same as Item 94; 16-50 Devices</b>	DAY		50	
94B	<b>Same as Item 94; &gt;50 Devices</b>	DAY		50	
95	Traffic Control per week ( 7days). Must comply w/the current edition of the Manual on Uniform Traffic Control Devices <b>Up to 15 Devices</b>	WK			
95A	<b>Same as Item 95; 16-50 Devices</b>	WK			
95B	<b>Same as Item 95; &gt;50 Devices</b>	WK			
96	<del>Arrow Display ( sequential arrow display per hour)</del> <b>Type A Bollard 36" Tall, 6" Diameter Steel Pipe, concrete filled with permanent concrete foundation. Painted Finish</b>	<del>HOUR</del> EA			
97	<del>Arrow Display (sequential arrow display per hour)</del> <b>Type B Bollard 36" Tall, 6" Steel installed with a removable foundation. Painted Finish</b>	<del>HOUR</del> EA			

Item #	Item Description	UOM*	Price	Qty**	Extended Price
98	Arrow Display ( sequential arrow display per hour) Type C	HOUR			
99	<del>Arrow display (sequential arrow display per day - 24 hour period) Type A.</del>	<del>DAY</del>			
100	<del>Arrow display (sequential arrow display per day - 24 hour period) Type B</del>	<del>DAY</del>			
101	Arrow display (sequential arrow display per day - 24 hour period) Type C.	DAY			
102	<del>Arrow display (sequential arrow display per week - 7 days) Type A.</del>	<del>WK</del>			
103	<del>Arrow display (sequential arrow display per week - 7 days) Type B.</del>	<del>WK</del>			
104	Arrow display (sequential arrow display per week - 7 days) Type C.	WK			
105	Raised pavement markers circular w/ white or yellow non-reflective in accordance w/NM State HWY standard specs. for HWY & Bridge Const.	EA			
106	Raised white or yellow reflective pavement markers in accordance w/ NM State HWY standard specs. for HWY & Bridge const.	EA			
107	GUARDRAIL REQUIREMENTS EMERGENCY ACTION				
108	Furnish & install guardrail on an emergency basis. Mobilization shall commence within 2Hrs of request etc.	<del>LS</del> -EA			
109	Provide & install Thrie Beam to Concrete Connection	EA			
110	Remove Thrie Beam and Concrete Connection	EA			
111	Provide and install 10 Lf Straight Thrie Beam Guardrail	LF			
112	Remove 10 LF straight Thrie Beam Guardrail	LF			
113	Provide and install 10 LF Curved Thrie Beam Guardrail	LF			
114	Remove 10 LF Curved Thrie Beam Guardrail	LF			
115	Provide and install Thrie Beam to W Beam Transition	EA			
116	Remove Thrie Beam to kW. Beam Transition	EA			
117	Provide and install 10 LF Straight W Beam Guardrail	LF			
118	Remove 10 LF Straight W Beam Guardrail	LF			
119	Provide and install 10 LF Curved W Beam Guardrail	LF			
120	Remove 10 LF Curved W. Beam Guardrail	LF			
121	Provide and install Type "C" Anchor.	EA			
122	Remove Type "C" Anchor	EA			
123	ALTERNATE: Provide and install in place of "C" Anchor an "A" Anchor.	EA			
124	<del>Remove in place "C" Anchor an "A" Anchor. ALTERNATE: Provide and install in place of "A" &amp; "C" Anchor a flared terminal end section.</del>	<del>EA</del>			
125	Remove in place of "A" & "C" Anchor a Flared Terminal End Section	EA			
126	Furnish & install guardrail on a non-emergency basis. Mobilization shall commence within 72 hrs of request etc.	LS			
127	Provide and install Thrie Beam to Concrete Connection	EA			
128	Remove Thrie Beam and Concrete Connection	EA			
129	Provide and install 10 LF Straight Thrie Beam Guardrail	<del>LF</del> -EA			

Item #	Item Description	UOM*	Price	Qty**	Extended Price
130	Remove 10 LF Straight Thrie Beam Guardrail	<del>LF</del> EA			
131	Provide and install 10 LF Curved Thrie Beam Guardrail	<del>LF</del> EA			
132	Remove 10 LF Curved Thrie Beam Guardrail	<del>LF</del> EA			
133	Provide and install Thrie Beam to W Beam Transition.	EA			
134	Remove Thrie Beam to W. Beam Transition.	EA			
135	Provide and install 10 LF Straight W Beam Guardrail	<del>LF</del> EA			
136	Remove 10 LF Straight W Beam Guardrail	<del>LF</del> EA			
137	Provide and install 10 LF Curved W. Beam Guardrail	<del>LF</del> EA			
138	Remove 10 LF Curved W. Beam Guardrail	<del>LF</del> EA			
139	Provide and install Type "C" Anchor.	EA			
140	Remove Type "C" Anchor	EA			
141	ALTERNATE: provide & install in place of "C" Anchor an "A" Anchor	EA			
142	Remove an "A" Anchor	EA			
143	ALTERNATE: Provide and install in place of "A: or "C" Anchor a flared Terminal End Section	EA			
144	Remove A Flared Terminal End Section	EA			
145	ET2000 End Section 37"-6" 37' 6" long with 2 steel-tube assembly	EA			
146	BEST 350 End Section 37"-6" 37' 6" long with 2 steel-tube assembly	EA			
147	18" CMP 0"-8" DEPTH W/PIPE & BANDS	LF			
148	SAME AS ITEM 147 EXCEPT 24"	LF			
149	SAME AS ITEM 147 EXCEPT 30"	LF			
150	SAME AS ITEM 147 EXCEPT 36"	LF			
151	SAME AS ITEM 147 EXCEPT 42"	LF			
152	SAME AS ITEM 147 EXCEPT 48"	LF			
153	CULVER INSTALLATION ONLY 18"-36"	LF			
154	CULVERT INSTALLATION ONLY 42"-48"	LF			
155	18" CMP END SECTION	EA			
156	24" CMP END SECTION	EA			
157	30" CMP END SECTION	EA			
158	36" CMP END SECTION	EA			
159	42" CMP END SECTION	EA			
160	48" CMP END SECTION	EA			
161	RIP RAP PLAIN 12 TO 5VL PER COA SPECIFICATIONS	CY			
162	RIP RAP WIRE ENCLOSED 8 TO 4 VL PER COA SPECIFICATION	CY			
163	GROUTED RIP RAP 12 TO 5 VL PER COA SPECIFICATIONS	CY			
164	Preparation & submittal of NPDES Permit, SWPPP and construction of BMP'S compete	LS			
165	Preparation and submittal of NPDES Waiver letter for projects over 1 acre when required by the County	LS			
166	4" PVC C-900 WATERLINE	LF			
167	6" PVC C-900 WATERLINE	LF			
168	8" PVC C-900 WATERLINE	LF			
169	EXTRA DEPTH>6' WL	VF/LF			
170	REM & DISP WATERLINE	LF			
171	PRESS CONN TO WL	EA			
172	NON-PRESS CONN TO WL	EA			
173	MJ FITTINGS 4"-14"	LB			
174	6" TAPPING SLEEVE	EA			
175	8" TAPPING SLEEVE	EA			

Item #	Item Description	UOM*	Price	Qty**	Extended Price
176	4" GATE VALVE	EA			
177	6" GATE VALVE	EA			
178	8" GATE VALVE	EA			
179	VALVE BOX A OR B	EA			
180	FIRE HYD 4.0' BURY	EA			
181	FIRE HYD 4.5' BURY	EA			
182	FIRE HYD EXT 6" OR 12"	EA			
183	REM & RELAY EX FH	EA			
184	REM & DISP EX FH	EA			
187	PCC BLKG/ENCSMT	CY			
185	RPCC BLKG/ENCSMNT	CY			
186	RESTRAINT GLAND 4-8"	EA			
187	JT HARNESS 4"-8"	EA			
188	3/4" SVC REPL/TRANS	EA			
189	3/4" SVC TRANS @ MAIN	EA			
190	3/4" MTR BOX RELOC	EA			
191	3/4" NEW SGL WTR SVC	EA			
192	3/4" NEW DBL WTR SVC	EA			
193	TRCHG 4" - 15" < 8'	LF			
194	TRCHG 4"- 15' 8' - 12'	LF			
195	TRCHG 4"- 15' 12' - 16'	LF			
196	SELECT BKFILL MAT'L	CY			
197	REM/DISP UNSUIT MAT'L	CY			
198	8" PVC SDR-35 SEWER	LF			
199	10" PVC SDR-35 SEWER	LF			
200	12" PVC SDR-35 SEWER	LF			
201	8"-10" WET SAS CONN	EA			
202	VERT DROP AT MANHOLE	VF			
203	REM & DISP 4"-12" SAS	LF			
204	4" PVC SAS SVC STUB	LF			
205	8" X 4" TAP O EX SAS	EA			
206	18" RCP CL III	LF			
207	24" RCP CL III	LF			
208	30" RCP CL III	LF			
209	36" RCP CL III	LF			
210	42" RCP CL III	LF			
211	48" RCP CL III	LF			
212	ADDED COST CL IV RCP	IN/DIA			
213	REM/ DSP SD 12" - 18"	LF			
214	REM/DSP SD 24" - 48"	LF			
215	CTH BSN A SGL	EA			
216	CTH BSN C SGL	EA			
217	CTH BSN C DBL	EA			
218	CTH BSN D SGL	EA			
219	CTH SBN D DBL	EA			
220	REM/DISP EX CTH BSN	EA			
221	TRCHG 18"-36" 0'-8'	LF			
222	TRCHG 18" - 36" 8' - 12'	LF			
223	TRCHG 42" - 48" 0' - 8'	LF			
224	TRCHG 42" - 48" 8' - 12'	LF			
225	4' DIA MH 0' -6'	EA			
226	4' DIA MH 6' - 10'	EA			
227	4' DIA MH 10'-14'	EA			
228	6' DIA MH <del>6' - 10'</del> 0-6'	EA			
229	6' DIA MH 6' - 10'	EA			

Item #	Item Description	UOM*	Price	Qty**	Extended Price
230	6' DIA MH 10'- 14'	EA			
231	REM/DISP EX MANHOLE	EA			
232	ABANDON MH INPLACE	EA			
233	SETUP 6" BYPASS PUMP	JOB			
234	OPERATE 6" BYPASS	HR			
235	TRENCH DEWATERING	VF/LF			
236	Asphalt Treated Base, having 1600 lb stability, or approved alternate, or State 1A Marshall mix. Alternates shall include all specialized testing or equipment necessary to verify product performance, in the unit price.	TON			
	<b>Sum of Extended Prices ("Total Evaluation Price")</b>				

**Miscellaneous Materials:** \_\_\_\_\_ % Off List

\*UOM – Unit of Measure

\*\*Quantities indicated reflect POSSIBLE usage and are provided for comparison purposes only. They DO NOT reflect anticipated, planned or guaranteed usage.

### UNPRICED LINE ITEMS

The following items may be required, on a project per project basis, but can not be fairly priced in advance. By checking “Agree”, Contractor agrees the line item will be provided upon request and that the price shall be negotiated between Contractor and User on a “per project” basis. By checking “Disagree”, Contractor is indicating they will not provide the line item.

While actual pricing is subject to negotiation, in no case shall the amount paid by the user exceed the actual invoice price paid by the Contractor. No mark-up shall be allowed. Contractor shall provide proof of the actual invoice cost upon request of the using agency.

**FOR EACH LINE ITEM, CONTRACTOR SHOULD CHECK EITHER “AGREE” OR “DISAGREE”.**

Item #	Item Description	AGREE	DISAGREE
237	Payment Bond		
238	Performance Bond		
239	Liquidated Damages		
240	Lab Evaluation of Material Samples		

**Offeror hereby acknowledges receipt of Addenda**

Number \_\_\_\_\_, Dated \_\_\_\_\_  
Number \_\_\_\_\_, Dated \_\_\_\_\_  
Number \_\_\_\_\_, Dated \_\_\_\_\_

*(Add additional if needed)*



The representations herein are made under penalty of perjury. We hereby offer to sell the Procuring Agency the above product(s) or services at prices not to exceed those shown and under the terms and conditions herein, attached, or incorporated by referenced.

\_\_\_\_\_  
Offeror Name

\_\_\_\_\_  
Signature of Authorize Representative

\_\_\_\_\_  
Address

\_\_\_\_\_  
Name of Authorized Representative

\_\_\_\_\_  
City, State, Zip Code

\_\_\_\_\_  
Title of Authorized Representative

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Date

**ACKNOWLEDGEMENT OF AMENDMENT NO. 2**

**ASPHALT IMPROVEMENTS AND REPAIRS**

**Los Lunas Schools RFP 2022-004-HR**

In acknowledgment of receipt of this Request for Proposal (RFP) the undersigned agrees that he/she has received a complete copy of the RFP and Amendment No.1 dated 2/02/22

**This Acknowledgment of Amendment must be signed and returned with your Proposal on or before February 22, 2022, 2:00 PM Local Time**

FIRM: \_\_\_\_\_

REPRESENTED BY: \_\_\_\_\_ TITLE: \_\_\_\_\_

E-MAIL ADDRESS: \_\_\_\_\_

PHONE NO.: \_\_\_\_\_ FAX NO.: \_\_\_\_\_

ADDRESS: \_\_\_\_\_

CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP CODE: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_ DATE: \_\_\_\_\_

Please return to:

Heather Rindels  
Los Lunas Schools Buyer  
P.O. Drawer 1300 (if mailed)  
119 Luna Avenue (if delivered)  
Los Lunas, NM 87031  
Phone: (505) 866-8259  
Fax: (505) 866-8262