


ROCKDALE COUNTY, GEORGIA

March 27, 2019

FIRE HOSE

INVITATION TO BID

19-07



**ROCKDALE COUNTY FINANCE DEPARTMENT
PROCUREMENT OFFICE
958 MILSTEAD AVENUE
CONYERS, GA 30012
770-278-7552**

INTRODUCTION:

This is an Invitation to Bid for the purchase of **Fire Hose in Rockdale County**. Instructions for preparation and submission of a bid are contained in this packet. Bids must be typed or printed in ink.

Rockdale County provides equal opportunity for all businesses and does not discriminate against any person or business because of race, color, religion, sex, national origin, and handicap or veterans status. This policy ensures all segments of the business community have access to supplying the goods and services needed by Rockdale County.

PURCHASING CONTACT FOR THIS REQUEST:

All questions concerning this ITB and all questions arising subsequent to award are to be addressed to the Purchasing Division via email to Meagan Porch, Buyer, at meagan.porch@rockdalecountyga.gov or the following address:

Rockdale County Finance Department
Purchasing Division
Attn: Meagan Porch
958 Milstead Avenue
Conyers, GA 30012
Phone: (770) 278-7557, Fax (770) 278-8910
E-mail: meagan.porch@rockdalecountyga.gov

To maintain a "level playing field", and to assure that all bidders receive the same information, bidders are requested **NOT** to contact anyone other than the contact above until after the award of the contract. Doing so could result in disqualification of the bidder.

BID COPIES FOR EVALUATION:

Three (3) hard copies and one (1) original hard copy and one (1) Flash Drive in Adobe PDF format will be required for review purposes. *(Original must be clearly marked "Original" and the Copies clearly marked "Copies.")*. Flash Drives that are blank or have incorrect information on them will not be acceptable and may be justification for disqualification. Check your Flash Drive(s) to ensure that they have the appropriate material on it before submitting.

All bid materials must be completed and enclosed in a sealed envelope prior to submittal. The ITB number must be clearly written on the outside of the envelope. **Incomplete, incorrect, unsealed, unmarked, or improperly submitted bids may be rejected.**

CONTRACT TERM:

12 Months from Notice to proceed with option to renew two additional 12-month periods.

DUE DATE:

Sealed bids will be received at the Rockdale County Finance Department, Procurement Division, 958 Milstead Avenue, Conyers, GA 30012 no later than **2:00 P.M., local time, Thursday, April 18, 2019**. Bids received after this time will not be accepted. Bidders are not required to attend bid opening.

QUESTIONS AND CLARIFICATIONS:

All questions and/or requests for clarifications concerning this ITB must be submitted to the Purchasing Division via email to meagan.porch@rockdalecountyga.gov or at the above address no later than **2:00 p.m., local time, on Thursday, April 11, 2019**. It shall be the Bidders responsibility to seek clarification as early as possible prior to the due date and time. Written responses from the County to the questions it receives will be in an addendum and posted to the County's website at www.rockdalecountyga.gov, under Bid Opportunities. Questions or requests for clarifications received after this deadline will not receive a response.

ADDENDA:

Answers to questions submitted that materially change the conditions and specifications of this ITB will be issued in an addendum and posted to the County's website at www.rockdalecountyga.gov under Bid Opportunities. Any discussions or documents will be considered non-binding unless incorporated and issued in an addendum.

It is the bidder's responsibility to check the Rockdale County website at www.rockdalecountyga.gov, under Bid Opportunities for any addenda that may be issued, prior to submitting a bid for this ITB.

DELIVERY

Delivery is required with 45 calendar day(s) after receipt of individual orders. However, alternate delivery time will be considered provided it is so stated.

(Bidder state number of days for delivery)

All prices are to be firm, **F.O.B. Destination, Freight Prepaid and Allowed**.

Delivery must be made between 8:30 A.M. and 3:30 P.M. Monday through Friday, unless otherwise requested.

DELIVERY F.O.B.: The successful bidder shall give a 24-hour prior notice of delivery to Division calling in the order; and **must ask for caller's Purchase Order Number (or Release Number) at that time**, when giving such prior Notice.

NOTE: F.O.B. POINT: Unless otherwise stated in the invitation and any resulting contract, or qualified by the bidder, all articles will be F.O.B. Destination, Freight Prepaid and Allowed. This shall include delivered, unloaded and placed in designated place. Successful bidder must comply with this paragraph.

F.O.B. LOCATION: Rockdale County Fire & Rescue
1496 Rockbridge Road
Conyers, Georgia 30012
Telephone: (770) 278-8401

QUALIFICATIONS OF OFFERORS:

Bidders must have a current business license from their home office jurisdiction and provide a copy of that license with the submittal of their bid response. Rockdale County vendors doing business in Rockdale County must have a current Rockdale County Business License.

Bids from any offeror that is in default on the payment of any taxes, license fees, or other monies due to Rockdale County will not be accepted.

Bidders are to submit at least **(3) three references** from projects with similar experience using the materials and process in this Invitation to Bid.

SILENCE OF SPECIFICATIONS

The apparent silence of these specifications and any supplemental specifications as to any details, or the omission from it of a detailed description concerning any point, shall be regarded as meaning that only the best commercial practices are to prevail and that only materials of first quality and correct type, size and design are to be used. All workmanship is to be first quality. All interpretations of this specification shall be made upon the basis of this statement, with County interpretation to prevail.

OPTION TO AUDIT

Successful bidder will be required to maintain complete records during the life of the contract and for a period of one year after completion of the contract. Such records are to be made available to the County if officially requested, to be audited by a designated County auditing staff. In such audits reveal overcharges and/or undercharges, such will be adjusted and compensation made by either party to correct charges.

TORT IMMUNITY:

No officer, employee, or agent of the County acting within the scope of his/her employment or function shall be held personally liable in tort or named as a defendant in any action for injury or damage suffered because of any act, event, or failure to act.

PROPRIETARY INFORMATION:

Careful consideration should be given before submitting confidential information to Rockdale County. The Georgia Open Records Act permits public scrutiny of most materials collected as part of this process. Please clearly mark any information that is considered a trade secret, as defined by the Georgia Trade Secrets Act of 1990, O.C.G.A. §10-1-760 et seq., as trade secrets are exempt from disclosure under the Open Records Act. Rockdale County does not guarantee the confidentiality of any information not clearly marked as a trade secret.

AWARD OF CONTRACT:

The Rockdale County Procurement Office and/or Evaluation Committee make a recommendation for award. The Board of Commissioners will make the actual award of the contract and has the authority to award the contract to a company different than the company recommended by the Procurement Office and/or Evaluation Committee.

QUANTITIES:

The quantities listed in the Bidders Response Schedule are provided as an estimate for bid purposes. The County will not be obligated to quantities beyond actual needs.

SELECTION PROCESS:

The Rockdale County Procurement Office and/or Evaluation Committee makes a recommendation for award. The Board of Commissioners will make the actual award of the contract and has the authority to award the contract to a company different than the company recommended by the Purchasing Department and/or Evaluation Committee.

This is a past performance/quality/price trade-off source selection in which competing offeror's past and present performance history and product quality will be evaluated on a basis approximately equal to price. Award will be made to the responsible offeror whose bid represents the best value after evaluation in accordance with the factors listed below. Rockdale County Board of Commissioners may reject any or all bids if such action is in the county's interest.

Rockdale County may evaluate bids and award a contract without discussions with offerors. Therefore, the offeror's initial bid should contain the offeror's best terms from a price and technical standpoint. The County reserves the right to conduct discussions if the County later determines them to be necessary.

INSURANCE:

The Company shall maintain in full force and effect the following insurance during the term of the Agreement.

Coverage	Limits of Liability
Workers' Compensation	Statutory
Employers' Liability	\$1,000,000.00
Bodily Injury Liability	\$1,000,000.00 each occurrence
except Automobile	\$1,000,000.00 aggregate
Property Damage Liability	\$1,000,000.00 each occurrence
except Automobile	\$1,000,000.00 aggregate
Personal & Advertising Injury Limit	\$1,000,000.00
Products / Completed Ops.	\$2,000,000.00 aggregate
Automobile Bodily Injury	\$1,000,000.00 each person
Liability	\$1,000,000.00 each occurrence
Automobile Property Damage	\$1,000,000.00 each occurrence
Liability	
Excess Umbrella Liability	\$1,000,000.00 each occurrence

All insurance shall be provided by an insurer(s) acceptable to the County, and shall provide for thirty (30) days prior notice of cancellation to the County. Upon contract award, Contractor shall deliver to the County a certificate or policy of insurance evidencing Contractor's compliance with this paragraph. Contractor shall abide by all terms and conditions of the insurance and shall do nothing to impair or invalidate the coverage.

Rockdale, GA shall be named as Additional Insured under any General Liability, Business Auto and Umbrella Policies using ISO Additional Insured Endorsement forms CG 2010 or its equivalent. Coverage shall apply as Primary and non-contributory with Waiver of Subrogation in favor of Rockdale County, Georgia.

The insurance carrier must have a minimum rating of A or higher as determined by the rating firm A.M. Best.

Certificates to contain policy number, policy limits and policy expiration date of all policies issued in accordance with this contract.

PERMITS:

The awarded contractor will be responsible for acquiring any permits that are required for this project/purchase. Rockdale County will waive fees on all permits issued by Rockdale County.

ILLEGAL IMMIGRATION REFORM AND ENFORCEMENT ACT OF 2011

Vendors submitting a Qualification package in response to this RFP must complete the Contractor Affidavit under O.C.G.A. §13-10-91(b)(1) which is provided with the RFP package to verify compliance with the Illegal Immigration Reform and Enforcement Act of 2011.

- A. The form must be signed by an authorized officer of the contractor or their authorized agent.
- B. The form must be notarized.
- C. The contractor will be required to have all subcontractors and sub-subcontractors who are engaged to complete physical performance of services under the final contract executed between the County and the contractor complete the appropriate subcontractor and sub-subcontractor affidavits and return them to the County a minimum of five (5) days prior to any work being accomplished by said subcontractor or sub-subcontractor. Format for this affidavit can be provided to the contractor if necessary.

LOCAL VENDOR PREFERENCE POLICY

The Rockdale County Board of Commissioners adopted a Local Vendor Preference Policy on March 26, 2013. The policy will apply to all qualified Invitations to Bids and Request for Proposals after May 1, 2013. The Local Vendor Preference Policy allows Rockdale County vendors to get an extra 5 points on the evaluation criteria scoring for Request for Proposal. The Policy will give the local bidder the opportunity to match the price of a non-local vendor's bid price if they are low and within 5% of the low bidder's price on Invitation to Bids. A copy of the Policy may be downloaded from the County website at www.rockdalecountyga.gov, Under Finance/Purchasing.

The Local Vendor Preference Policy: will apply to this ITB.

BID FORM – ITB# 19-07

Instructions: Complete all THREE parts of this bid form.

PART I: Vendor Information:

Vendor Name	
Address	
Telephone	
E-Mail	
Representative (print name)	
Signature of Representative	
Date Submitted	

PART II: Addenda Acknowledgements (if applicable)

Each vendor is responsible for determining that all addenda issued by the Rockdale County Finance Department have been received before submitting a bid.

Addenda	Date Vendor Received	Initials
"1"		
"2"		
"3"		
"4"		
"5"		
"6"		

BID FORM – ITB# 19-07 (Continued)

PART III: Bid Summary

Complete the information below. If you wish to submit more than one brand, make a photocopy of this Bid Form.

INVITATION TO BID

PRICE SCHEDULE

ITEM NO.	COMMODITIES OR SERVICES	ESTIMATED NUMBER OF UNITS	UNIT	UNIT PRICE	AMOUNT
1.	Hose, All-American, 1-inch nominal internal diameter, Type 8 F , 300-pound service test, Length 100 Feet, 100 percent synthetic with a polyurethane lining, and in accordance to minimum specifications and notes below. (ONLY)	15	Section	_____	_____
2.	Hose, All-American, 1-3/4 inch N-Dura , Color Tan. Service Pressure 400PSI, Acceptance Pressure 800PSI, Length 50 Feet, and accordance to minimum specifications and notes below. (ONLY)	12	Section	_____	_____
3.	Hose, All-American, 1¾ inch N-Dura , Color Orange, Service Pressure 400PSI, Acceptance Pressure 800PSI, Length 50 Feet, and in accordance to minimum specifications and notes below. (ONLY)	12	Section	_____	_____
4.	Hose, All-American, 1¾ inch N-Dura , Color Green, Service Pressure 400PSI, Acceptance Pressure 800PSI, Length 50 Feet, and in accordance to minimum specifications and notes below. (ONLY)	12	Section	_____	_____
5.	Hose, All-American, 2-1/2 N-Dura , Color Orange, Service Pressure 400 PSI Acceptance pressure 800-lb test, Length 50 Feet , and in accordance to minimum specifications and notes below. (ONLY)	20	Section	_____	_____
6.	Hose, All-American, 3” N-Dura , Color Blue, Service Pressure 400 PSI Acceptance pressure 800-lb test, Length 50 Feet , and in	10			

	accordance to minimum specifications and notes below. (ONLY)		Section	_____	_____
ITEM NO	COMMODITIES OR SERVICES	ESTIMATED NUMBER OF UNITS	UNIT	UNIT PRICE	AMOUNT
7.	Hose, All-American, 5-inch nominal internal diameter, Triple Duty-Type TD , Color Yellow, Length 100 Feet, 100% high strength, low stretch filament nylon with thermoplastic polyurethane liner, Aluminum Storz couplings. (ONLY)	70	Section	_____	_____
8.	Hose, All-American, 5-inch nominal internal diameter, Triple Duty-Type TD , Color Yellow, Length 50 Feet, 100% high strength, low stretch filament nylon with thermoplastic polyurethane liner. Aluminum Storz couplings (ONLY)	5	Section	_____	_____
9.	Hose, All-American, 5-inch nominal internal diameter, Triple Duty-Type TD , Color Red, Length 50 Feet, 100% 100% high strength, low stretch filament nylon with thermoplastic polyurethane liner, Aluminum NST 6 inch rocker lug and 4 -1/2 extended lug couplings , and in accordance to minimum specifications and notes below. (ONLY)	20	Section	_____	_____
10.	Hose, All-American, 2-1/2 N-Dura , Color White, Service Pressure 400 PSI Acceptance pressure 800-lb test, Length 25 Feet , and in accordance to minimum specifications and notes below. (ONLY)	20	Section	_____	_____
11.	Total Estimated Cost				

End Price Schedule.

GENERAL INFORMATION:**RECEIPT OF BID:**

No bids received after said time or at any place other than the time and place as stated in the notice shall be considered. No responsibility shall attach to Rockdale County for the premature opening of a bid not properly addressed and identified.

WITHDRAWAL OF BID:

A bidder may withdraw his bid before the bid due date, without prejudice to the bidder, by submitting a written request of withdrawal to the Rockdale County Procurement Office.

REJECTION OF BID:

Rockdale County may reject any and all bids and must reject a bid of any party who has been delinquent or unfaithful in any formal contract with Rockdale County. Also, the right is reserved to waive any irregularities or informalities in any bid in the proposing procedure. Rockdale County shall be the sole judge as to which bid is best, and in ascertaining this, will take into consideration the business integrity, financial resources, facilities for performing the work, and experience in similar operations of the various bidders.

STATEMENT OF EXPERIENCE AND QUALIFICATIONS:

The bidder may be required, upon request, to prove to the satisfaction of Rockdale County that he/she has the skill, experience, necessary facilities and ample financial resources to perform the contract(s) in a satisfactory manner and within the required time. If the available evidence of competency of any bidder is not satisfactory, the bid of such bidder may be rejected. The successful bidder is required to comply with and abide by all applicable federal and state laws in effect at the time the contract is awarded.

NON-COLLUSION AFFIDAVIT:

By submitting a bid, the bidder represents and warrants that such bid is genuine and not sham or collusive or made in the interest or in behalf of any person not therein named, that the bidder has not directly or indirectly induced or solicited any other bidder to put in a sham bid, or any other person, firm or corporation to refrain from proposing and that the bidder has not in any manner sought by collusion to secure to that bidder any advantage over any other bidder.

INTEREST OF:

By submitting a bid, the bidder represents and warrants that a Commissioner, Administrator, employee, nor any other person employed by Rockdale County has, in any manner, an interest, directly or indirectly, in the bid or in the contract which may be made under it, or in any expected profits to arise therefrom.

DOCUMENTS DEEMED PART OF THE CONTRACT:

The notice, invitation to bidders, general conditions, and instructions for bidders, special conditions, specifications, bid, and addenda, if any, will be deemed part of the contract.

GOVERNING LAWS:

This contract is made under and shall be governed and construed in accordance with the laws of the State of Georgia.

ERRORS AND OMISSIONS:

The vendor shall not take advantage of any errors or omissions in this Bid Request and shall promptly notify Rockdale County of any omissions or errors found in this document.

STANDARD INSTRUCTIONS:

1. The instructions contained herein shall be construed as a part of any bid invitation and/or specifications issued by Rockdale County and must be followed by each bidder.
2. The written specifications contained in this bid shall not be changed or superseded except by written addendum from Rockdale County. Failure to comply with the written specifications for this bid may result in disqualification by Rockdale County.
3. All goods and materials shall be F.O.B. Destination Conyers, Georgia and no freight or postage charges will be paid by Rockdale County unless such charges are included in the bid price.
4. The following **ITB# 19-07** must be written clearly on the outside of each bid envelope in order to avoid prior opening in error.
5. All bids must be received and in-hand at bid due date and time. Each bidder assumes the responsibility for having his/her bid received at the designated time and place of bid due date. Bids received after the stated time and date may be subject to rejection without consideration, regardless of postmark. Rockdale County accepts no responsibility for mail delivery.
6. Unless otherwise stated, all bids submitted shall be valid and may not be withdrawn for a period of 120 days from the due date.
7. Each bid form submitted must include the name of the business, mailing address, the name, title and signature of the person submitting the bid. When submitting a bid to Rockdale County the first page of your bid package should be the bid form listing the price, delivery date, etc., unless the bid form is requested to be in a separate envelope.
8. Rockdale County reserves the right to accept a bid that is not the lowest price if, in the County's judgment, such bid is in the best interest of the County and the public. The County reserves the right to reject any and all bids.
9. Telephone, Telegraphic or Facsimile bids will not be accepted.
10. 1No sales tax will be charged on any orders except for contracts that include construction materials being purchased through a third party.

Federal I.D. #58-6000882
Sales Tax Exempt #58-800068K
11. If applicable, completed questionnaires must be signed manually. Rockdale County reserves the right to accept or reject any bid on the basis of incomplete or inaccurate answers to the questionnaire.
12. If applicable, warranty information shall be provided.
13. Bidders shall state delivery time after receiving order.
14. Bidders shall identify any subcontractors and include an explanation of the service or product that they may provide.

BID SPECIFICATIONS:

The specifications are as follows and on the attached pages:

General:

Purchase Price shall include delivery, F.O.B. Rockdale County, Conyers, GA 30012.

Include any brochures and specifications that pertain to the equipment that you are proposing.

List any options and the cost for the options separately.

Warranty information must be provided with the submittal of bid.

All manuals associated with the equipment must be delivered with the equipment at no additional charge to Rockdale County. Manuals included but not limited to: Electrical, Pump, Wiring, Mechanical, Operational, Parts, Service, etc.

Technical:

The attached specifications that are listed are "desired" specifications based on the current product knowledge of Rockdale County. The purpose of this Bid Request is to review and evaluate other similar alternatives that could meet the County's needs. Any reference to a particular vendor or their product specifications is for descriptive purposes only and will not alter the competitiveness of this Bid Request.

MINIMUM TECHNICAL SPECIFICATIOIS FOR FIRE HOSES

	BIDDER STATE COMPLIANCE YES/NO
ITEM 1 SPECIFICATIONS (1 inch ALL-AMERICAN HOSE Type 8F)	
1. All-American Hose, Type 8F– 300-Service pound test, 100 percent synthetic. Polyester single jacket with polyurethane lining.	_____
2. Dura Cote treatment.	_____
3. The year manufactured shall be stenciled on the hose body and die stamped on each male and female coupling.	_____
4. Lengths shall be one hundred (100) feet).	_____
5. Color shall be Yellow	_____
Couplings	_____
a. U.S. Brand Only	_____
b. One inch National Standard Thread.	_____
c. 6061 T6 Aircraft Aluminum Alloy, Hard Anodized, Seamless Extrusion	_____
d. Rocker lug and higbee cut.	_____
ITEM 2 SPECIFICATIONS (1 – ¾ inch ALL-AMERICAN HOSE, N-DURA, Tan)	
1. Color – Tan	_____
2. Inside diameter – 1.88 Inches	_____
3. Service Test Pressure – 400 PSI	_____
4. Proof Test Pressure – 800 PSI	_____
5. Burst – 1200 PSI	_____
6. Length shall be 50' Feet	_____
7. Average Weight 50' Coupled – 16 LBS	_____
8. Flat Width 3.2 IN.	_____
9. Outer jacket shall be woven from 100% nylon yarns over an inner	_____

liner consisting of a one piece extruded EPDM rubber tube.	
	BIDDER STATE COMPLIANCE YES/NO
10. Hose shall be heat resistant, drag resistant and kink resistant.	_____
11. Hose shall be treated with Dura-Cote Treatment	_____
12. Ozone resistance shall show no signs of visible cracking of the cover of liner when tested in accordance with ASTM D1149-91 and ASTM D518-86 (R91), Procedure B.	_____
13. Chemical resistance contamination by most chemicals will have no effect on the short term performance of the hose.	_____
14. The year manufactured shall be stenciled on the hose body and die stamped on each male and female coupling.	_____
Couplings	
a. U.S. Brand Only	_____
b. One and one half inch National Standard Thread.	_____
c. 6061 T6 Aircraft Aluminum Alloy, Hard Anodized, Seamless Extrusion	_____
d. Rocker lug and Higbee cut	_____
ITEM 3 SPECIFICATIONS (1-3/4 inch, ALL-AMERICAN HOSE, N-DURA, ORANGE)	_____
1. Color – Orange	_____
2. Inside Diameter – 1.88 Inches	
3. Service Pressure – 400 PSI	_____
4. Proof Test Pressure – 800 PSI	_____
5. Burst – 1200 PSI	_____
6. Length shall be 50' Feet	_____
7. Average Weight 50' coupled – 16 LBS	_____
8. Flat Width 3.2 IN.	_____
9. Outer jacket shall be woven from 100% nylon yarns over an inner liner	_____

consisting of a one piece extruded EPDM rubber tube.	
10. Hose shall be heat resistant, drag resistant and kink resistant.	_____
	BIDDER STATE COMPLIANCE YES/NO
11 . Hose shall be treated with Dura-Cote Treatment	_____
12. Ozone resistance shall show no signs of visible cracking of the cover of liner when tested in accordance with ASTM D1149-91 and ASTM-D518-86 (R91), Procedure B.	_____
13. Chemical resistance contamination by most chemicals will have no effect on the short term performance of the hose.	_____
14. The year manufactured shall be stenciled on the hose body and die stamped on each male and female coupling.	_____
Couplings	_____
a. U.S. Brand Only	_____
b. One and one half inch National Standard Thread.	_____
c. 6061 T6 Aircraft Aluminum Alloy, Hard Anodized, Seamless Extrusion	_____
d. Three-rocker lug and higbee cut.	_____
ITEM 4 SPECIFICATIONS (1-3/4 inch ALL-AMERICAN HOSE N-Dura, Green)	_____
1. Color - Green	_____
2. Inside diameter – 1.88 Inches	_____
3. Service Test Pressure – 400 PSI	_____
4. Proof Test Pressure- 800 PSI	_____
5. Burst – 1200 PSI	_____
6. Length shall be 50’.	_____
7. Average Weight 50’ Coupled – 16 LBS	_____
8. Flat Width 3.2 IN.	_____

9. Outer jacket shall be woven from 100% nylon yarns over an inner liner consisting of a one piece extruded EPDM rubber tube.	_____
	BIDDER STATE COMPLIANCE YES/NO
10. Hose shall be treated with Dura-Cote Treatment	_____
11. Ozone resistance shall show no signs of visible cracking of the cover of liner when tested in accordance with ASTM D1149-91 and ASTM-D518-86 (R91), Procedure B.	_____
12. Chemical resistance contamination by most chemicals will have no effect on the short term performance of the hose.	_____
13. The year manufactured shall be stenciled on the hose body and die stamped on each male and female coupling.	_____
Couplings	_____
a. U.S. Brand Only	_____
b. One and one half inch National Standard Thread.	_____
c. 6061 T6 Aircraft Aluminum Alloy, Hard Anodized, Seamless Extrusion	_____
d. Three-rocker lug and higbee cut.	_____
ITEM 5 SPECIFICATIONS (2 ½ inch ALL-AMERICAN HOSE N-Dura, Red)	_____
1. Color - Red	_____
2. Inside Diameter – 2.5 Inches	_____
3. Service Pressure – 400 PSI	_____
4. Proof Test Pressure – 800 PSI	_____
5. Burst Pressure – 1200 PSI	_____
6. Length shall be 50'	_____
7. Average Weight 50' Coupled –26 LBS	_____
8. Flat Width – 4.5" Inches	_____
9. Outer jacket shall be woven from 100% nylon yarns over an inner liner consisting of a one piece extruded EPDM rubber tube.	_____
10. Hose shall be treated with Dura-Cote Treatment	_____
11. Ozone resistance shall show no signs of visible cracking of the cover of liner when tested in accordance with ASTM D1149-91 and ASTM-D518-86 (R91), Procedure B.	_____
12. Chemical resistance contamination by most chemicals will have no effect on the short term performance of the hose.	_____
13. The year manufactured shall be stenciled on the hose body and die stamped on each male and female coupling.	_____
Couplings	_____
a. U.S. Brand Only	_____
b. 2.5 inch National Standard Thread.	_____

<ul style="list-style-type: none"> c. 6061 T6 Aircraft Aluminum Alloy, Hard Anodized, Seamless Extrusion d. Three-rocker lug and higbee cut. 	<p>_____</p> <p>_____</p> <p style="text-align: center;">BIDDER STATE COMPLIANCE YES/NO</p>
<p>ITEM 6 SPECIFICATIONS (3 inch ALL-AMERICAN HOSE N-Dura Blue)</p>	
<p>1. Color- Blue</p>	<p>_____</p>
<p>2. Inside Diameter – 3.0</p>	<p>_____</p>
<p>3. Service Test Pressure – 400 PSI</p>	<p>_____</p>
<p>4. Proof Test Pressure – 800 PSI</p>	<p>_____</p>
<p>5. Burst Pressure – 1200 PSI</p>	<p>_____</p>
<p>6. Length shall be 50 Feet</p>	<p>_____</p>
<p>7. Average Weight 50' Coupled –34 LBS</p>	<p>_____</p>
<p>8. Flat Width 5.3 Inches</p>	<p>_____</p>
<p>9. Outer jacket shall be woven from 100% nylon yarns over an inner liner consisting of a one piece extruded EPDM rubber tube</p>	<p>_____</p>
<p>10. Hose shall be treated with Dura-Cote Treatment</p>	<p>_____</p>
<p>11. Ozone resistance shall show no signs of visible cracking of the cover of liner when tested in accordance with ASTM D1149-91 and ASTM-D518-86 (R91), Procedure B.</p>	<p>_____</p>
<p>12. Chemical resistance contamination by most chemicals will have no effect on the short term performance of the hose.</p>	<p>_____</p>
<p>13. The year manufactured shall be stenciled on the hose body and die stamped on each male and female coupling.</p>	<p>_____</p>
<p style="text-align: center;">Couplings</p>	
<p>a. U.S. Brand Only</p>	<p>_____</p>
<p>b. 2.5 inch National Standard Thread.</p>	<p>_____</p>
<p>c. 6061 T6 Aircraft Aluminum Alloy, Hard Anodized, Seamless Extrusion</p>	<p>_____</p>
<p>d. Three-rocker lug and higbee cut.</p>	<p>_____</p>
<p> </p>	

ITEM 7 SPECIFICATIONS (5 inch ALL-AMERICAN HOSE Triple Duty-Type TD)	BIDDER STATE COMPLIANCE YES/NO
1. Color - Yellow	_____
2. Inside Diameter – 5 Inch	_____
3. Service Test Pressure – 200 PSI	_____
4. Proof Test Pressure – 400 PSI	_____
5. Burst Pressure – 600 PSI	_____
6. Length shall be 100' Feet	_____
7. The year manufactured shall be stenciled on the hose body and die stamped on each coupling.	_____
8. Average Weight 100' Coupled – 110 Lbs.	_____
Couplings	
a. U.S. Brand Only	_____
b. 5 inch Stortz type	_____
ITEM 8 SPECIFICATIONS (5 inch ALL-AMERICAN HOSE Triple Duty-Type TD)	
1. Color - Yellow	_____
2. Inside Diameter – 5 Inch	_____
3. Service Test Pressure – 200 PSI	_____
4. Proof Test Pressure – 400 PSI	_____
5. Burst Pressure – 600 PSI	_____
6. Lengths shall be (50) feet.	_____
7. The year manufactured shall be stenciled on the hose body and die stamped on each coupling.	_____
8. Average Weight 50' Coupled – 40 Lbs.	_____
Couplings	
a. U.S. Brand Only	_____
b. 5 inch Stortz type	_____
ITEM 9 SPECIFICATIONS (5 inch ALL-AMERICAN HOSE Triple Duty-Type TD)	
1. Color - Red	_____
2. Inside Diameter – 5 Inch	_____
3. Service Test Pressure – 300 PSI	_____
4. Proof Test Pressure – 600 PSI	_____
5. Burst Pressure – 900 PSI	_____
6. Lengths shall be (50) feet.	_____
7. The year manufactured shall be stenciled on the hose body and die stamped on each coupling.	_____
8. Average Weight 50' Coupled – 55 Lbs.	_____
9. Outer jacket shall be woven from 100% nylon	_____
10. Thermoplastic polyurethane Liner	_____
11. Hose shall be treated with Dura-Cote Treatment	_____
12. The year manufactured shall be stenciled on the hose body and die stamped on each coupling.	_____

Couplings	BIDDER STATE COMPLIANCE YES/NO
a. U.S. Brand Only	_____
b. Aluminum National Standard Thread.	_____
c. One end shall be 6 inch NST coupled with rocker lugs. The other end shall be 4.5 inch NST coupled with extended lugs.	_____

ITEM 10 SPECIFICATIONS (3 inch ALL-AMERICAN HOSE N-Dura WHITE)	
1. Color - white	_____
2. Inside Diameter – 3 Inch	_____
3. Service Test Pressure – 400 PSI	_____
4. Proof Test Pressure – 800 PSI	_____
5. Burst Pressure – 1200 PSI	_____
6. Lengths shall be (25) feet.	_____
7. The year manufactured shall be stenciled on the hose body and die stamped on each coupling.	_____
8. Average Weight 25’ Coupled – 17 Lbs.	_____
9. Outer jacket shall be woven from 100% nylon yarns over an inner liner consisting of a one piece extruded EPDM rubber tube	_____
10. Hose shall be treated with Dura-Cote Treatment	_____
11. Ozone resistance shall show no signs of visible cracking of the cover of liner when tested in accordance with ASTM D1149-91 and ASTM-D518-86 (R91), Procedure B.	_____
12. Chemical resistance contamination by most chemicals will have no effect on the short term performance of the hose.	_____
13. The year manufactured shall be stenciled on the hose body and die stamped on each male and female coupling.	_____

Couplings	BIDDER STATE COMPLIANCE YES/NO
a. U.S. Brand Only	_____
b. Aluminum National Standard Thread.	_____
c. 6061 T6 Aircraft Aluminum Alloy, Hard Anodized, Seamless Extrusion	_____
d. Three-rocker lug and higbee cut.	_____

--	--

Minimum Requirements	
COUPLINGS AND HOSE	_____
All Couplings and Hoses will be manufactured in the U.S.A No Exception.	_____
WARRANTY	_____
Warranty For All Hose Sizes	_____
The successful bidder will warranty the hose and couplings for defects in materials and workmanship for ten (10) years.	_____
All hose and couplings meet and or exceed NFPA 1961 Standard	_____

End Minimum Specification

ROCKDALE COUNTY BOARD OF COMMISSIONERS
NON-COLLUSION AFFIDAVIT OF BIDDER

State of _____)

County of _____)

_____, being first duly sworn, deposes and says that:

(1) He is _____ (owner, partner officer, representative, or agent) of _____, the Bidder that has submitted the attached Bid;

(2) He is fully informed respecting the preparation and contents of the attached Bid and of all pertinent circumstances respecting such Bid;

(3) Such Bid is genuine and is not a collusive or sham Bid;

(4) Neither the said Bidder nor any of its officers, partners, owners, agents, representatives, employees or parties in interest, including this affidavit, has in any way colluded, conspired, connived or agreed, directly or indirectly with any other Bidder, firm or person to submit a collusive or sham Bid in connection with the Contract for which the attached Bid has been submitted or refrain from proposing in connection with such Contract, or has in any manner, directly or indirectly, sought by agreement or collusion or communication or conference with any other Bidder, firm or person to fix the price or prices in the attached Bid or of any other Bidder, or to fix any overhead, profit or cost element of the proposing price or the proposing price of any other Bidder, or to secure through any collusion, conspiracy, connivance or unlawful agreement any advantage against Rockdale County or any person interested in the proposed Contract; and

(5) The price or prices quoted in the attached Bid are fair and proper and are not tainted by any collusion, conspiracy, connivance or unlawful agreement on the part of the Bidder or any of its agents, representatives, owners, employees, or parties in interest, including this affidavit.

(Signed)

(Title)

Subscribed and Sworn to before me this _____ day of _____, 20

Name _____

Title _____

My commission expires (Date)

ROCKDALE COUNTY BOARD OF COMMISSIONERS
NON-COLLUSION AFFIDAVIT OF SUB-CONTRACTOR

State of _____)

County of _____)

_____, being first duly sworn, deposes and says that:

(1) He/She is _____ (owner, partner officer, representative, or agent) of _____, the sub-contractor that has submitted the attached ITB;

(2) He/She is fully informed respecting the preparation and contents of the attached ITB and of all pertinent circumstances respecting such ITB;

(3) Such ITB is genuine and is not a collusive or sham ITB;

(4) Neither the said sub-contractor nor any of its officers, partners, owners, agents, representatives, employees or parties in interest, including this affidavit, has in any way colluded, conspired, connived or agreed, directly or indirectly with any other Vendor, firm or person to submit a collusive or sham ITB in connection with the Contract for which the attached ITB has been submitted or refrain from proposing in connection with such Contract, or has in any manner, directly or indirectly, sought by agreement or collusion or communication or conference with any other Vendor, firm or person to fix the price or prices in the attached ITB or of any other Vendor, or to fix any overhead, profit or cost element of the proposing price or the proposing price of any other Vendor, or to secure through any collusion, conspiracy, connivance or unlawful agreement any advantage against Rockdale County or any person interested in the proposed Contract; and

(5) The price or prices quoted in the attached RFP are fair and proper and are not tainted by any collusion, conspiracy, connivance or unlawful agreement on the part of the sub-contractor or any of its agents, representatives, owners, employees, or parties in interest, including this affidavit.

(Signed)

(Title)

Subscribed and Sworn to before me this _____ day of _____, 20 ____.

Name _____

Title _____

My commission expires (Date)

Contractor Affidavit under O.C.G.A. §13-10-91(b)(1)

By executing this affidavit, the undersigned contractor verifies its compliance with O.C.G.A. §13-10-91, stating affirmatively that the individual, firm or corporation which is engaged in the physical performance of services on behalf of (name of public employer) has registered with, is authorized to use and uses the federal work authorization program commonly known as E-Verify, or any subsequent replacement program, in accordance with the applicable provisions and deadlines established in O.C.G.A. §13-10-91. Furthermore, the undersigned contractor will continue to use the federal work authorization program throughout the contract period and the undersigned contractor will contract for the physical performance of services in satisfaction of such contract only with subcontractors who present an affidavit to the contractor with the information required by O.C.G.A. §13-10-91(b). Contractor hereby attests that its federal work authorization user identification number and date of authorization are as follows:

Federal Work Authorization User Identification Number

Date of Authorization

Name of Contractor

Name of Project

Name of Public Employer

I hereby declare under penalty of perjury that the foregoing is true and correct.

Executed on _____, ____, 201__ in _____(city), _____(state).

Signature of Authorized Officer or Agent

Printed Name and Title of Authorized Officer or Agent

SUBSCRIBED AND SWORN BEFORE ME
ON THIS THE _____ DAY OF _____,201__.

NOTARY PUBLIC
My Commission Expires:

Subcontractor Affidavit under O.C.G.A. § 13-10-91(b)(3)

By executing this affidavit, the undersigned subcontractor verifies its compliance with O.C.G.A. § 13-10-91, stating affirmatively that the individual, firm or corporation which is engaged in the physical performance of services under a contract with (name of contractor) on behalf of (name of public employer) has registered with, is authorized to use and uses the federal work authorization program commonly known as E-Verify, or any subsequent replacement program, in accordance with the applicable provisions and deadlines established in O.C.G.A. § 13-10-91. Furthermore, the undersigned subcontractor will continue to use the federal work authorization program throughout the contract period and the undersigned subcontractor will contract for the physical performance of services in satisfaction of such contract only with sub-subcontractors who present an affidavit to the subcontractor with the information required by O.C.G.A. § 13-10-91(b). Additionally, the undersigned subcontractor will forward notice of the receipt of an affidavit from a sub-subcontractor to the contractor within five business days of receipt. If the undersigned subcontractor receives notice that a sub subcontractor has received an affidavit from any other contracted sub-subcontractor, the undersigned subcontractor must forward, within five business days of receipt, a copy of the notice to the contractor. Subcontractor hereby attests that its federal work authorization user identification number and date of authorization are as follows:

Federal Work Authorization User Identification Number

Date of Authorization

Name of Subcontractor

Name of Project

Name of Public Employer

I hereby declare under penalty of perjury that the foregoing is true and correct.

Executed on _____, ____, 201__ in _____(city), _____(state).

Signature of Authorized Officer or Agent

Printed Name and Title of Authorized Officer or Agent

SUBSCRIBED AND SWORN BEFORE ME

ON THIS THE _____ DAY OF _____,201__.

NOTARY PUBLIC

My Commission Expires:_____

Sub-subcontractor Affidavit under O.C.G.A. §13-10-91(b)(4)

By executing this affidavit, the undersigned sub-subcontractor verifies it compliance with O.C.G.A. §13-10-91, stating affirmatively that the individual, firm or corporation which is engaged in the physical performance of services under a contract for (name of subcontractor or sub-subcontractor with whom such sub-subcontractor has privity of contract) and (name of contractor) on behalf of (name of public employer) has registered with, is authorized to use and uses the federal work authorization program commonly known as E-Verify, or any subsequent replacement program, in accordance with the applicable provisions and deadlines established in O.C.G.A. §13-10-91. Furthermore, the undersigned sub-subcontractor will continue to use the federal work authorization program throughout the contract period and the undersigned sub-subcontractor will contract for the physical performance of services in satisfaction of such contract only with sub-subcontractors who present an affidavit to the sub-subcontractor with the information required by O.C.G.A. §13-10-91(b). The undersigned sub-subcontractor shall submit, at the time of such contract, this affidavit to (name of subcontractor or sub-subcontractor with whom such sub-subcontractor has privity of contract). Additionally, the undersigned sub-subcontractor will forward notice of the receipt of any affidavit from a sub-subcontractor to (name of subcontractor or sub-subcontractor with whom such sub-subcontractor has privity of contract). Sub-subcontractors hereby attests that its federal work authorization user identification number and date of authorization are as follows:

Federal Work Authorization User Identification Number

Date of Authorization

Name of Sub-Subcontractor

Name of Project

Name of Public Employer

I hereby declare under penalty of perjury that the foregoing is true and correct.

Executed on _____, ____, 201__ in _____(city), _____(state).

Signature of Authorized Officer or Agent

Printed Name and Title of Authorized Officer or Agent

SUBSCRIBED AND SWORN BEFORE ME
ON THIS THE _____ DAY OF _____, 201__.

NOTARY PUBLIC
My Commission Expires: _____

Affidavit Verifying Status for County Public Benefit Application

By executing this affidavit under oath, as an applicant for the award of a contract with Rockdale, County Georgia, I _____ . [Name of natural person applying on behalf of individual, business, corporation, partnership, or other private entity] am stating the following as required by O.C.G.A. Section 50-36-1:

1) _____ I am a United States citizen

OR

2) _____ I am a legal permanent resident 18 years of age or older or I am an otherwise qualified alien or non-immigrant under the Federal Immigration and Nationality Act 18 years of age or older and lawfully present in the United States. *

In making the above representation under oath, I understand that any person who knowingly and willfully makes a false, fictitious, or fraudulent statement or representation in an affidavit shall be guilty of a violation of Code Section 16-10-20 of the Official Code of Georgia.

Signature of Applicant:

Date

Printed Name:

* _____
Alien Registration number for non-citizens

SUBSCRIBED AND SWORN
BEFORE ME ON THIS THE
_____ DAY OF _____, 20____.

Notary Public
My commission Expires:

***Note:** O.C.G.A. § 50-36-1(e)(2) requires that aliens under the federal Immigration and Nationality Act, Title 8 U.S.C., as amended, provide their registration number. Because legal permanent residents are included in the federal definition of "alien", legal permanent residents must also provide their alien registration number. Qualified aliens that do not have an alien registration number may supply another identifying number below.
