



OKEECHOBEE COUNTY

PARKS & RECREATION

1718 NW 9th Ave. Okeechobee, FL 34972 Phone: 863-763-6950 Fax: 863-763-0662

**Wiring Removal & Replacement Quote
for the
Douglas Brown Community Center
826 NE 16th Ave. Okeechobee, Florida 34972**

Scope of Work

- Contractor shall be responsible for the complete removal & disposal of all unused and inactive telephone, satellite, electrical, data, tv cable, abandoned conduit & wires on the exterior of the facility. This includes under all walkways, fascia, exterior walls, soffit, & wiring installed through windows & frames.
- The facility shall be rewired using Cat 6 Ethernet Cable, making drops according to the attached drawing & locations provided and confirmed by the facility tenant.
- Facility tenant shall be responsible for marking all functioning systems that shall remain active and intact.
- Contractor shall rewire all active systems to meet current building standards & shall be re-run through the ceiling and shall not interfere with any other existing systems including, security, fire, ac duct and ventilation & electrical. All descending wiring shall drop no less than 8' from ceiling and be enclosed and secured at locations specified by tenant.
- Work shall take no less than 30 days for substantial completion and must be complete between June 21st, 2021 & August 25th, 2021. Contractor must provide no less than 5 working days' notice to County as to when work will begin.
- Contractor shall be responsible for all measurements, permits, materials, calculations, and all appurtenances necessary for full completion of this project.
- Before work commences, contractor shall provide the County with proof of licenses, permits, and Certificate of Liability Insurance listing Okeechobee County Board of County Commissioners as additional insured.
- All written proposals must be received in office no later than March 22, 2021.

Okeechobee County reserves the right to select a portion or all of the estimated work for this improvement. Please refer to the attached aerials for reference.

Site visits are highly recommended and may be scheduled with Tiffany Gould—Project Coordinator at (863)763-6950 or the email below. Please submit all quotes in writing to the address above or via email at tgould@co.okeechobee.fl.us

2 x network drop mid wall height in classroom

2 drops in each office

2 drops in kitchen office area

2 drops in office

2 x network drop mid wall height in each classroom

we will need 24 or 48 port cat 6 patch panel.
Cabling should be cat 6
This does not include new cabling as agreed with Redwire for access control and video.

2 x network drops mid wall height in each classroom

2 network drops in office

2 x Network drops at each desk in office and storage should total 8

1 network drop where existing timeclock is

2x network drop mid wall height in each classroom

